

# **Vehicle Information**

Date:	February 14, 2020
Vehicle:	2016 Jeep Grand Cherokee Utility 4D Laredo 4WD 3.6L V6
VIN:	1C4RJFAG0GC396023
Weight:	4,677



# **New Cars/Trucks Values**

<b>Powered by Chrome Data</b> Base MSRP	<b>Base</b> \$32,295	<b>Options</b> \$3,695	Destination \$995	Adjusted Value \$36,985		
NADA New Vehicle Values						
Low	N/A	N/A	N/A	N/A		
Optional Equipment	Inveice	MCDD				
			Invoice	MSRP		
ALL WEATHER CAPABILITY GROUP	\$1509.00	\$1695.00				
-inc: Engine Block Heater, MOPAR Cargo Area Liner, Remote Start System, Tow Hooks, Heated Front Seats, Heated Steering Wheel, Selec-Terrain System, Quadra-Trac II 4WD System, MOPAR Slush Mats, Hill Descent Control Code: AD3						
ENGINE BLOCK HEATER			\$85.00	\$95.00		
Code: NHK						
QUICK ORDER PACKAGE 23E	\$1211.00	\$2000.00				
-inc: Engine: 3.6L V6 24V VVT UPG I w/ES Power 8-Way Driver/Manual Passenger Se Lumbar Adjust Code: 23E						
ENGINE: 3.6L V6 24V VVT UPG I W/ES	\$0.00	\$0.00				
(STD) Code: ERC						
STANDARD PAINT	\$0.00	\$0.00				
Code: -PAINT						
MAXIMUM STEEL METALLIC CLEARCO	\$0.00	\$0.00				
Code: PAR						
BLACK, CLOTH LOW BACK BUCKET S	\$0.00	\$0.00				
Code: F7X9	• • • • •	• • • • •				
TIRES: P245/70R17 BSW ON/OFF ROA	\$0.00	\$0.00				
(STD) Code: TY8	<b>\$</b> 0.00	<b>\$</b> 0.00				
TRANSMISSION: 8-SPEED AUTOMATI	\$0.00	\$0.00				
			<b>#0.00</b>	ድር ጉር		
WHEELS: 17" X 8.0" ALUMINUM			\$0.00	\$0.00		
(STD) Code: WFF						

# **Standard Equipment**

# **ENTERTAINMENT**

2 LCD Monitors In The Front
6 Speakers
Graphic Equalizer

• Integrated Roof Antenna

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power





- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System and External Memory Control
- Radio: Uconnect 5.0
- Streaming Audio

#### **EXTERIOR**

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Grille w/Chrome Accents
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Rocker Panel Extensions and Black Wheel Well Trim
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/70R17 BSW On/Off Road
- Wheels: 17" x 8.0" Aluminum

### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Driver Seat inc: Manual Recline and Fore/Aft Movement
- 4 Way Passenger Seat inc: Manual Recline, Fore/Aft Movement and Fold Flat
- 6040 Folding Split Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Low Back Bucket Seats
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- For Details Visit DriveUconnect.com
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
   HVAC -inc: Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel



- Sentry Key Engine Immobilizer
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function

### MECHANICAL

- 1320# Maximum Payload
- 160 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension w/Coil Springs
- Single Stainless Steel Exhaust
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

## SAFETY

- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Selec Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ftÅ<sup>3</sup>
- Cargo Volume to Seat 2 36.3ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 36.3ftÅ<sup>3</sup>

## **Cooling System**

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



### Electrical

- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 160

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

#### Engine

- Displacement 3.6 L/220
- Engine Order Code ERC
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 293 @ 6400
- SAE Net Torque @ RPM 260 @ 4000

#### **Exterior Dimensions**

- Height, Overall 69.3in
- Length, Overall 189.8in
- Liftover Height 32.4in
- Min Ground Clearance 8.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 114.8in
   Width Maximum 70 Ei
- Width, Max w/o mirrors 76.5in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

#### **Interior Dimensions**

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ftÂ<sup>3</sup>
- Second Head Room 39.2in
- Second Hip Room 56.2in
- Second Leg Room 38.6in
  Second Shoulder Room 58in

### Mileage

- Cruising Range City 442.80mi
- Cruising Range Hwy 615.00mi
- EPA Fuel Economy Est City 18MPG
- EPA Fuel Economy Est Hwy 25MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
   EPA MPG Equivalent Hwy N/A
- EPA MPG Equivalent Hwy N/A
  Fuel Economy Est-Combined 21MPG
- .....

# Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.1ft
  Turning Diameter Wall to Wall N/Aft

# Suspension

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Short And Long Arm .
- Suspension Type Front Short And Long Arm ٠
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link •

Tires

- Front Tire Order Code TY8
- Front Tire Size P245/70SR17 •
- ٠ **Rear Tire Order Code TY8**
- Rear Tire Size P245/70SR17
- Spare Tire Order Code ٠
- Spare Tire Size Compact

#### Trailering

- Dead Weight Hitch Max Tongue Wt. 350lbs
- Dead Weight Hitch Max Trailer Wt. 3500lbs •
- Maximum Trailering Capacity 3500lbs ٠
- Wt Distributing Hitch Max Tongue Wt. 350lbs
- Wt Distributing Hitch Max Trailer Wt. 3500lbs

#### Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive** .
- . Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28 •
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84 ٠ ٠
- Sixth Gear Ratio (:1) 1.00
- ٠ Third Gear Ratio (:1) 2.11
- **Trans Description Cont. Again**
- Trans Description Cont. Automatic w/OD ٠
- . **Trans Order Code DFL**
- Trans Type 8 •
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A

#### Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

#### Weight Information

- Base Curb Weight 4677lbs
- Curb Weight Front N/Albs .
- Curb Weight Rear N/Albs
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs •
- Total Option Weight 0.00lbs

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 8in
- **Rear Wheel Material Aluminum** ٠
- Rear Wheel Size 17 X 8in ٠
- Spare Wheel Material Steel
- Spare Wheel Size Compactin