



Vehicle Information

Date: February 21, 2020
Vehicle: 2019 Volvo XC90 Utility 4D T6 Momentum AWD 2.0L I4 Turbo
VIN: YV4A22PK7K1502273
Weight: 4,394



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$56,300	\$3,895	\$995	\$61,190

NADA New Vehicle Values

Low	\$44,716	\$3,094	\$995	\$48,805
-----	----------	---------	-------	-----------------

Optional Equipment

	Invoice	MSRP
ADVANCED PACKAGE -inc: Park Assist Pilot & Front Park Assist, Graphical Head-Up Display (HUD), 360 Degree Surroundview Camera, Full LED Headlights w/ABL, AHB2 & LED DRL, Headlight High Pressure Cleaning Code: MCC4I	\$2350.00	\$2500.00
HEATED STEERING WHEEL & REAR SEATS -inc: Heated Rear Seats, Outer Positions, Heated Steering Wheel Code: MCC4Q	\$705.00	\$750.00
ENGINE: 2.0L 16V I4 SUPERCHARGED TURBO DRIVE-E (STD) Code: -STDEN-B	\$0.00	\$0.00
MONOTONE PAINT Code: -PAINT	\$0.00	\$0.00
MAGIC BLUE METALLIC Code: 467-R	\$606.00	\$645.00
CHARCOAL, LEATHER SEATING SURFACES W/CHARCOAL INTERIOR Code: RA00	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Digital Signal Processor
- Graphic Equalizer
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: High Performance Audio System w/Sensus Nav -inc: Volvo Sensus Connect w/9" touchscreen, WiFi hotspot and complimentary trial for 6 months or 3GB (whichever comes first), integrated 9" color touchscreen, Bluetooth connectivity, SiriusXM satellite radio w/3-month subscription, auxiliary audio input, 2 USB ports, 330-watt amp, 10 speakers, smartphone integration and USB hub (Apple CarPlay/Android Auto)
- Real-Time Traffic Display
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Bodyside Cladding
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator



Licensed to J.D. Power

- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Composite/Galvanized Steel Panels
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Laminated Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Front License Plate Bracket
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Washer and Delay-Off
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/55R19
- Wheels: 19" 10-Spoke Turbine in Silver Bright

INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 8-Way Driver Seat
- 8-Way Passenger Seat
- Air Filtration
- Anti-Whiplash Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Bucket Bucket Leatherette 3rd Row Seat Front, Manual Fold Into Floor, 2 Power and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 10-way power driver seat w/memory, power lumbar and 10-way power passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Refrigerated/Cooled Box Located In The Console, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Aluminum Interior Accents
- Leather Gear Shift Knob
- Leather Seating Surfaces w/Charcoal Interior
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Proximity Cargo Access
- Smart Device Remote Engine Start



Licensed to J.D. Power

- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front And Rear Automatic Air Conditioning

MECHANICAL

- 18.8 Gal. Fuel Tank
- 210 Amp Alternator
- 3.33 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Electric Parking Brake
- 80-Amp/Hr 800CCA Maintenance-Free Battery w/Run Down Protection
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine Oil Cooler
- Engine: 2.0L 16V I4 Supercharged Turbo Drive-E
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 5,798 lbs
- Multi-Link Rear Suspension w/Transverse Leaf Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Driver Selectable Mode and Geartronic Sequential Shift Control
- Transmission: 8-Speed Geartronic Automatic -inc: start/stop and adaptive shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- BLIS Blind Spot Sensor
- City Safety and Cross Traffic Alert
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- DSTC/RSC Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Lane Keeping Aid/Run-off Road Mitigation Lane Departure Warning
- Lane Keeping Aid/Run-off Road Mitigation Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Power Rear Child Safety Locks
- Rear Park Assist Rear Parking Sensors
- Side Impact Beams
- Volvo On-Call Emergency Sps

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 80.3in
- Cargo Area Length @ Floor to Seat 2 49.6in
- Cargo Area Length @ Floor to Seat 3 21.8in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 35in
- Cargo Box Width @ Wheelhousings 47.4in
- Cargo Volume to Seat 1 85.7ft³
- Cargo Volume to Seat 2 41.8ft³
- Cargo Volume to Seat 3 15.8ft³

Cooling System

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 800
- Maximum Alternator Capacity (amps) 210

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/120
- Engine Order Code
- Engine Type Turbo/Supercharger Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 316 @ 5700
- SAE Net Torque @ RPM 295 @ 2200

Exterior Dimensions

- Height, Overall 69.9in
- Length, Overall 194.9in
- Liftover Height 30.8in
- Min Ground Clearance 9.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.7in
- Track Width, Rear 65.8in
- Wheelbase 117.5in
- Width, Max w/o mirrors 79.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions


- Front Head Room 38.9in
- Front Hip Room 56in
- Front Leg Room 40.9in
- Front Shoulder Room 57.7in
- Passenger Capacity 7
- Passenger Volume 103.8ftÅ³
- Second Head Room 38.5in
- Second Hip Room 56.5in
- Second Leg Room 37in
- Second Shoulder Room 56.5in
- Third Head Room 36.3in
- Third Hip Room 44.9in
- Third Leg Room 31.9in
- Third Shoulder Room 46.9in

Mileage

- Cruising Range - City 357.20mi
- Cruising Range - Hwy 488.80mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 39.7ft
- Turning Diameter - Wall to Wall N/Aft



Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Double Wishbone
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/55HR19
- Rear Tire Order Code
- Rear Tire Size P235/55HR19
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailing Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.33
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4394lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin