



Vehicle Information

Date: October 15, 2019
Vehicle: 2015 Jeep Grand Cherokee Utility 4D High Altitude 4WD
 3.6L V6
VIN: 1C4RJFCG4FC118222
Weight: 4,984



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$46,595	\$3,290	\$995	\$50,880

NADA New Vehicle Values

Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
19 SPEAKERS HIGH PERFORMANCE AUDIO -inc: 825 Watt Amplifier Code: RCA	\$708.00	\$795.00
3.45 REAR AXLE RATIO (STD) Code: DLK	\$0.00	\$0.00
QUICK ORDER PACKAGE 23S HIGH ALTITUDE -inc: Engine: 3.6L V6 24V VVT, Transmission: 8-Speed Automatic (845RE), Body Color Door Handles, Trivalent Finish Fog Lamp Bezels, Rear Fascia Gloss Black Step Pad, Taillamp Bezels w/Trivalent Finish, Dual Dark Chrome Exhaust Tip, Body Color Fascia w/Trivalent Rings, Parksense Front & Rear Park Assist System, Body Color Sill Extension, Black Accent Stitching, Bright Pedals, Body Color Exterior Mirrors, Jeep Black Gloss Badging, Leather Wrapped Steering Wheel, Black Headlamp Bezels, Headlamp Washer, Black Roof Molding, Trivalent Fascia Applique, Advanced Brake Assist, Adaptive Cruise Control w/Stop, Forward Collision Warning Plus Code: 23S	\$2221.00	\$2495.00
ENGINE: 3.6L V6 24V VVT (STD) Code: ERB	\$0.00	\$0.00
GWWR: 6,500 LBS (STD) Code: Z6K	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
GRANITE CRYSTAL METALLIC CLEARCOAT Code: PAU	\$0.00	\$0.00
BLACK, LEATHER TRIM SEATS W/EDGE WELTING (HA) Code: HAX9	\$0.00	\$0.00
TRANSMISSION: 8-SPEED AUTOMATIC (845RE) (STD) Code: DFL	\$0.00	\$0.00

Standard Equipment



ENTERTAINMENT

- 10 Speakers
- 2 LCD Monitors In The Front
- 506w Regular Amplifier
- GPS Antenna Input
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System, External Memory Control and Internal Memory
- Radio: Uconnect 8.4 NAV
- Siriusxm Traffic Real-Time Traffic Display

EXTERIOR

- Body-Colored Front Bumper w/2 Tow Hooks
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Full-Size Spare Tire Mounted Inside Under Cargo
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS
- Wheels: 20" x 8.0" Aluminum w/Black Finish

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12-Way Power Passenger Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat
- 8.4" Touchscreen Display
- Air Filtration
- Blind Spot & Cross Path Detection
- Bucket Front Seats w/Power 4-Way Driver Lumbar
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Steering Wheel
- HVAC -inc: Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Genuine Wood/Metal-Look Instrument Panel Insert, Genuine Wood/Chrome Door Panel Insert, Metal-Look Console Insert, Chrome/Metal-Look Interior Accents and



- Leather Upholstered Dashboard
- Leather Door Trim Insert
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Roll-Up Cargo Cover
- Sentry Key Engine Immobilizer
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function
- Voice Recorder

MECHANICAL

- 1150# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Hill Hold Control
- 50 State Emissions
- 700CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Automatic w/Driver Control Height Adjustable Suspension
- Class IV Towing Equipment -inc: Harness, Hitch and Trailer Sway Control
- Dual Stainless Steel Exhaust
- Electro-Hydraulic Power Assist Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Hill Descent Control
- Multi-Link Rear Suspension
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

PACKAGE

- Advanced Technology Group -inc: Advanced Brake Assist, Adaptive Cruise Control w/Stop, Forward Collision Warning Plus

SAFETY

- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Uconnect guardian Emergency Sos

Technical Specifications



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ft³
- Cargo Volume to Seat 2 36.3ft³
- Cargo Volume to Seat 3 36.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 700
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 9.3 (Est)

Engine

- Displacement 3.6 L/220
- Engine Order Code ERB
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 260 @ 4800

Exterior Dimensions

- Height, Overall 69.3in
- Length, Overall N/Ain
- Lifterover Height 31.8in
- Min Ground Clearance 6.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ft³



- Second Head Room 39.2in
- Second Hip Room 56.2in
- Second Leg Room 38.6in
- Second Shoulder Room 58in

Mileage

- Cruising Range - City 418.20mi
- Cruising Range - Hwy 590.40mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 24MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Short And Long Arm
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TV9
- Front Tire Size P265/50TR20
- Rear Tire Order Code TV9
- Rear Tire Size P265/50TR20
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 620lbs
- Dead Weight Hitch - Max Trailer Wt. 6200lbs
- Maximum Trailering Capacity 6200lbs
- Wt Distributing Hitch - Max Tongue Wt. 620lbs
- Wt Distributing Hitch - Max Trailer Wt. 6200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFL
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle



Licensed to J.D. Power

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4984lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein