

# **Vehicle Information**

Date: March 10, 2020

Vehicle: 2019 Kia Sorento Utility 4D LX AWD 3.3L V6

VIN: 5XYPGDA59KG562794

Weight: 4,101



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$33,090	N/A	\$1,045	\$34,135
NADA New Vehicle Values				
Low	\$29,502	N/A	\$1,045	\$30,547
Optional Equipment			Invoice	MSRP
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
SPARKLING SILVER			\$0.00	\$0.00
Code: KCS				
SATIN BLACK, YES ESSENTIALS CLOTH SEAT TRIM			\$0.00	\$0.00
Code: WK				

# **Standard Equipment**

## **ENTERTAINMENT**

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation, Radio Data System and Internal Memory
- Radio: UVO Play w/AM/FM/MP3 -inc: 7" touch-screen audio display system, Android Auto, Apple CarPlay, integrated rear-camera-display, 6-speakers including door-mounted tweeters, USB/auxiliary input jacks and Bluetooth wireless technology
- Streaming Audio

# **EXTERIOR**

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 17" x 7.0" Alloy



#### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- · Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls inc: Cargo Access
- Front Bucket Seats inc: 10-way power adjustable driver seat w/2-way power lumbar support
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Systems Monitor
- Trip Computer
- Urethane Gear Shifter Material
- YES Essentials Cloth Seat Trim

#### **MECHANICAL**

- 18.8 Gal. Fuel Tank
- 3.51 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
   Engine: 3 31 CDI Dual CVV
- Engine: 3.3L GDI Dual CVVT DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
   Gas-Pressurized Shock Absorbers
- GVWR: 5,622 lbs
- Multi-Link Rear Suspension w/Coil Springs
   Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic w/Sportmatic

#### **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Collision Warning (BCW) Blind Spot
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)



- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- **Rear Child Safety Locks**
- **Rear Collision Warning**
- **Side Impact Beams**
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- **Brake ABS System 4-Wheel**
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

# **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73ftÂ3
- Cargo Volume to Seat 2 38ftÂ3
- Cargo Volume to Seat 3 11.3ftÂ<sup>3</sup>

# Cooling System

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

# **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.5

# **Engine**

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 252 @ 5200

## **Exterior Dimensions**

- Height, Overall 66.3in
- Length, Overall 189in
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 109.4in
- Width, Max w/o mirrors 74.4in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal



#### **Interior Dimensions**

- Front Head Room 39.5in
- Front Hip Room 56.7in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 7
- Passenger Volume 154.2ftÂ<sup>3</sup>
- Second Head Room 39.3in
- Second Hip Room 56.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58in
- Third Head Room 36.3in
- Third Hip Room 41.4in
- Third Leg Room 31.7in
- Third Shoulder Room 52.8in

### Mileage

- Cruising Range City 357.20mi
- Cruising Range Hwy 451.20mi
- EPA Fuel Economy Est City 19MPG
- EPA Fuel Economy Est Hwy 24MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 21MPG

# **Steering**

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.3ft
- Turning Diameter Wall to Wall N/Aft

### Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

#### **Tires**

- Front Tire Order Code
- Front Tire Size P235/65HR17
- Rear Tire Order Code
- Rear Tire Size P235/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

#### **Trailering**

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

#### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel
- Eighth Gear Ratio (:1) 0.65
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.51
- First Gear Ratio (:1) 4.81
- Fourth Gear Ratio (:1) 1.42Reverse Ratio (:1) 3.42



- Second Gear Ratio (:1) 2.90
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.86
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

# Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

# **Weight Information**

- Base Curb Weight 4101lbs
  Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

# Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin