



## Vehicle Information

**Date:** February 28, 2020  
**Vehicle:** 2019 Hyundai Santa Fe Utility 4D SE AWD 2.4L I4  
**VIN:** 5NMS2CAD6KH131832  
**Weight:** 3,735



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,450	N/A	\$1,095	<b>\$28,545</b>
NADA New Vehicle Values				
Low	\$24,405	N/A	\$1,095	<b>\$25,500</b>

## Optional Equipment

	Invoice	MSRP
OPTION GROUP 01 -inc: standard equipment Code: 01-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
QUARTZ WHITE Code: WW8	\$0.00	\$0.00
ESPRESSO/GRAY, STAIN-RESISTANT CLOTH SEATING SURFACES Code: YPJ	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- 6 Speakers
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Aux Audio Input Jack
- Radio: AM/FM/MP3 Display Audio-inc: 7" screen, Android Auto, Apple CarPlay, Bluetooth hands-free w/wireless audio streaming, steering wheel audio, cruise and phone controls and dual front and rear 2.1 amp USB charge ports,

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield-inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Auto High-Beam Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks



- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels w/Painted Accents
- Wheels: 17" x 7.0J Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Driver Seat -inc: Manual Lumbar Support
- 4 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats -inc: 6-way manual adjustable driver seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Front Seats w/Manual Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Meta-Look Door Panel Insert and Meta-Look Interior Accents
- Locking Glove Box
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Stain-Resistant Cloth Seating Surfaces
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 1137# Maximum Payload
- 140 Amp Alternator
- 18.8 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio 4.081
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI E-CVVT 16-Valve 4-Cylinder -inc: Idle Stop & Go (IGS)
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,872 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 8-Speed Automatic w/SHIFTRONIC -inc: lock-up torque converter and manual shift mode

## SAFETY



Licensed to J.D. Power

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision-Avoidance Assist (FCA)
- Lane Keep Assist (LKA) Lane Departure Warning
- Lane Keep Assist (LKA) Lane Keeping Assist
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 71.3ft<sup>3</sup>
- Cargo Volume to Seat 2 35.9ft<sup>3</sup>
- Cargo Volume to Seat 3 35.9ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 140

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

### Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000

### Exterior Dimensions

- Height, Overall 66.1in
- Length, Overall 187.8in
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain



- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 108.9in
- Width, Max w/o mirrors 74.4in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

## Interior Dimensions

- Front Head Room 41.2in
- Front Hip Room 57.5in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 5
- Passenger Volume 110.7ft<sup>3</sup>
- Second Head Room 39.2in
- Second Hip Room 56.3in
- Second Leg Room 40.9in
- Second Shoulder Room 58.3in

## Mileage

- Cruising Range - City 394.80mi
- Cruising Range - Hwy 507.60mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.5ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive



Licensed to J.D. Power

- Eighth Gear Ratio (:1) 0.64
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) 4.08
- First Gear Ratio (:1) 4.49
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.08
- Second Gear Ratio (:1) 2.76
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3735lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin