\$0.00



## **Vehicle Information**

Date: March 23, 2020

Vehicle: 2013 Ford F150 Extended Cab Raptor

4WD 6.2L V8

VIN: 1FTFX1R65DFB56704

Typically Equipped MSRP: \$45,030

Weight: 6,070



## **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$44,035	\$4,760	\$995	\$49,790
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MCDD
			Invoice	MSRP
PLUS PKG			\$507.00	\$595.00
-inc: rear view camera, trailer brake contro	oller Code: 61R			
4.10 FRONT AXLE RATIO W/TORSEN LOCKING REAR AXLE RATIO	N DIFFERENTIAL/4.10 ELE	ECTRONIC-	\$0.00	\$0.00
Code: -SVT410				
50-STATE EMISSIONS SYSTEM			\$0.00	\$0.00
Code: 425-R				
6.2L EFI V8 ENGINE			\$0.00	\$0.00
(STD) Code: 996				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
RACE RED			\$0.00	\$0.00
Code: PQ				
BLACK, UNIQUE LEATHER/CLOTH F	RONT BUCKET SEATS		\$0.00	\$0.00
-inc: manual driver/passenger lumbar adju	stment Code: 7B			
LUXURY EQUIPMENT GROUP			\$4059.00	\$4760.00

-inc: heated/cooled 10-way pwr 40/console/40 front seats w/driver seat memory, dual-zone electronic auto temp control, HID headlamps, pwr adjustable pedals w/memory, voice-activated navigation system w/in-dash screen & SD card for map/POI storage, integrated SiriusXM Travel Link w/6-month subscription, pwr tilt/telescopic steering column, pwr-folding heated exterior mirrors w/integrated turn signals & body-color skull caps, driver side auto-dimming exterior mirror, mirror memory, rearview camera, remote start, Sony AM/FM stereo w/CD player, HD Radio, media hub w/(2) USB ports, audio/video input jacks, SD card reader, SYNC services 3-year prepaid subscription w/GPS based turn-by-turn driving directions & traffic reports & info services, MyFord Touch w/5-way steering wheel control switch, 8" LCD touch screen in center stack, trailer brake controller, universal garage door opener \*SiriusXM Travel Link is N/A in AK or HI\* Code: 801A

6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION W/OD & TOW/HAUL MODE \$0.00

(STD) Code: 446

# **Standard Equipment**



#### ENTERTAINMENT

- · AM/FM stereo w/CD player-inc: clock
- SiriusXM satellite radio \*N/A in AK or HI\*
- SYNC voice activated communications & entertainment system inc: Bluetooth capability, steering wheel audio controls, USB port, audio input jack, 911 assist, vehicle health report, Applink \*Additional SYNC services available w/annual subscription fee\*

### **EXTERIOR**

- 17" cast aluminum wheels w/painted & machined finish
- Body-color front bumper fascia
- Brick wall front grille
- Cast aluminum running boards
- Flared front fenders w/air extractors
- Full size spare tire
- Headlamps & tail lamps w/black surround
- Hood w/air extractors
- · Integrated marker lights
- LT315/70R17 all-terrain BSW tires
- Pwr side mirrors w/body-color skull caps
- Pwr sliding rear window
- · Rear privacy tint glass
- · Removable tailgate w/key lock & lift assist
- Under frame winch type spare tire carrier w/safety catch & lock
- Unique front/rear bumper w/painted foundry finish
- Unique front/rear wheel lip moldings
- · Variable interval wipers

### INTERIOR

- Color-coordinated carpet -inc: unique front/rear rubber floor mats w/SVT logo on front mats
- Console top switches -inc: hill decent, easy off-road mode, aux switch pack
- Cruise control
- · Driver side SecuriCode keyless entry keypad
- Front flow-through console w/floor shifter
- Front passenger side A-pillar grab handle
- Front pwr point
- Gauges inc: fuel gauge, voltmeter, oil pressure, engine coolant temp, speedometer, tachometer, odometer
- Illuminated entry
- Manual air conditioning
- MyFord-inc: 5-way steering wheel control switch, 4.2" LCD audio/climate control screen in center stack, 4.2" LCD productivity screen message center w/trip computer
- Perimeter alarm
- · Pwr 1st & 2nd row windows
- Pwr door locks w/autolock feature
- Rear pwr point
- Rear window defroster
- Remote keyless entry key
- SecuriLock passive anti-theft system (PATS)
- Tilt steering column
- Unique 60/40 flip-up rear split bench seat
- Unique IP center stack & door trim applique finish
- Unique leather/cloth bucket seats w/6-way pwr driver seat, seat back bolsters
- Unique leather-wrapped steering wheel w/thumb pads

### **MECHANICAL**

- 2-ton jack
- 4.10 front axle ratio w/Torsen differential/4.10 electronic-locking rear axle ratio
- 4-wheel drive inc: electronic-shift-on-the fly transfer case (ESOF)
- 5.5' pickup box
- 6.2L EFI V8 engine
- 6-speed electronic automatic transmission w/OD & tow/haul mode
- 7050# GVWR, 980# maximum payload
- 78-amp/hr (750CCA) maintenance-free battery
- Flared pickup box outers
- Front/rear high performance off-road/fox racing shock absorbers
- Front/rear tow hooks
- HD front/engine skid plates
- Hill decent/off-road mode
- Long travel suspension w/unique front upper/lower control arms
- Pwr front/rear disc brakes
- Pwr rack & pinion steering
- Steering rack travel/boost curve
- Trailer sway control
- Trailer tow pkg-inc: class IV trailer hitch receiver, 7-pin wiring harness, upgraded radiator, aux trans oil cooler, SelectShift auto trans
- Unique dual outlet muffler
- Unique tie rods



#### SAFETY

- AdvanceTrac w/Roll Stability Control (RSC)
- Anti-lock braking system (ABS)
- Auto lock safety belt feature for child seats
- Dual note horn
- Dual stage driver & front passenger seat-mounted side airbags
- Dual stage driver & passenger front airbags
- Hill descent control
- Hill start assist
- MyKey owner controls feature-inc: top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Beltminder w/audio mute
- Outboard front lap & shoulder safety belts inc: height adjusters, pretensioners, energy management retractors
- Reverse sensing system
- Safety Canopy front/rear outboard side curtain airbags
- SOS post crash alert system
- · Tire pressure monitoring system

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.78 x 0.55in
- Rear Brake Rotor Diam x Thickness 13.7 x 0.413in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Box (Area) Height 22.4in
- Cargo Box Length @ Floor 67.0in
- Cargo Box Width @ Floor 60.3in
- Cargo Box Width @ Top, Rear 60.3in
- Cargo Box Width @ Wheelhousings 50.0in
- Cargo Volume 55.4ft³
- Ext'd Cab Cargo Volume 40.9ftÂ<sup>3</sup>
- Tailgate Width 60.3in

### Cooling System

• Total Cooling System Capacity 19.5qts

#### **Electrical**

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 750
- Maximum Alternator Capacity (amps) 155

## **Emissions**

- EPA Greenhouse Gas Score 1 (2012)
- Tons/yr of CO2 Emissions @ 15K mi/year 14.0

### Engine

- Displacement 6.2L/379
- Engine Oil Cooler
- Engine Order Code 996
- Engine Type Gas V8
- Fuel System Electronic Fuel Injection
- SAE Net Horsepower @ RPM 411 @ 5500
- SAE Net Torque @ RPM 434 @ 4500

## **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle N/Ain



- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab 154.8in
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 36.4in
- Height, Overall 78.5in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 220.6in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front 38.0in
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 133.3in
- Width, Max w/o mirrors 86.3in

### Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Fully Boxed
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 36.0gal
- Fuel Tank Location Midship

### **Interior Dimensions**

- Front Head Room 41.0in
- Front Hip Room 60.5in
- Front Leg Room 41.4in
- Front Shoulder Room 65.9in
- Passenger Capacity 6
- Second Head Room 39.6in
- Second Hip Room 65.4inSecond Leg Room 33.3in
- Second Shoulder Room 65.7in

## Mileage

- Cruising Range City 396.00mi
- Cruising Range Hwy 576.00mi
- EPA Fuel Economy Est City 11MPG
- EPA Fuel Economy Est Hwy 16MPG
- Fuel Economy Est-Combined 13MPG

### **Steering**

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 20.0
- Steering Ratio (:1), Overall N/A
- Steering Type Pwr Rack & Pinion
- Turning Diameter Curb to Curb 44.6ft
- Turning Diameter Wall to Wall N/Aft

### Suspension

- Axle Capacity Front 3900lbs
- Axle Capacity Rear 3500lbs
- Axle Ratio (:1) Front 4.10
- Axle Ratio (:1) Rear 4.10

  Axle Torrest Country

  C
- Axle Type Front Long-Spindle
- Axle Type Rear Semi-Float Beam
   Shock Absorber Diameter Front 46.99mm
- Shock Absorber Diameter Rear 46.99mm
- Spring Capacity Front 3900lbs
- Spring Capacity Rear 3500lbs
- Stabilizer Bar Diameter Front 1.08in
- Stabilizer Bar Diameter Rear in



- Suspension Type Front Double-Wishbone
- Suspension Type Rear Live Axle

#### **Tires**

- Front Tire Capacity N/Albs
- Front Tire Order Code N/A
- Front Tire Size LT315/70R17
- Rear Tire Capacity N/Albs
- Rear Tire Order Code N/A
- Rear Tire Size LT315/70R17
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size LT315/70R17

## **Trailering**

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 900lbs
- Wt Distributing Hitch Max Trailer Wt. 6000lbs

#### **Transmission**

- · Clutch Size in
- **Drivetrain Four-Wheel Drive**
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.17
- Fourth Gear Ratio (:1) 1.14
- Reverse Ratio (:1) 3.40
- Second Gear Ratio (:1) 2.34
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.52
- Trans Description Cont. Again Trans Description Cont. Automatic
- Trans Order Code 446
- Trans Power Take Off
- Trans Type 6
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low 2.64
- Transfer Case Model N/A
- Transfer Case Power Take Off

## **Weight Information**

- · As Spec'd Curb Weight 6004.00lbs
- As Spec'd Payload 1046.00lbs
- Curb Weight Front 3414lbs
- Curb Weight Rear 2590lbs
- Curb Weight 6004.00lbs
- Gross Axle Weight Rating 7400.00lbs
- Gross Axle Wt Rating Front 3900lbs Gross Axle Wt Rating Rear 3500lbs
- **Gross Combined Wt Rating N/Albs**
- Gross Vehicle Weight Rating 7050.00lbs
- Maximum Payload Capacity 1046.00lbs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs **Payload Weight Front Olbs**
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front 486.00lbs
- Reserve Axle Capacity Rear 910.00lbs
- Reserve Axle Capacity 1396.00lbs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 x 8.5in







- Rear Wheel Material Aluminum
- Rear Wheel Size 17 x 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size 17 x 7.5in