



Vehicle Information

Date: November 8, 2019
Vehicle: 2017 Land Rover Discovery Sport Utility 4D HSE 4WD 2.0L I4 Turbo
VIN: SALCR2BG1HH653919
Weight: 3,854



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$42,195	\$3,900	\$995	\$47,090

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
CLIMATE COMFORT PACKAGE -inc: heated windshield, Climate Front & Heated Rear Seats, Heated Leather Steering Wheel Code: 072AC	\$1504.00	\$1600.00
HUD & PARK ASSIST PACKAGE -inc: head up display (HUD), Parallel & Perpendicular Park Assist Code: 017DD	\$1692.00	\$1800.00
VOLUMETRIC ALARM -inc: Alarm is activated if movement is detected inside the vehicle Code: 076EL	\$470.00	\$500.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
FUJI WHITE Code: 1AA	\$0.00	\$0.00
ALMOND/EBONY, GRAINED LEATHER SEAT TRIM Code: TWI	\$0.00	\$0.00
WHEELS: 18" 5 SPLIT SPOKE SPARKLE SILVER -inc: Style 511 (STD) Code: 029UE	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: 190W Audio System w/10 Speakers -inc: 1 media USB, 1 aux port, Bluetooth telephone connectivity plus audio streaming, 5" color TFT screen in instrument cluster and 8" color touchscreen infotainment screen
- Window Grid Diversity Antenna

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Side Windows Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass



Licensed to J.D. Power

- Fixed Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Washer and Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Metal-Look Grille
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18"
- Wheels: 18" 5 Split Spoke Sparkle Silver -inc: Style 511

INTERIOR

- 10-Way Power Front Seats w/Memory -inc: center console w/sliding armrest
- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Aluminum Gear Shift Knob
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Door Mirrors
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Grained Leather Seat Trim
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Console Insert, Metal-Look Interior Accents and Leatherette Upholstered Dashboard
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Center Armrest w/Storage
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Proximity Cargo Access
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 18.5 Gal. Fuel Tank
- 3.75 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 80-Amp/Hr Maintenance-Free Battery
- Automatic Full-Time Four-Wheel Drive



Licensed to J.D. Power

- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 2.0L I4 Turbocharged
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,520 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Strut Rear Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 9-Speed Automatic w/Paddle Shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- InControl Protect Emergency Sps
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Terrain Response Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 11.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 66.9ft³
- Cargo Volume to Seat 2 32ft³
- Cargo Volume to Seat 3 32ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) N/A
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions



Licensed to J.D. Power

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/122
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5800
- SAE Net Torque @ RPM 250 @ 1750

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 67.9in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.8in
- Track Width, Rear 64.2in
- Wheelbase 107.9in
- Width, Max w/o mirrors 74.6in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.5gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 40.2in
- Front Hip Room N/Ain
- Front Leg Room 42in
- Front Shoulder Room 57.4in
- Passenger Capacity 5
- Second Head Room 38.7in
- Second Hip Room N/Ain
- Second Leg Room 37.3in
- Second Shoulder Room 56.3in

Mileage

- Cruising Range - City 370.00mi
- Cruising Range - Hwy 462.50mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 25MPG
- Fuel Economy Est-Combined 22MPG



Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.75
- Axle Ratio (:1) - Rear 3.75
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Strut
- Suspension Type - Rear Strut

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P235/60VR18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P235/60VR18
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.80
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.80
- Third Gear Ratio (:1) 1.90
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

Weight Information



Licensed to J.D. Power

- As Spec'd Curb Weight N/A/lbs
- As Spec'd Payload N/A/lbs
- Curb Weight - Front N/A/lbs
- Curb Weight - Rear N/A/lbs
- Curb Weight N/A/lbs
- Gross Axle Weight Rating N/A/lbs
- Gross Axle Wt Rating - Front N/A/lbs
- Gross Axle Wt Rating - Rear N/A/lbs
- Gross Combined Wt Rating N/A/lbs
- Gross Vehicle Weight Rating 5520.00lbs
- Maximum Payload Capacity N/A/lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/A/lbs
- Reserve Axle Capacity - Rear N/A/lbs
- Reserve Axle Capacity N/A/lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin