



## Vehicle Information

**Date:** March 31, 2020  
**Vehicle:** 2013 Kia Sorento Utility 4D LX GDI 2.4L I4  
**VIN:** 5XYKT3A62DG395951  
**Typically Equipped MSRP:** \$23,950  
**Weight:** 0



## New Cars/Trucks Values

<b>Powered by Chrome Data</b>	<b>Base</b>	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$23,150	\$2,425	\$800	<b>\$26,375</b>

### NADA New Vehicle Values

High	N/A	N/A	N/A	<b>N/A</b>
------	-----	-----	-----	------------

## Optional Equipment

	<b>Invoice</b>	<b>MSRP</b>
BALTIC BLUE Code: T3U	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
REMOTE START (PIO) Code: RC	\$340.00	\$425.00
CONVENIENCE PKG -inc: I4 GDI engine, carpeted floor mats, roof rails, auto dimming mirror w/compass, heated front seats, fog lamps, rear sonar, UVO infotainment system w/backup camera display Code: CPK	\$1790.00	\$2000.00
BLACK, SEAT TRIM Code: VA-1	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- AM/FM stereo w/CD/MP3 player -inc: auxiliary input jack, USB port
- Bluetooth hands-free link
- SIRIUS satellite radio -inc: (3) months free subscription
- UVO hands-free entertainment system -inc: rear camera display

### EXTERIOR

- 17" x 7.0" painted alloy wheels
- Body colored heated pwr mirrors -inc: integrated turn signals
- Fixed rear wiper
- Fog lamps
- P235/65R17 tires
- Privacy glass
- Silver roof rails
- Variable intermittent front windshield wipers

### INTERIOR

- 2nd row bench seat
- Auto-dimming rear view mirror w/compass



Licensed to J.D. Power

- Dual illuminated visor vanity mirrors
- EcoMinder indicator
- Front/rear carpeted floor mats
- Front/rear pwr outlets
- Heated front seats
- Manual air conditioning
- Pwr door locks
- Pwr windows w/driver one-touch auto up/down
- Rear center armrest w/cup holder
- Rear map pockets
- Rear window defroster
- Remote keyless entry
- Tilt & telescopic steering wheel -inc: audio, cruise, Bluetooth controls
- Tricot cloth front bucket seats -inc: YES essentials fabric treatment
- Trip computer

## MECHANICAL

- 2.4L DOHC GDI dual CVVT 16-valve I4 engine
- 6-speed automatic transmission w/OD, Sportmatic
- Front wheel drive
- Front/rear stabilizer bars
- Hydraulic pwr rack & pinion steering
- Independent MacPherson strut front suspension w/coil springs
- Independent multi-link rear suspension
- Pwr ventilated front/solid rear disc brakes

## SAFETY

- 3-point seat belts in all positions w/front pretensioners
- 4-wheel anti-lock brakes
- Downhill brake control
- Dual advanced front airbags -inc: passenger occupancy sensor
- Electronic brake force distribution w/brake assist
- Electronic stability control w/traction control
- Energy-absorbing steering column
- Front active headrests
- Front seat-mounted airbags
- Front/rear crumple zones
- Full-length side curtain airbags
- Height-adjustable front seatbelts
- Hill assist control
- Lower anchors & tethers for children (LATCH)
- Rear child safety door locks
- Side impact door beams
- Sonar back-up warning system
- Tire pressure monitoring system

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.800 x -TBD-in
- Rear Brake Rotor Diam x Thickness 11.900 x -TBD-in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 72.500ft<sup>3</sup>
- Cargo Volume to Seat 2 37.000ft<sup>3</sup>
- Cargo Volume to Seat 3 ft<sup>3</sup>

### Cooling System

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



- Total Cooling System Capacity 2.300qts

## Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.6

## Engine

- Displacement 2.4L/144
- Engine Order Code
- Engine Type Gas I4
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 191 @ 6300
- SAE Net Torque @ RPM 181 @ 4250

## Exterior Dimensions

- Height, Overall 67.300in
- Length, Overall 183.900in
- Liftover Height N/Ain
- Min Ground Clearance 7.500in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.700in
- Track Width, Rear 63.800in
- Wheelbase 106.300in
- Width, Max w/o mirrors 74.200in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.000gal

## Interior Dimensions

- Front Head Room 39.200in
- Front Hip Room 56.300in
- Front Leg Room 41.300in
- Front Shoulder Room 59.300in
- Passenger Capacity 5
- Passenger Volume 142.500ftÅ³
- Second Head Room 39.200in
- Second Hip Room 55.900in
- Second Leg Room 37.600in
- Second Shoulder Room 58.700in
- Third Head Room in
- Third Hip Room in
- Third Leg Room in
- Third Shoulder Room in

## Mileage

- Cruising Range - City 378.00mi
- Cruising Range - Hwy 540.00mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 30MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

## Steering

- Lock to Lock Turns (Steering) 3.020
- Steering Ratio (-1), Overall 15.400
- Steering Type Pwr Rack & Pinion
- Turning Diameter - Curb to Curb 35.700ft
- Turning Diameter - Wall to Wall N/Aft



## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) w/Coil Springs
- Suspension Type - Front MacPherson Strut
- Suspension Type - Rear (Cont.)
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/65R17
- Rear Tire Order Code
- Rear Tire Size P235/65R17
- Spare Tire Order Code
- Spare Tire Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 165lbs
- Dead Weight Hitch - Max Trailer Wt. 1650lbs
- Maximum Trailing Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. lbs
- Wt Distributing Hitch - Max Trailer Wt. lbs

## Transmission

- Clutch Size in
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 1.000
- Final Drive Axle Ratio (:1) 3.648
- First Gear Ratio (:1) 4.639
- Fourth Gear Ratio (:1) 1.386
- Reverse Ratio (:1) 3.385
- Second Gear Ratio (:1) 2.826
- Sixth Gear Ratio (:1) 0.772
- Third Gear Ratio (:1) 1.841
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/Manual Shift
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High
- Transfer Case Gear Ratio (:1), Low

## Vehicle

- EPA Classification Sport Utility Vehicle - 2WD

## Weight Information

- Base Curb Weight 3878lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 x 7.0in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 x 7.0in
- Spare Wheel Material
- Spare Wheel Size in