



Vehicle Information

Date: October 15, 2019
Vehicle: 2015 Mazda CX9 Utility 4D Touring AWD 3.7L V6
VIN: JM3TB3CV6F0463471
Weight: 4,559



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$34,070	\$200	\$880	\$35,150

NADA New Vehicle Values

	Low	Average	High
Base MSRP	N/A	N/A	N/A
Options	N/A	N/A	N/A
Destination	N/A	N/A	N/A
Adjusted Value	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
CRYSTAL WHITE PEARL MICA PAINT Code: JCP	\$172.00	\$200.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CRYSTAL WHITE PEARL MICA Code: 34K	\$0.00	\$0.00
SAND, LEATHER TRIMMED SEATS -inc: 1st and 2nd row outboard seating positions Code: TB7	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM Sound System w/CD & 6 Speakers -inc: 5.8" color LCD multi information display, rear window element-type antenna, auxiliary audio input jack, USB audio input and HD radio and Bluetooth audio profile
- Wireless Phone Connectivity

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler



- Projector Beam Halogen Headlamps w/Delay-Off
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/60R18
- Variable Intermittent Wipers
- Wheels: 18" x 7.5J Aluminum Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Windows
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: hi/low heating adjust, power 8-way adjustable driver seat w/power lumbar support and power 4-way adjustable front passenger seat
- HVAC -inc: Console Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Trimmed Seats -inc: 1st and 2nd row outboard seating positions
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Mechanical Fuel
- Seats w/Leatherette Back Material
- Trip Computer

MECHANICAL

- 110 Amp Alternator
- 20.1 Gal. Fuel Tank
- 3.464 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
- 55-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Engine: 3.7L 24V DOHC V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,997 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: 6-Speed Sport Automatic -inc: Sport Shift



SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Rear Parking Sensors
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 48.9in
- Cargo Area Length @ Floor to Seat 3 19in
- Cargo Area Width @ Beltline 58.5in
- Cargo Box (Area) Height 34.8in
- Cargo Box Width @ Wheelhousings 46.1in
- Cargo Volume to Seat 1 100.7ft³
- Cargo Volume to Seat 2 48.3ft³
- Cargo Volume to Seat 3 17.2ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score 4.0
- Tons/yr of CO₂ Emissions @ 15K mi/year 9.8

Engine

- Displacement 3.7 L/227
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 273 @ 6250
- SAE Net Torque @ RPM 270 @ 4250

Exterior Dimensions

- Height, Overall 68in
- Length, Overall N/Ain
- Lifterover Height 30.9in
- Min Ground Clearance N/Ain



Licensed to J.D. Power

- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.1in
- Track Width, Rear 64.7in
- Wheelbase 113.2in
- Width, Max w/o mirrors 76.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 20.1gal

Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 56.5in
- Front Leg Room 40.9in
- Front Shoulder Room 59.4in
- Passenger Capacity 7
- Passenger Volume 139.4ft³
- Second Head Room 39in
- Second Hip Room 56in
- Second Leg Room 39.8in
- Second Shoulder Room 58.7in
- Third Head Room 35.4in
- Third Hip Room 43.7in
- Third Leg Room 32.4in
- Third Shoulder Room 56.9in

Mileage

- Cruising Range - City 321.60mi
- Cruising Range - Hwy 442.20mi
- EPA Fuel Economy Est - City 16MPG
- EPA Fuel Economy Est - Hwy 22MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 18MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/60HR18
- Rear Tire Order Code
- Rear Tire Size P245/60HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) 3.46
- First Gear Ratio (:1) 4.15
- Fourth Gear Ratio (:1) 1.15
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.37
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.55
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4559lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin