



Vehicle Information

Date:	May 7, 2020
Vehicle:	2019 Volkswagen Atlas Utility 4D S AWD 3.6L V6
VIN:	1V2GR2CA6KC570525
Typically Equipped MSRP:	\$35,640
Weight:	4,502

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$34,095	\$550	\$995	\$35,640
NADA New Vehicle Values				
High	\$31,837	\$514	\$995	\$33,346

Optional Equipment

	Invoice	MSRP
TOWING PACKAGE -inc: Factory installed trailer hitch w/5,000 lbs, towing capacity, Code: P12	\$473.00	\$550.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
PLATINUM GRAY METALLIC Code: 2R2R	\$0.00	\$0.00
TITAN BLACK, CLOTH SEATING SURFACES Code: BC	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Composition Color w/6.5" Touchscreen -inc: AM/FM radio w/USB input, 6-speaker sound system, Bluetooth connectivity (for compatible devices) and VW Car-Net app-connect smartphone integration and interface (w/Apple CarPlay, Android Auto and MirrorLink)
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Programmable Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Rain Detecting Variable Intermittent Wipers



Licensed to J.D. Power

- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18" All-Season
- Wheels: 18" 5-Spoke

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seating Surfaces
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Cargo Access
- Front And Rear Map Lights
- Front Bucket Seats -inc: 6-way manual driver's seat w/height adjustment and 4-way manual passenger seat
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Instrument Panel Covered Bin, Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look/Piano Black Door Panel Insert, Piano Black Console Insert and Metal-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Urethane Gear Shifter Material
- Valet Function
- VW Car-Net Selective Service Internet Access

MECHANICAL

- 1213# Maximum Payload
- 18.6 Gal. Fuel Tank
- 3.60 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Engine: 3.6L VR6 DOHC 24-Valve -inc: FSI direct fuel injection and start/stop system
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel
- Gas-Pressurized Shock Absorbers
- GVWR: 2,720 kgs (5,997 lbs)
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Standard Suspension



Licensed to J.D. Power

- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic w/Tiptronic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Monitor Blind Spot
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- FCW w/Autonomous Emergency Braking and Rear Traffic Alert
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Power Rear Child Safety Locks
- Side Curtain Protection Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 96.8ft³
- Cargo Volume to Seat 2 55.5ft³
- Cargo Volume to Seat 3 20.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.6 L/220
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 276 @ 6200
- SAE Net Torque @ RPM 266 @ 2750

Exterior Dimensions

- Height, Overall 70in



Licensed to J.D. Power

- Length, Overall 198.3in
- Lifter Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.2in
- Track Width, Rear 67.8in
- Wheelbase 117.3in
- Width, Max w/o mirrors 78.3in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

Interior Dimensions

- Front Head Room 41.3in
- Front Hip Room 58.2in
- Front Leg Room 41.5in
- Front Shoulder Room 61.5in
- Passenger Capacity 7
- Passenger Volume 153.7ft³
- Second Head Room 40.4in
- Second Hip Room 58in
- Second Leg Room 37.6in
- Second Shoulder Room 60.8in
- Third Head Room 38.3in
- Third Hip Room 45.1in
- Third Leg Room 33.7in
- Third Shoulder Room 54.9in

Mileage

- Cruising Range - City 316.20mi
- Cruising Range - Hwy 427.80mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/60HR18
- Rear Tire Order Code
- Rear Tire Size P245/60HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs



- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailing Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) 3.60
- First Gear Ratio (:1) 5.59
- Fourth Gear Ratio (:1) 1.43
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4502lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin