



## Vehicle Information

Date:	May 11, 2020
Vehicle:	2019 Toyota 4Runner Utility 4D SR5 4WD 4.0L V6
VIN:	JTEBU5JR3K5671039
Typically Equipped MSRP:	\$39,110
Weight:	4,675

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$39,015	\$1,370	\$1,120	<b>\$41,505</b>
<b>NADA New Vehicle Values</b>				
High	\$38,039	\$1,336	\$1,120	<b>\$40,495</b>

## Optional Equipment

	Invoice	MSRP
KEEP IT WILD SAVINGS *CREDIT* Code: QD	\$-435.00	\$-750.00
POWER TILT/SLIDE MOONROOF W/SUNSHADE -inc: Moonroof w/Tilt Up & Slide Code: MR-0	\$757.00	\$850.00
SOFTEX-TRIMMED 50/50 SPLIT FOLD-FLAT 3RD ROW -inc: sliding 2nd row w/passenger-side 1-touch access to 3rd row and 3rd row curtain shield airbags, Trunk Carpet Code: TI-0	\$965.00	\$1085.00
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
SR5 PREMIUM PACKAGE W/SOFTEX -inc: SR5 premium package Code: PT-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ROOF RACK CROSS BARS (PPO) Code: 3T	\$110.00	\$185.00
MAGNETIC GRAY METALLIC Code: 1G3	\$0.00	\$0.00
BLACK GRAPHITE, SOFTEX SYNTHETIC LEATHER SEAT TRIM Code: LB22	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: Entune Premium Audio w/Navigation -inc: Entune App Suite, 6.1" high-resolution touch-screen w/split-screen display, AM/FM cache radio, HD Radio, CD player, 8-speakers, auxiliary port, USB 2.0 port w/iPod connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology, Siri Eyes Free, HD Radio predictive traffic and Doppler weather overlay and SiriusXM satellite radio w/3-month all access trial, Access to Entune services is subscription free. See [toyota.com/entune](http://toyota.com/entune) for details.
- Window Grid Diversity Antenna

### EXTERIOR

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



Licensed to J.D. Power

- Auto Off Projector Beam Halogen Daytime Running Headlamps
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body Color Heated Mirrors
- Body-Colored Door Handles
- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert, Rocker Panel Extensions and Body-Colored Fender Flares
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Grille w/Body-Colored Bar
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Power Rear Window w/Fixed Interval Wiper and Defroster
- Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Roof Rack Rails Only
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 Mud & Snow
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0" 6-Spoke Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- 4-Way Passenger Seat
- 5 12V DC Power Outlets
- 5 12V DC Power Outlets and 1 AC Power Outlet
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Auto-Dimming Rearview Mirror
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Entune Safety Connect Tracker System
- Entune Selective Service Internet Access
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 5 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Opener
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power-adjustable driver's seat w/power lumbar support and 4-way power-adjustable front passenger seat
- HVAC -inc: Underseat Ducts and Console Ducts
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shifter Material
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Leatherette Back Material
- SofTex Synthetic Leather Seat Trim



Licensed to J.D. Power

- Systems Monitor
- Trip Computer
- Valet Function

## MECHANICAL

- 1625# Maximum Payload
- 23 Gal. Fuel Tank
- 3 Skid Plates
- 3.727 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 72-Amp/Hr 750CCA Maintenance-Free Battery
- Auto Locking Hubs
- Class III Towing Equipment -inc: Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Engine: 4.0L V6 DOHC SMPI
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Manual Transfer Case
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Sequential Shift Control and Oil Cooler
- Transmission: Electronic 5-Speed Automatic w/OD

## SAFETY

- Airbag Occupancy Sensor
- A-TRAC ABS And Driveline Traction Control
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency Sos
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.3in
- Rear Brake Rotor Diam x Thickness 12.3in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft<sup>3</sup>
- Cargo Volume to Seat 1 88.8ft<sup>3</sup>
- Cargo Volume to Seat 2 46.3ft<sup>3</sup>
- Cargo Volume to Seat 3 9ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

### Cooling System

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 750
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 750
- Maximum Alternator Capacity (amps) N/A

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

## Engine

- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 270 @ 5600
- SAE Net Torque @ RPM 278 @ 4400

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 71.5in
- Length, Overall 190.2in
- Length, Overall w/rear bumper N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 9.6in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.2in
- Track Width, Rear 63.2in
- Wheelbase 109.8in
- Width, Max w/o mirrors 75.8in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÅ³

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 23gal
- Fuel Tank Location N/A

## Interior Dimensions

- Front Head Room 38.6in
- Front Hip Room 56.5in
- Front Leg Room 41.7in
- Front Shoulder Room 57.8in
- Passenger Capacity 7
- Second Head Room 38.6in
- Second Hip Room 55.7in



Licensed to J.D. Power

- Second Leg Room 32.9in
- Second Shoulder Room 57.8in
- Third Head Room 34.3in
- Third Hip Room 43.3in
- Third Leg Room 29.3in
- Third Shoulder Room 57.7in

## Mileage

- Cruising Range - City 391.00mi
- Cruising Range - Hwy 460.00mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 20MPG
- Fuel Economy Est-Combined 18MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.4ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.73
- Axle Ratio (:1) - Rear 3.73
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70SR17
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/70SR17
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.72
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.52
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.22
- Second Gear Ratio (:1) 2.04
- Third Gear Ratio (:1) 1.40



Licensed to J.D. Power

- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Manual
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 6437.00lbs
- Gross Axle Wt Rating - Front 2998lbs
- Gross Axle Wt Rating - Rear 3439lbs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 6300.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein