

Date:	October 18, 2019	
Vehicle:	2019 Volkswagen Atlas Utility 4D SEL	
	AWD 3.6L V6	
VIN:	1V2MR2CA9KC550739	
Typically Equipped MSRP:	\$44,885	
Weight:	4,502	

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$43,195	Options N/A	Destination \$995	Adjusted Value \$44,190
NADA New Vehicle Values				, ,
Low	\$35,878	N/A	\$995	\$36,873
Average	\$37,580	N/A	\$995	\$38,575
High	\$40,434	N/A	\$995	\$41,429
Optional Equipment STANDARD PAINT			Invoice \$0.00	MSRP \$0.00
Code: -PAINT PLATINUM GRAY METALLIC Code: 2R2R			\$0.00	\$0.00
TITAN BLACK, V-TEX LEATHERETTE SEATING SURFACES Code: WR			\$0.00	\$0.00
WHEELS: 18" 5-SPOKE (STD) Code: CF8			\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Discover Media 8.0" Touchscreen w/Nav inc: AM/FM/HD Radio, WMA/MP3/FLAC/CD player w/dual USB inputs and auxin, voice control, 8-speaker sound system, Bluetooth connectivity (for compatible devices), SiriusXM Satellite Radio (w/limited time subscription), VW Car-Net appconnect smartphone integration and interface (w/Apple CarPlay, Android Auto and MirrorLink), VW Car-Net security and service connected car service (w/limited subscription) and VW Car-Net guide and inform enhanced navigation and infotainment (w/limited subscription)
- Real Time Traffic Display
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Compact Spare Tire Mounted Inside Under Cargo
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Programmable Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18" All-Season
- Wheels: 18" 5-Spoke

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 8-Way Driver Seat
- Air Filtration
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- Heated Comfort Front Bucket Seats inc: 10 way power driver's seat w/power lumbar support, driver's seat position memory and 8 way power passenger seat
- Heated Leather/Piano Black Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings inc: Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases Inc: Proximity Cargo Access
- Seats w/Leatherette Back Material
- Systems Monitor
- Tracker System





- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- V-Tex Leatherette Seating Surfaces
- VW Car-Net Selective Service Internet Access

MECHANICAL

- 1213lbs. Maximum Payload
- 18.6 Gal. Fuel Tank
- 3.60 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Class III Towing Equipment inc: Hitch
- Electro Hydraulic Power Assist Speed-Sensing Steering
- Engine: 3.6L VR6 DOHC 24-Valve inc: FSI direct fuel injection and start/stop system
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 2,720 kgs (5,997 lbs)
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Standard Suspension
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic w/Tiptronic

SAFETY

- ABS And Driveline Traction Control
- Active Blind Spot Monitor Blind Spot Sensor
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- FCW w/Autonomous Emergency Braking and Rear Traffic Alert
- Lane Keeping System (Lane Assist) Lane Departure Warning
- Lane Keeping System (Lane Assist) Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Park Distance Control Front And Rear Parking Sensors
- Power Rear Child Safety Locks
- Side Curtain Protection Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 96.8ftÅ³
- Cargo Volume to Seat 2 55.5ftÅ³
- Cargo Volume to Seat 3 20.6ftÅ³
- Ext'd Cab Cargo Volume N/AftÂ³



• Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Ű F (2nd) N/A
 Cold Cranking Amps @ 0Ű F (3rd) N/A
 Cold Cranking Amps @ 0Ű F (Primary) N/A

- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.6 L/220
- Engine Oil Cooler None
- **Engine Order Code** .
- Engine Type Regular Unleaded V-6 .
- Fuel System Gasoline Direct Injection •
- SAE Net Horsepower @ RPM 276 @ 6200
- SAE Net Torque @ RPM 266 @ 2750 .

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain •
- Cab to End of Frame N/Ain ٠
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain ٠
- Ground Clearance, Front N/Ain ٠
- Ground Clearance, Rear N/Ain ٠
- Ground to Top of Frame N/Ain .
- Ground to Top of Load Floor N/Ain •
- Height, Overall 70in
- Length, Overall N/Ain .
- Length, Overall w/rear bumper N/Ain .
- Liftover Height N/Ain .
- Min Ground Clearance N/Ain •
- Overhang, Front N/Ain ٠
- Overhang, Rear w/o bumper N/Ain ٠
- Rear Door Opening Height N/Ain .
- Rear Door Opening Width N/Ain
- Track Width, Front 67.2in •
- Track Width, Rear 67.8in ٠
- Wheelbase 117.3in • .
- Width, Max w/o mirrors 78.3in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.6gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41.3in
- Front Hip Room 58.2in
- Front Leg Room 41.5in



- Front Shoulder Room 61.5in
- . Passenger Capacity 7
- Second Head Room 40.4in •
- Second Hip Room 58in •
- Second Leg Room 37.6in •
- Second Shoulder Room 60.8in .
- Third Head Room 38.3in •
- Third Hip Room 45.1in •
- Third Leg Room 33.7in ٠
- Third Shoulder Room 54.9in •

Mileage

- Cruising Range City 316.20mi
- Cruising Range Hwy 427.80mi
- EPA Fuel Economy Est City 17MPG
 EPA Fuel Economy Est Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A ٠
- **Steering Type Rack-Pinion** •
- Turning Diameter Curb to Curb 38.1ft ٠
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.60 .
- Axle Ratio (:1) Rear 3.60 . .
- Axle Type Front Independent • Axle Type - Rear Independent
- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm ٠
- Spring Capacity Front N/Albs •
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain ٠
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front Strut ٠
- Suspension Type Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code ٠
- Front Tire Size P245/60HR18 .
- **Rear Tire Capacity N/Albs** .
- Rear Tire Order Code •
- Rear Tire Size P245/60HR18
- Revolutions/Mile @ 45 mph Front N/A •
- Revolutions/Mile @ 45 mph Rear N/A •
- Revolutions/Mile @ 45 mph Spare N/A ٠
- Spare Tire Capacity N/Albs ٠
- Spare Tire Order Code .
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs .
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) N/A



NADA New Cars/Trucks

- First Gear Ratio (:1) 5.59
- Fourth Gear Ratio (:1) 1.43 •
- Reverse Ratio (:1) 3.99 •
- Second Gear Ratio (:1) 3.14 •
- Seventh Gear Ratio (:1) 0.81 ٠
- Sixth Gear Ratio (:1) 1.00 .
- Third Gear Ratio (:1) 1.95 ٠ •
- **Trans Description Cont. Again**
- Trans Description Cont. Automatic w/OD •
- Trans Order Code •
- Trans Power Take Off N/A
- Trans Type 8 •
- Transfer Case Gear Ratio (:1), High N/A • Transfer Case Gear Ratio (:1), Low N/A
- . •
- Transfer Case Model None •
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
 As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs ٠
- Gross Axle Weight Rating N/Albs ٠
- Gross Axle Wt Rating Front N/Albs ٠
- Gross Axle Wt Rating Rear N/Albs •
- Gross Combined Wt Rating N/Albs •
- Gross Vehicle Weight Rating 5997.00lbs . •
- Maximum Payload Capacity N/Albs •
- Option Weight Front 0.00lbs • Option Weight Rear 0.00lbs
- ٠
- Payload Weight Front Olbs Payload Weight Rear Olbs ٠
- •
- **Reserve Axle Capacity Front N/Albs** Reserve Axle Capacity - Rear N/Albs ٠
- **Reserve Axle Capacity N/Albs** •
- Standard Weight Front Olbs .
- •
- Standard Weight Rear Olbs • Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in •
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size Compactin