

Vehicle Information

Date: November 6, 2019

Vehicle: 2017 Buick Enclave Utility 4D Leather AWD 3.6L V6

VIN: 5GAKVBKDXHJ288350

Weight: 4,922



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$45,765	Options \$575	Destination \$925	Adjusted Value \$47,265
NADA New Vehicle Values				·
Low	N/A	N/A	N/A	N/A
Optional Equipment			Involos	MCDD
COOLING SYSTEM LIEAVA DUTY			Invoice \$0.00	MSRP \$0.00
COOLING SYSTEM, HEAVY-DUTY (Included and only available with (V92) Trailering Package.) Code: V08			φυ.υυ	φυ.υυ
TRAILER HITCH			\$0.00	\$0.00
(Included and only available with (V92) Trailering Package.) Code: VR2			+	******
TRAILERING PACKAGE			\$523.25	\$575.00
4500 lbs. includes (V08) heavy-duty engine cooling system and (VR2) trailer hitch Code: V92				
EMISSIONS, FEDERAL REQUIREMENTS			\$0.00	\$0.00
Code: FE9 ENGINE, 3.6L VARIABLE VALVE TIMING V6 WITH SIDI (SPARK IGNITION DIRECT INJECTION), DOHC (288 hp [214.7 kW] @ 6300 rpm, 270 lb-ft of torque [364.5 N-m] @ 3400 rpm) (STD) Code:			\$0.00	\$0.00
LLT SUMMIT WHITE			\$0.00	\$0.00
Code: GAZ			ψ0.00	ψ0.00
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			+	******
LEATHER PREFERRED EQUIPMENT GROUP			\$0.00	\$0.00
Includes Standard Equipment Code: 1SL AUDIO SYSTEM, COLOR TOUCH RAI RADIO WITH CD PLAYER 6.5" diagonal touch-screen display USB r			\$0.00	\$0.00
6.5" diagonal touch-screen display, USB port and auxiliary input jack (STD) Code: Ul6 EBONY WITH EBONY INTERIOR ACCENTS, PERFORATED LEATHER SEATING SURFACE			\$0.00	\$0.00
(Available with (PCX) Enclave Tuscan Edi	•		*	40.00
SEATING, 7-PASSENGER, FRONT BU			\$0.00	\$0.00
second-row captain's chairs, flat folding ar folding 60/40 split bench (STD) Code: AB		row, third row flat		
TIRES, P255/60R19-108S ALL-SEASC	N, BLACKWALL, MICHEL	.IN	\$0.00	\$0.00
(STD) Code: QUP TRANSMISSION, 6- SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE (STD) Code: M7X			\$0.00	\$0.00





Invoice

MSRP

WHEELS, 19" (48.3 CM) 10-SPOKE ALUMINUM

\$0.00

\$0.00

(STD) Code: RZA

Standard Equipment

ENTERTAINMENT

- Audio system feature, standard speaker system
- · Audio system feature, USB port, located in the center console
- Audio system, Color Touch radio with IntelliLink, AM/FM/SiriusXM radio with CD player 6.5" diagonal touch screen display, USB port and auxiliary input jack
- IntelliLink includes personal cell phone connectivity to vehicle audio system, HMI (Human Machine Interface), phonebook access, voice recognition for audio, phone, phonebook and music selection; Pandora and Stitcher smartphone compatible, software Bluetooth and smartphone
- SiriusXM Satellite Radio is standard on nearly all 2017 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (Replaced by (UBS) NavTraffic when (UI8) Color Touch Navigation with IntelliLink, AM/FM/SiriusXM stereo with CD player or (UI7) Color Touch Navigation with IntelliLink, AM/FM/SiriusXM stereo with CD/DVD player are ordered. IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)
- USB port, 2 charging-only ports located in the rear of the center console

EXTERIOR

- · Glass, Solar-Ray deep-tinted, rear-side, quarter panel and liftgate
- Headlamp control, automatic on and off
- Headlamps, High-Intensity Discharge (HID) Xenon, projector lamps hi/low bi-functional with blue tint lenses and chromed bezels
- Liftgate, rear power
- Luggage rack side rails, roof-mounted, chromed
- Mirrors, outside heated power-adjustable, body-color, manual-folding with integrated turn signal indicators (Includes driver side memory feature.)
- Tires, P255/60R19-108S all-season, blackwall, Michelin
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Wheels, 19" (48.3 cm) 10-spoke aluminum
- · Wiper, rear intermittent with washer
- · Wipers, front intermittent with structureless wiper blades

INTERIOR

- · Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
- Cruise control
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Floor mats, carpeted front, second and third row
- Glovebox, locking, passenger-side of instrument panel
- Instrumentation includes Driver Information Center, tachometer, speedometer, fuel, coolant temperature, battery, gear selector, outside air temperature and (U80) compass display
- Instrumentation, analog with mpg speedometer and tachometer
- Instrumentation, engine oil life monitor
- Memory settings, memory "presets" for 2 drivers with 8-way power driver seat includes easy exit driver seat, power outside mirrors, and power tilt and telescopic steering column (if equipped)
- Mirror, inside rearview auto-dimming
- QuietTuning Buick exclusive process to reduce, block and absorb noise and vibration to create a quiet interior cabin
- Remote Keyless Entry, extended range
- Remote vehicle starter system
- Seat adjuster, driver 8-way power with power recline and 2-way power lumbar control and memory
- Seat adjuster, passenger 8-way power with power recliner and 2-way power lumbar
- Seating, 7-passenger, front bucket second-row captain's chairs, flat folding and SmartSlide access to third row, third row flat folding 60/40 split bench
- Seats, heated driver and front passenger
- Steering column, tilt and telescopic
- Steering wheel controls, mounted audio controls and cruise controls
- Steering wheel, heated
- Steering wheel, leather-wrapped with Mahogany wood accents
- Storage system, rear cargo area under floor
- Theft-deterrent system, vehicle, PASS-Key III, engine immobilizer with content theft alarm
- Universal Home Remote, includes garage door opener, 3-channel programmable
- Visors, driver and front passenger illuminated vanity mirrors
- Windows, power with driver Express-Up and -Down features, passenger Express-Down feature

MECHANICAL

- Alternator, 170 amps
- Axle, 3.16 ratio, final drive
- · Drivetrain, all-wheel drive



- Engine, 3.6L Variable Valve Timing V6 with SIDI (Spark Ignition Direct Injection), DOHC (288 hp [214.7 kW] @ 6300 rpm, 270 lb-ft of torque [364.5 N-m] @ 3400 rpm)
- Exhaust, dual-outlet stainless-steel with bright tips integrated in fascia
- GVWR, 6459 lbs. (2930 kg)
- · Steering, power, variable effort
- Suspension, Premium Ride, 4-wheel independent
- Trailering provisions, 2000 lbs. (907 kg)
- · Transmission, 6- speed automatic, electronically controlled with overdrive

SAFETY

- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See
 the Owner's Manual for more information.)
- Air bags, frontal and side-impact for driver and front passenger driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always
 use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Automatic Occupant Sensing System, sensor indicator inflatable restraint, front passenger/child presence detector
- · Brakes, 4-wheel antilock, 4-wheel disc
- Child seat restraint system, rear facing
- · Daytime Running Lamps, includes automatic exterior lamp control
- Door locks, rear child security
- OnStar Guidance Plan for 3 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)
- OnStar with 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Visit www.onstar.com
 for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.
 Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)
- Rear Parking Assist, Ultrasonic with audible warning
- Rear Vision Camera, integrated into IntelliLink display
- Side Blind Zone Alert with Cross Traffic Alert
- StabiliTrak Stability Control System with roll over mitigation
- Tire Pressure Monitor System
- Traction control, full range

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8 x 1.1in
- Rear Brake Rotor Diam x Thickness 13.0 x 0.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 86.9in
- Cargo Area Length @ Floor to Seat 2 55.2in
- Cargo Area Length @ Floor to Seat 3 24.5in
- Cargo Area Width @ Beltline 50.2in
- Cargo Box (Area) Height in
- Cargo Box Width @ Wheelhousings 46.7in
- Cargo Volume to Seat 1 115.2ftÅ³
- Cargo Volume to Seat 2 68.9ftÂ³
- Cargo Volume to Seat 3 23.3ftÂ³

Cooling System

• Total Cooling System Capacity 11.8qts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.4



Engine

- Displacement 3.6L/217
- Engine Order Code LLT
- Engine Type Gas V6
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 288 @ 6300
- SAE Net Torque @ RPM 270 @ 3400

Exterior Dimensions

- Height, Overall 70.30in
- Length, Overall 201.90in
- Liftover Height in
- Min Ground Clearance 7.60in
- **Rear Door Opening Height in**
- Rear Door Opening Width in
- Track Width, Front 67.30in
- Track Width, Rear 67.10in
- Wheelbase 118.90in
- Width, Max w/o mirrors 79.00in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22.0gal

Interior Dimensions

- Front Head Room 40.40in
- Front Hip Room 57.20in
- Front Leg Room 41.30in
- Front Shoulder Room 61.60in
- Passenger Capacity 7
- Passenger Volume 151.1ftų
- Second Head Room 39.40in Second Hip Room 57.00in
- Second Leg Room 36.80in
- Second Shoulder Room 61.30in
- Third Head Room 37.80in
- Third Hip Room 48.30in
- Third Leg Room 33.20in
- Third Shoulder Room 57.40in

Mileage

- Cruising Range City 330.00mi
- Cruising Range Hwy 484.00mi
- **EPA Fuel Economy Est City 15MPG**
- EPA Fuel Economy Est Hwy 22MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 17MPG

Steering

- . Lock to Lock Turns (Steering) 2.9
- Steering Ratio (:1), Overall 16.1
- Steering Type Pwr Rack & Pinion
- Turning Diameter Curb to Curb 40.4ft
- Turning Diameter Wall to Wall ft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear in
- Suspension Type Front (Cont.)
- Suspension Type Front MacPherson Strut
- Suspension Type Rear (Cont.) w/Coil Springs
- Suspension Type Rear H-Arm



Tires

- Front Tire Order Code QUP
- Front Tire Size P255/60R19
- Rear Tire Order Code QUP
- Rear Tire Size P255/60R19
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 450lbs
- Dead Weight Hitch Max Trailer Wt. 4500lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 450lbs
- Wt Distributing Hitch Max Trailer Wt. 4500lbs

Transmission

- Clutch Size in
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.16
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) .74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
 Trans Description Cont. Automatic
- Trans Order Code M7X
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification 4WD Sport Utility Vehicle

Weight Information

- Base Curb Weight 4922lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 x 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 x 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size 17in