

Vehicle Information

Date: November 14, 2019
Vehicle: 2017 Kia Sorento Utility 4D EX AWD 2.0L I4 Turbo
VIN: 5XYPHDA1XHG273619
Weight: 4,004



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$33,500	\$600	\$895	\$34,995

NADA New Vehicle Values

Low	N/A	N/A	N/A	N/A
-----	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ELECTROCHROMATIC MIRROR W/HOMELINK AND COMPASS (PIO) Code: EH	\$291.00	\$350.00
ILLUMINATED SCUFF PLATES (PIO) Code: SPL	\$208.00	\$250.00
TITANIUM SILVER Code: IM	\$0.00	\$0.00
SATIN BLACK, LEATHER SEAT TRIM Code: WK-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Internal Memory
- Radio: AM/FM/SiriusXM inc: 7" display, Android Auto/Apple CarPlay, smartphone navigation, telematics, 6-speakers, Bluetooth control w/voice recognition, auxiliary audio/USB/iPod connectivity, 2-console USB chargers and rear view camera
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels



- Laminated Glass
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" x 7.5 Alloy

INTERIOR

- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power driver seat w/2-way lumbar support, 8-way power passenger seat, heated front seats w/3 steps and covered driver and passenger seatback pocket
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Simulated Wood Console Insert and Metal-Look Interior Accents
- Leather Seat Trim
- Leather/Metal-Look Steering Wheel
- Leather/Simulated Wood Gear Shift Knob
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Fuel
- Systems Monitor
- Trip Computer

MECHANICAL

- 18.8 Gal. Fuel Tank
- 3.51 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.0L DOHC GDI Turbo I4
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,247 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher



- Strut Front Suspension w/Coil Springs
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/Sportmatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- UV03 Emergency Sps

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73.5ft³
- Cargo Volume to Seat 2 38.8ft³
- Cargo Volume to Seat 3 38.8ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 6000
- SAE Net Torque @ RPM 260 @ 1450

Exterior Dimensions

- Height, Overall 66.3in



Licensed to J.D. Power

- Length, Overall N/Ain
- Lifterover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.1in
- Track Width, Rear 64.5in
- Wheelbase 109.4in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 56.7in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 5
- Passenger Volume 146.4ft³
- Second Head Room 39.3in
- Second Hip Room 56.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58in

Mileage

- Cruising Range - City 357.20mi
- Cruising Range - Hwy 470.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 25MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.3ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/60HR18
- Rear Tire Order Code
- Rear Tire Size P235/60HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailer Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs



Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.51
- First Gear Ratio (:1) 4.77
- Fourth Gear Ratio (:1) 1.42
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.95
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.92
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4004lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin