



## Vehicle Information

**Date:** November 12, 2019  
**Vehicle:** 2017 Hyundai Santa Fe Utility 4D Sport AWD 2.4L I4  
**VIN:** 5XYZDLB9HG499132  
**Weight:** 3,794



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,100	\$100	\$950	<b>\$28,150</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
OPTION GROUP 01 -inc: standard equipment Code: 01-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CARGO TRAY (PIO) Code: CT	\$80.00	\$100.00
NIGHTFALL BLUE Code: TU7	\$0.00	\$0.00
BEIGE, STAIN-RESISTANT CLOTH SEATING SURFACES -inc: Yes Essentials fabric Code: VYN-1	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/SiriusXM/CD/MP3 Audio System -inc: 6 speakers, 5-inch color LCD display, rearview camera, free SiriusXM activation w/3 month trial subscription, iPod/USB/aux input jacks and Bluetooth hands-free phone system,
- Streaming Audio

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access



Licensed to J.D. Power

- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65 R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7" Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Multi-Adjustable Bucket Seats -inc: driver's seat manual adjustable lumbar support
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Fuel
- Stain-Resistant Cloth Seating Surfaces -inc: Yes Essentials fabric
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 140 Amp Alternator
- 17.4 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio 3.648
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI DOHC 16-Valve I4
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,027 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/SHIFTRONIC -inc: lock-up torque converter and manual shift mode

## SAFETY

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



Licensed to J.D. Power

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 71.5ft<sup>3</sup>
- Cargo Volume to Seat 2 35.4ft<sup>3</sup>
- Cargo Volume to Seat 3 35.4ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 140

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

### Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000

### Exterior Dimensions

- Height, Overall 66.1in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 106.3in



- Width, Max w/o mirrors 74in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.4gal

## Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 56.7in
- Front Leg Room 41.3in
- Front Shoulder Room 59.4in
- Passenger Capacity 5
- Passenger Volume 108ft<sup>3</sup>
- Second Head Room 39.1in
- Second Hip Room 55.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58.3in

## Mileage

- Cruising Range - City 348.00mi
- Cruising Range - Hwy 452.40mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 280lbs
- Dead Weight Hitch - Max Trailer Wt. 2800lbs
- Maximum Trailering Capacity 2800lbs
- Wt Distributing Hitch - Max Tongue Wt. 280lbs
- Wt Distributing Hitch - Max Trailer Wt. 2800lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.64



Licensed to J.D. Power

- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38
- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3794lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin