



Vehicle Information

Date: November 14, 2019
Vehicle: 2016 GMC Light Duty Yukon Utility 4D Denali 4WD 6.2L V8
VIN: 1GKS2CKJ9GR374126
Weight: 5,784



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$68,325	\$4,390	\$1,195	\$73,910

NADA New Vehicle Values

Low	N/A	N/A	N/A	N/A
-----	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
SEATS, SECOND ROW BUCKET, POWER (STD) Code: ATN	\$0.00	\$0.00
SUNROOF, POWER, TILT-SLIDING with express-open and close and wind deflector (Included with (PCJ) Open Road Package.) Code: CF5	\$905.45	\$995.00
REAR AXLE, 3.23 Code: GU5	\$0.00	\$0.00
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	\$0.00	\$0.00
ENGINE, 6.2L ECOTEC3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm) (STD) Code: L86	\$0.00	\$0.00
CRIMSON RED TINTCOAT (Available at extra charge.) Code: G1E	\$450.45	\$495.00
SOLID PAINT Code: ZY1	\$0.00	\$0.00
DENALI PREFERRED EQUIPMENT GROUP Includes Standard Equipment Code: 5SA	\$0.00	\$0.00
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH INTELLILINK includes new text message alerts and Siri Eyes Free functionality through voice command, AM/FM with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, voice-activated technology for radio and phone and an articulating screen with hidden storage. Includes 5 USB ports and 1 auxiliary jack (STD) (See "gmttotalconnect.com" for phone compatibility information.) Code: IO6	\$0.00	\$0.00
JET BLACK, PERFORATED LEATHER-APPOINTED SEAT TRIM Code: H2X	\$0.00	\$0.00
SEATS, FRONT BUCKET WITH PERFORATED LEATHER-APPOINTED heated and cooled seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline (STD) Code: AN3	\$0.00	\$0.00



	Invoice	MSRP
TIRES, P285/45R22, ALL SEASON, BLACKWALL (Included with (RPT) 22" x 9" (55.9 cm x 22.9 cm) 6-spoke chrome multi-featured design wheels, (SMI) 22" x 9" (55.9 cm x 22.9) chrome wheels, (Q7M) 22" x 8.5" (5.9 cm x 21.6 cm) aluminum with chrome insert wheels or one of the 22" LPO wheels) Code: QST	\$0.00	\$0.00
TRANSMISSION, 8-SPEED AUTOMATIC (STD) Code: M5U	\$0.00	\$0.00
WHEELS, 22" X 9" (50.8 CM X 22.9) 6-SPOKE CHROME Code: SMI	\$2639.00	\$2900.00

Standard Equipment

ENTERTAINMENT

- Active Noise Cancellation
- Antenna, integral in rear quarter glass
- Audio system feature, Bose Centerpoint Surround Sound premium 10-speaker system
- Audio system feature, CD player (Replaced by (U42) rear seat entertainment system when (U42) is ordered.)
- Audio system, 8" Diagonal Color Touch Screen Navigation with IntelliLink includes new text message alerts and Siri Eyes Free functionality through voice command, AM/FM with USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, voice-activated technology for radio and phone and an articulating screen with hidden storage. Includes 5 USB ports and 1 auxiliary jack (See "gmtotalconnect.com" for phone compatibility information.)
- Radio, HD
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)
- Wireless charging (Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses. See "gmtotalconnect.com" for phone compatibility information.)

EXTERIOR

- Assist steps, Black with chrome strip
- Fog lamps
- Glass, deep-tinted
- Headlamps, IntelliBeam, automatic high beam on/off
- Headlamps, projector beam, high intensity discharge
- Liftgate, power, hands free
- Luggage rack side rails, roof-mounted, Black
- Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, body-color with integrated turn signal indicators and ground illumination.
- Moldings, bright bodyside
- Tire carrier, lockable outside spare winch-type mounted under frame at rear
- Tire, spare P265/70R17 all-season, blackwall
- Tires, P275/55R20 all-season, blackwall
- Wheel, full-size spare 17" (43.2 cm) steel
- Wheels, 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum
- Windshield style, acoustic laminated glass
- Windshield, solar-absorbing
- Wiper, rear
- Wipers, front rain-sensing, intermittent

INTERIOR

- Assist handles, all seats
- Cargo net
- Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
- Console, floor with storage area, cup holders
- Cruise control, electronic with set and resume speed
- Defogger, rear-window electric
- Display, driver, 8" diagonal customizable driver display
- Door locks, power programmable with lockout protection
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row, removable
- Lighting, interior includes courtesy lighting with theater dimming, lighting for front and rear door handles, front and rear passenger footwells and door storage area
- Lighting, interior with dome light driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Mirror, inside rearview auto-dimming
- OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Vehicle Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Vehicle Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)

- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- Passive Entry System includes (AQQ) Remote Keyless Entry
- Pedals, power-adjustable for accelerator and brake
- Power outlet, 110-volt, 1.1 Amp, 150 Watt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of the console, 1 in 3rd row and 1 in the cargo area.
- Remote vehicle start includes extended range Remote Keyless Entry
- Safety Alert Driver Seat
- Seats, front bucket with Perforated leather-appointed heated and cooled seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline
- Seats, heated and cooled driver and front passenger seat cushions and seat backs with perforated leather-appointed seating
- Seats, heated second row, outboard positions
- Seats, second row bucket, power
- Seats, third row 60/40 split-bench, power fold
- Steering column, power tilt and telescopic
- Steering wheel controls, mounted audio and cruise controls and Driver Information Center controls
- Steering wheel, heated, leather-wrapped
- Theft-deterrent system, electrical, unauthorized entry
- Universal Home Remote includes garage door opener, programmable
- Windows, power all express down, front express up

MECHANICAL

- 4-wheel drive
- Air cleaner, high-capacity
- Alternator, 170 amps
- Brakes, VAC power, 17" disc./disc with Vehicle Stability Enhancement System 7700 lbs.
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
- Differential, heavy-duty locking rear
- Engine, 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- GVWR, 7300 lbs. (3311 kg) (Not available on 2WD model.)
- Keyless start, push button start
- Powertrain grade braking
- Rear axle, 3.23
- Steering, power
- Suspension Package, Magnetic Ride Control
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tools, mechanical jack and wheel wrench stored in rear quarter trim
- Tow/haul mode selector, button located at end of shift lever
- Trailer brake controller, integrated
- Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
- Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing (Requires 4WD.)
- Transmission, 8-speed automatic

PACKAGE

- Enhanced Driver Alert Package includes (UEU) Forward Collision Alert, Safety Alert Driver Seat, (TQ5) IntelliBeam headlamps and (UHX) Lane Keep Assist (Available (Y66) Adaptive Cruise Control will remove (Y86) RPO only but all content of (Y86) will remain standard.)
- Memory Package Memory for driver seat, steering column and outside rearview mirrors and pedals

SAFETY

- Air bags, frontal and side-impact for driver and front passenger driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Brakes, 4-wheel antilock, 4-wheel disc
- Brakes, Hill Start-Assist
- Daytime Running Lamps, with automatic exterior lamp control
- Forward Collision Alert
- Lane Keep Assist
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Parking assist front and rear
- Passenger Sensing System sensor indicator inflatable restraint, front passenger/child presence detector (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Rear Cross-Traffic Alert
- Rear Vision Camera
- Side Blind Zone Alert with Lane Change Alert
- StabiliTrak, stability control system with brake assist, includes traction control
- Tire Pressure Monitoring System

Technical Specifications



Brakes

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness N/Ain
- Rear Brake Rotor Diam x Thickness N/Ain
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Console N/Ain
- Cargo Area Length @ Floor to Seat 1 79.90in
- Cargo Area Length @ Floor to Seat 2 43.20in
- Cargo Area Length @ Floor to Seat 3 11.10in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 33.94in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 94.7ft³
- Cargo Volume to Seat 2 51.7ft³
- Cargo Volume to Seat 3 15.3ft³
- Cargo Volume to Seat 4 ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Doors

- Side Door Type

Electrical

- Cold Cranking Amps @ 0Â° F (2nd)
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score
- Tons/yr of CO2 Emissions @ 15K mi/year 10.6

Engine

- Displacement 6.2L/378
- Engine Oil Cooler
- Engine Order Code L86
- Engine Type Gas V8
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 420 @ 5600
- SAE Net Torque @ RPM 460 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.00in
- Ground Clearance, Rear 8.00in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 35.91in
- Height, Overall 74.40in



Licensed to J.D. Power

- Length, Overall N/Ain
- Length, Overall w/rear bumper 203.90in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Side Door Opening Height in
- Side Door Opening Width in
- Step Up Height - Front N/Ain
- Step Up Height - Side N/Ain
- Wheelbase 116.00in
- Width, Max w/o mirrors 80.50in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Ladder
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 26.0gal
- Fuel Tank Location

Interior Dimensions

- Front Head Room 42.80in
- Front Hip Room 60.80in
- Front Leg Room 45.30in
- Front Shoulder Room 64.80in
- Passenger Capacity 7
- Second Head Room 38.70in
- Second Hip Room 60.30in
- Second Leg Room 39.00in
- Second Shoulder Room 65.10in
- Third Head Room 38.10in
- Third Hip Room 49.30in
- Third Leg Room 24.80in
- Third Shoulder Room 62.60in

Mileage

- Cruising Range - City 390.00mi
- Cruising Range - Hwy 546.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 17.8
- Steering Ratio (:1), Overall N/A
- Steering Type Pwr Rack & Pinion
- Turning Diameter - Curb to Curb 39.0ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front 3925lbs
- Axle Capacity - Rear 4200lbs
- Axle Ratio (:1) - Front 3.23
- Axle Ratio (:1) - Rear 3.23
- Axle Type - Front Independent
- Axle Type - Rear Semi-floating
- Shock Absorber Diameter - Front 46.0mm
- Shock Absorber Diameter - Rear 46.0mm
- Spring Capacity - Front 3600lbs
- Spring Capacity - Rear 4200lbs
- Stabilizer Bar Diameter - Front 1.41in
- Stabilizer Bar Diameter - Rear in



- Suspension Type - Front Coil-Over Shock
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/A lbs
- Front Tire Order Code QST
- Front Tire Size P285/45R22
- Rear Tire Capacity N/A lbs
- Rear Tire Order Code QST
- Rear Tire Size P285/45R22
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/A lbs
- Spare Tire Order Code RC4
- Spare Tire Size P265/70R17

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailer Capacity lbs
- Wt Distributing Hitch - Max Tongue Wt. 810lbs
- Wt Distributing Hitch - Max Trailer Wt. 8100lbs

Transmission


- Clutch Size in
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) N/A
- Fifth Gear Ratio (:1) 0.9
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.0
- Fourth Gear Ratio (:1) 1.2
- Reverse Ratio (:1) 3.1
- Second Gear Ratio (:1) 2.4
- Seventh Gear Ratio (:1) N/A
- Sixth Gear Ratio (:1) 0.7
- Third Gear Ratio (:1) 1.5
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M5U
- Trans Power Take Off
- Trans Type 8
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Magna
- Transfer Case Power Take Off

Vehicle

- Rear Door Type Liftgate

Weight Information

- As Spec'd Curb Weight 5784.00lbs
- As Spec'd Payload 1516.00lbs
- Curb Weight - Front 2892lbs
- Curb Weight - Rear 2892lbs
- Curb Weight 5784.00lbs
- Gross Axle Weight Rating 7900.00lbs
- Gross Axle Wt Rating - Front 3600lbs
- Gross Axle Wt Rating - Rear 4300lbs
- Gross Combined Wt Rating 14000lbs
- Gross Vehicle Weight Rating 7300.00lbs
- Maximum Payload Capacity 1516.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 708.00lbs
- Reserve Axle Capacity - Rear 1408.00lbs
- Reserve Axle Capacity 2116.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs



Licensed to J.D. Power

11/14/2019

NADA New Cars/Trucks

- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 22 x 9.0in
- Rear Wheel Material Aluminum
- Rear Wheel Size 22 x 9.0in
- Spare Wheel Material Steel
- Spare Wheel Size 17 x -TBD-in