

Date:	November 14, 2019	
Vehicle:	2019 Kia Niro Utility 4D LX 1.6L I4 Hybrid	
VIN:	KNDCB3LC5K5257594	Ger
Weight:	3,199	



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$23,900	Options \$295	Destination \$1,045	Adjusted Value \$25,240
NADA New Vehicle Values Low	\$21,329	\$263	\$1,045	\$22,637
LOW	φ ΖΙ, 329	φ203	φ1,045	φ ΖΖ,037
Optional Equipment			Invoice	MSRP
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
RUNWAY RED			\$270.00	\$295.00
Code: CR5				
CHARCOAL, CLOTH-TRIMMED SEATS			\$0.00	\$0.00
Code: WK-I				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and 8 Gb Internal Memory
- Radio: AM/FM/MP3/SiriusXM Satellite inc: 6 speakers, Bluetooth wireless technology w/steering-wheel-mounted controls, 7" touchscreen w/UVO eServices and support for Android
 Auto and Apple CarPlay, USB and auxiliary input jacks

EXTERIOR

- Black Bodyside Moldings and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Body Colored Door Handles
- Body Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal Look Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Body Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Side Windows Trim
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay.Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P205/60R16 Michelin
- Variable Intermittent Wipers
- Wheels: 16" Alloy w/Full Covers

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- 1 Seatback Storage Pocket
 2 12V DC Power Outlets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- 6-Way Passenger Seat inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Trimmed Seats
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats inc: 6-way adjustable driver and front passenger seats
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Fuel
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 11.9 Gal. Fuel Tank
- 3.227 Axle Ratio
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop Start Feature
- Engine: 1.6L Atkinson Cycle DOHC 16-Valve 4-Cyl-inc: Gasoline Direct Injection (GDI), 32kW electric motor and 1.56 kWh lithium-ion-polymer hybrid battery
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 4,189 lbs
- Hybrid Electric Motor
- Multi-Link Rear Suspension w/Coil Springs
- Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6 Speed Dual Clutch inc: sport mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags



- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11in
- Rear Brake Rotor Diam x Thickness 10.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 54.5ftÅ
- Cargo Volume to Seat 2 19.4ftÂ³
- Cargo Volume to Seat 3 19.4ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 3.6

Engine

- Displacement 1.6 L/96
- Engine Order Code
- Engine Type Gas/Electric I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 139 @ 5700
- SAE Net Torque @ RPM 195 @ 2400

Exterior Dimensions

- Height, Overall 60.4in
- Length, Overall 171.5in
- Liftover Height N/Ain
- Min Ground Clearance 6.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 61.6in
- Track Width, Rear 62.2in
- Wheelbase 106.3in
- Width, Max w/o mirrors 71.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 11.9gal



NADA New Cars/Trucks

Interior Dimensions

- Front Head Room 40.1in
- Front Hip Room 53.7in
- Front Leg Room 41.7in .
- Front Shoulder Room 56in
- **Passenger Capacity 5** ٠
- ٠ Passenger Volume 100.9ftÅ³
- Second Head Room 39.1in Second Hip Room 48.3in ٠
- Second Leg Room 37.4in
- Second Shoulder Room 55.2in •

Mileage

- Cruising Range City 606.90mi
- Cruising Range Hwy 547.40mi ٠
- EPA Fuel Economy Est City 51MPG .
- EPA Fuel Economy Est Hwy 46MPG • EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A •
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 49MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Rack-Pinion**
- Turning Diameter Curb to Curb 35ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain ٠
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Strut .
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi Link .

Tires

- Front Tire Order Code
- Front Tire Size P205/60HR16
- **Rear Tire Order Code** ٠
- Rear Tire Size P205/60HR16 .
- Spare Tire Order Code .
- Spare Tire Size •

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
 Dead Weight Hitch Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs ٠
- Wt Distributing Hitch Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive •
- Fifth Gear Ratio (:1) 0.96 ٠
- Final Drive Axle Ratio (:1) 3.23 ٠
- First Gear Ratio (:1) 3.87
- Fourth Gear Ratio (:1) 0.93 •
- Reverse Ratio (:1) 5.35 • Second Gear Ratio (:1) 2.22
- Sixth Gear Ratio (:1) 0.77 .
- ٠ Third Gear Ratio (:1) 1.37
- **Trans Description Cont. Again** •
- Trans Description Cont. Auto Shift Manual w/OD •



- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 2WD

Weight Information

- Base Curb Weight 3199lbs
- Curb Weight Front N/Albs
 Curb Weight Rear N/Albs
 Curb Weight N/Albs

- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material
 Spare Wheel Size in