

# **Vehicle Information**

Date:	November 21, 2019	6
Vehicle:	2019 GMC Light Duty Yukon XL 1500 Utility 4D SLT 4WD	P
	5.3L V8	
VIN:	1GKS2GKC1KR252832	
Weight:	5,846	

# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$63,400	\$3,295	\$1,295	\$67,990
NADA New Vehicle Values				
Low	\$56,957	\$2,960	\$1,295	\$61,212
<b>Optional Equipment</b>			Invoice	MSRP
SEATS, SECOND ROW 60/40 SPLIT-FO	\$0.00	\$0.00		
power release (STD) Code: ATT			<b>\$0.00</b>	ψ0.00
DVD SCREEN, THIRD ROW			\$0.00	\$0.00
(Included and only available with (U42) Ente				
ENTERTAINMENT SYSTEM, REAR SE	\$1656.20	\$1820.00		
with remote control, overhead display, Wi-F wireless digital headphones, auxiliary HDM (Included with (PCJ) Open Road Package. Code: U42	/MHL audio/video input and	2 USB ports		
LPO, BLACK ROOF RACK CROSS RAIL	.S, (DEALER-INSTALLE	D)	\$241.15	\$265.00
(Not available with (VPY) Graphite Edition of VQQ				
OPEN ROAD PACKAGE			\$3212.30	\$3530.00
includes additional 9 months of SiriusXM Ra (U42) rear seat entertainment system and o *GROSS* Code: PCJ				
SIRIUSXM NAVTRAFFIC.			\$0.00	\$0.00
Avoid congestion before you reach it by enh system with NavTraffic. With detailed inform road closures and more, you will get to your before. (Included and only available with (IO with GMC Infotainment System. SiriusXM S sold separately or as a package after trial p trial, the subscription plan you choose will a charged according to your chosen payment apply. To cancel you must call us at 1-866-6 complete terms at www.siriusxm.com. All fe NavTraffic available only in select markets. I www.siriusxm.com/navtraffic.) Code: -NAV				
SUNROOF, POWER, TILT-SLIDING			\$950.95	\$1045.00
with express-open and close and wind defle Code: CF5	ector (Included with (PCJ) Op	en Road Package.)		
REAR AXLE, 3.08 RATIO			\$0.00	\$0.00
Code: GU4				

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power

NADA		11/21/2019
	NADA N	ew Cars/Trucks
Licensed to J.D. Power		
	Invoice	MSRP
EMISSIONS, FEDERAL REQUIREMENTS	\$0.00	\$0.00
Code: FE9		
ENGINE, 5.3L ECOTEC3 V8	\$0.00	\$0.00
with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD) Code: L83		
OPTION/PACKAGE DISCOUNT	\$-455.00	\$-500.00
(Requires (PCJ) Open Road Package or (PCL) Premium Edition.) *DISCOUNT* Code: - RET1SZ		
SUMMIT WHITE	\$0.00	\$0.00
Code: GAZ		
SOLID PAINT	\$0.00	\$0.00
Code: ZY1		
SLT PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00
Includes Standard Equipment Code: 4SA AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH GMC INFOTAINMENT SYSTEM	\$450.45	\$495.00
AM/FM/SiriusXM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop. Featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack (Included with (PCJ) Open Road Package or (YF0) Graphite Performance Edition.) Code: IO6		
JET BLACK, PERFORATED LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
Code: H2X		
SEATS, FRONT BUCKET WITH PERFORATED LEATHER-APPOINTED	\$0.00	\$0.00
heated and ventilated seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline (STD) Code: AN3		
SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE	\$0.00	\$0.00
(STD) Code: ZW7		
TIRES, P265/65R18 ALL-SEASON, BLACKWALL	\$0.00	\$0.00
(STD) Code: RKX		
TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00	\$0.00
with overdrive, tow/haul mode and tap up/tap down shifting (STD) Code: MYC		
WHEELS, 18" X 8.5" (45.7 CM X 21.6 CM) BRIGHT MACHINED ALUMINUM	\$0.00	\$0.00
(STD) Code: UHN		

# **Standard Equipment**

# ENTERTAINMENT

- Audio system feature, Bose premium 9-speaker system with subwoofer in center console
- Audio system feature, CD player (Replaced by (U42) rear seat entertainment system when (U42) is ordered.)
- Audio system, 8" diagonal Color Touch screen with GMC Infotainment System AM/FM/SiriusXM with USB ports and auxiliary jack with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop. Featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack
- GMC 4G LTE and available built-in WiFi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first) (Available WiFi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.)
   Radio, HD
- SiriusXM Radio Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

# EXTERIOR

- Active aero shutters, front
- Assist steps, Black with chrome strip (Included with (VPY) Graphite Edition. When (VPY) Graphite Edition is ordered, assist steps will be Black with Gloss Black accents. Deleted when



(RVQ) Black assist step kit, LPO or (VXH) Chrome assist step kit, LPO, are ordered.)

- Fog lamps with chrome surround
- Glass, deep tinted
- Headlamps, halogen projector
- Liftgate, rear power programmable, hands free
- Luggage rack side rails, roof-mounted, Black
- Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, body-color with integrated turn signal indicators and ground illumination.
- Tire carrier, lockable outside spare winch type mounted under frame at rear
- Tire, spare P265/70R17 all-season, blackwall
- Tires, P265/65R18 all-season, blackwall
- Wheel, full-size spare 17" (43.2 cm) steel
- Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) bright machined aluminum
- Windshield style, acoustic laminated glass
- Windshield, solar absorbing
- Wiper, rear
- Wipers, front rain sensing, intermittent

#### INTERIOR

- Assist handles, 1st row passenger and 2nd row outboard seats
- Cargo net
- · Climate control, tri-zone automatic, with individual climate settings for driver, right-front passenger and rear passengers
- Console, floor with storage area, cup holders
- Cruise control, electronic with set and resume speed (Not included when (Y66) Adaptive Cruise Control Advanced is ordered.)
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Driver Information Center, 4.2" diagonal multi-color
- · Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row, removable
- GMC Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace
  and more (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer
  GMC vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services. Availability and additional services enabled by
  Connected Access are subject to change.)
- Lighting, interior includes courtesy lighting with theater dimming, lighting for front and rear door handles, front and rear passenger footwells and door storage area
- Lighting, interior with dome light driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and
  map lights in front and second seat positions
- Mirror, inside rearview auto-dimming
- Passive Entry System includes (AQQ) Remote Keyless Entry
- Pedals, power-adjustable for accelerator and brake
- Power outlet, 110-volt, 1.1 Amp, 150 Watt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of the console, 1 in 3rd row and 1 in the cargo area.
- Remote vehicle start includes extended range Remote Keyless Entry
- Safety Alert Seat
- Seats, front bucket with perforated leather appointed heated and ventilated seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position
  memory, 4-way power lumbar control and power recline
- Seats, heated and ventilated driver and front passenger perforated leather appointed
- Seats, heated second row, outboard positions
- Seats, second row 60/40 split-folding bench power release
- Seats, third row 60/40 split-bench, power fold
- Steering column, power tilt and telescopic
- · Steering wheel controls, mounted audio controls, cruise controls and Driver Information Center controls
- · Steering wheel, heated, leather-wrapped
- Theft-deterrent system, electrical, unauthorized entry
- Universal Home Remote includes garage door opener, programmable
- Windows, power all express down, front express up

### MECHANICAL

- 4-wheel drive
- Alternator, 150 amps
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist
- · Cooling, auxiliary external transmission oil cooler, heavy duty air to oil
- · Cooling, external engine oil cooler, heavy duty air to oil integral to driver side of radiator
- Differential, heavy-duty locking rear
- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lbft of torque [518 N·m] @ 4100 rpm)
- Exhaust, aluminized stainless steel muffler and tailpipe
- GVWR, 7500 lbs. (3402 kg) (Standard on 4WD models.)
- Keyless start, push button start
- Powertrain grade braking
- Rear axle, 3.08 ratio
- Steering, power
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tools, mechanical jack and wheel wrench stored in rear quarter trim
- Tow/haul mode selector, button located at end of shift lever
- Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019.J.D. Power





- Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Not available with 2WD models or (NHT) HD Trailering Package.)
  - Transmission, 6-speed automatic, electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting

## PACKAGE

- Enhanced Driver Alert Package includes (UEU) Forward Collision Alert, Safety Alert Seat, (TQ5) IntelliBeam headlamps, (UHX) Lane Keep Assist with Lane Departure Warning and (UHY) Low Speed Forward Automatic Braking (When (Y66) Adaptive Cruise Control - Advanced is ordered, RPO Code (Y86) will be removed. All content of (Y86) will remain standard except (UHY) Low Speed Forward Automatic Braking, which is replaced by (UGN) Forward Automatic Braking.)
- Memory Package Memory for driver seat, steering column and outside rearview mirrors and pedals

# SAFETY

- Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Brakes, 4-wheel antilock, 4-wheel disc
- Brakes, Hill Start-Assist
- Daytime Running Lamps, with automatic exterior lamp control
- Forward Collision Alert
- Front and Rear Park Assist
- Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- IntelliBeam, automatic high beam on/off
- Lane Change Alert with Side Blind Zone Alert
- Lane Keep Assist with Lane Departure Warning
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Low Speed Forward Automatic Braking
- OnStar and GMC connected services capable (Fleet orders receive a 3-month trial. Visit onstar.com for coverage map, details and system limitations. Services vary by model.)
- Rear Cross Traffic Alert
- Rear Vision Camera
- StabiliTrak, stability control system with brake assist, includes traction control.
- Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
- Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

# **Technical Specifications**

### **Brakes**

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13 x 1.2in
- Rear Brake Rotor Diam x Thickness 13.6 x 0.8in
- Rear Drum Diam x Width in

# **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Console N/Ain
- Cargo Area Length @ Floor to Seat 1 100.3in
- Cargo Area Length @ Floor to Seat 2 63.6in
- Cargo Area Length @ Floor to Seat 3 31.6in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 34.92in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÅ<sup>3</sup>
- Cargo Volume to Seat 1 121.7ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 76.7ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 39.3ftÂ<sup>3</sup>
- Cargo Volume to Seat 4 ftÂ<sup>3</sup>
- Ext'd Cab Cargo Volume N/AftÂ<sup>3</sup>
- Tailgate Width N/Ain

## **Cooling System**

• Total Cooling System Capacity 16.5qts



#### Doors

• Side Door Type

#### Electrical

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps © OA°F (2nd) Cold Cranking Amps © OA°F (3rd) N/A Cold Cranking Amps © OA°F (Primary) N/A .
- . Maximum Alternator Capacity (amps) 150

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.0

#### Engine

- Displacement 5.3L/325
- **Engine Oil Cooler** .
- Engine Order Code L83 .
- **Engine Type Gas V8** ٠
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 355 @ 5600 ٠
- SAE Net Torque @ RPM 383 @ 4100

### **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle N/Ain ٠
- Cab to Body N/Ain
  Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain •
- Front Bumper to Back of Cab N/Ain •
- Ground Clearance, Front 7.91in
- Ground Clearance, Rear 7.91in .
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.13in
- Height, Overall 74.4in ٠
- Length, Overall N/Ain ٠
- Length, Overall w/rear bumper 224.4in ٠
- . Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain •
- Rear Door Opening Height N/Ain •
- Rear Door Opening Width N/Ain .
- Side Door Opening Height in •
- Side Door Opening Width in
- Step Up Height Front N/Ain ٠
- Step Up Height Side N/Ain .
- Wheelbase 130.0in .
- Width, Max w/o mirrors 80.5in •

#### Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain ٠
- Frame Type Ladder
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx gal
- **Aux Fuel Tank Location**
- Fuel Tank Capacity, Approx 31.0gal
- Fuel Tank Location

## Interior Dimensions

- Front Head Room 42.8in
- Front Hip Room 60.8in •
- Front Leg Room 45.3in ٠
- Front Shoulder Room 64.8in
- Passenger Capacity 8

## **NADA New Cars/Trucks**



# NADA New Cars/Trucks



- Second Head Room 39.1in
- Second Hip Room 60.3in
- Second Leg Room 39.7in
- Second Shoulder Room 65.1in
- Third Head Room 38.5in
   Third His Days 40 2in
- Third Hip Room 49.3in
- Third Leg Room 34.5in
  Third Shoulder Room 62.6in

# Mileage

- Cruising Range City 434.00mi
- Cruising Range Hwy 651.00mi
- EPA Fuel Economy Est City 14MPG
- EPA Fuel Economy Est Hwy 21MPG
- Fuel Economy Est-Combined 16MPG

# Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 17.3
- Steering Ratio (:1), Overall N/A
- Steering Type Pwr Rack & Pinion
   Turning Diameter Curb to Curb 43
- Turning Diameter Curb to Curb 43.0ft
   Turning Diameter Wall to Wall N / Aft
- Turning Diameter Wall to Wall N/Aft

### Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
   Axle Ratio (:1) Front 3.08
- Axle Ratio (:1) Front 3.08
   Axle Ratio (:1) Rear 3.08
- Axle Ratio (1) Rear 3.08
   Axle Type Front Independent
- Axle Type Rear Semi-Floating
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Coil-Over Shock
- Suspension Type Rear Multi-Link

#### Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code RKX
- Front Tire Size P265/65R18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code RKX
- Rear Tire Size P265/65R18
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code XCO
- Spare Tire Size P265/70R17

#### Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity lbs
- Wt Distributing Hitch Max Tongue Wt. 600lbs
- Wt Distributing Hitch Max Trailer Wt. 6000lbs

#### Transmission

- Clutch Size in
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.85
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.03
- Fourth Gear Ratio (:1) 1.15
- Reverse Ratio (:1) 3.06



- Second Gear Ratio (:1) 2.36
- Sixth Gear Ratio (:1) 0.67 •
- Third Gear Ratio (:1) 1.53 •
- Trans Description Cont. Again •
- **Trans Description Cont. Automatic** ٠
- Trans Order Code MYC .
- **Trans Power Take Off** ٠
- Trans Type 6 •
- Transfer Case Gear Ratio (:1), High 1.00 ٠
- Transfer Case Gear Ratio (:1), Low N/A ٠
- Transfer Case Model Magna
- **Transfer Case Power Take Off** ٠

### Vehicle

• Rear Door Type Liftgate

#### Weight Information

- As Spec'd Curb Weight 5516.00lbs
- As Spec'd Payload 1984.00lbs
- Curb Weight Front 2798lbs •
- Curb Weight Rear 2688lbs Curb Weight 5486.00lbs ٠
- •
- Gross Axle Weight Rating 7800.00lbs •
- Gross Axle Wt Rating Front 3600lbs •
- Gross Axle Wt Rating Rear 4200lbs Gross Combined Wt Rating 12000lbs .
- ٠
- Gross Vehicle Weight Rating 7500.00lbs •
- Maximum Payload Capacity 2014.00lbs
- Option Weight Front 17.00lbs ٠
- Option Weight Rear 13.00lbs ٠ •
- **Payload Weight Front Olbs** Payload Weight Rear Olbs •
- Reserve Axle Capacity Front 785.00lbs Reserve Axle Capacity Rear 1499.00lbs • •
- Reserve Axle Capacity 2284.00lbs •
- **Standard Weight - Front Olbs**
- Standard Weight Rear Olbs •
- Total Option Weight 30.00lbs

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 x 8.5in
- **Rear Wheel Material Aluminum** ٠
- Rear Wheel Size 18 x 8.5in .
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size 17 x TBD in