

Vehicle Information

Date: November 22, 2019

Vehicle: 2019 Toyota 4Runner Utility 4D SR5 4WD 4.0L V6

VIN: JTEBU5JR0K5636149

Weight: 4,675



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$37,185	Options \$305	Destination \$1,120	Adjusted Value
	φ37,100	φουσ	Φ1,120	\$38,610
NADA New Vehicle Values				
Low	\$33,125	\$272	\$1,120	\$34,517
Optional Equipment				
operation Education			Invoice	MSRP
FABRIC-TRIMMED 50/50 SPLIT FOLD-FLAT 3RD ROW			\$716.00	\$805.00
-inc: sliding 2nd row w/passenger-side 1-f airbags, Trunk Carpet Code: TH-0	ouch access to 3rd row and 3	rd row curtain shield		
KEEP IT WILD SAVINGS			\$-435.00	\$-500.00
CREDIT Code: QB				
50 STATE EMISSIONS			\$0.00	\$0.00
Code: FE-0				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
CLASSIC SILVER METALLIC			\$0.00	\$0.00
Code: 1F7				
BLACK GRAPHITE, LOW FABRIC SEA	AT TRIM		\$0.00	\$0.00
Code: FB22				

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: Entune Audio Plus inc: 6.1" high-resolution touch-screen display, AM/FM/HD Radio, CD player, 8-speakers, auxiliary port, USB 2.0 port, advanced voice recognition, hands-free
 phone capability, phone book access and music streaming via Bluetooth wireless technology, Scout GPS Link compatible, Siri Eyes Free and SiriusXM satellite radio w/3-month all
 access trial See toyota.com/entune for details.
- Window Grid Diversity Antenna

EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/1 Tow Hook
- Body Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert, Rocker Panel Extensions and Body-Colored Fender Flares
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps



- Licensed to J.D. Po
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Grille w/Body-Colored Bar
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Power Rear Window w/Fixed Interval Wiper and Defroster
- Roof Rack Rails Only
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 Mud & Snow
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0" 6-Spoke Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- 4-Way Passenger Seat
- 5 12V DC Power Outlets
- 5 12V DC Power Outlets and 1 AC Power Outlet
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- · Engine Immobilizer
- Entune Safety Connect Tracker System
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows
- Front Bucket Seats -inc: 8-way power-adjustable driver's seat w/power lumbar support and 4-way adjustable front passenger seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 5 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Console Ducts
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Low Fabric Seat Trim
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 1625lbs. Maximum Payload
- 23 Gal. Fuel Tank
- 3 Skid Plates
- 3.727 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 72-Amp/Hr 750CCA Maintenance-Free Battery
- Auto Locking Hubs
- Class III Towing Equipment -inc: Hitch



- Double Wishbone Front Suspension w/Coil Springs
- Engine: 4.0L V6 D0HC SMPI
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Manual Transfer Case
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Sequential Shift Control and Oil Cooler
- Transmission: Electronic 5-Speed Automatic w/OD

SAFETY

- Airbag Occupancy Sensor
- A-TRAC ABS And Driveline Traction Control
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency Sos
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.3in
- Rear Brake Rotor Diam x Thickness 12.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 88.8ft³
- Cargo Volume to Seat 2 46.3ft³
- Cargo Volume to Seat 3 9ftÂ³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (2nd) 750
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ OA° F (Primary) 750
- Maximum Alternator Capacity (amps) N/A

Emissions



- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 270 @ 5600
- SAE Net Torque @ RPM 278 @ 4400

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 71.5in
- Length, Overall 190.2in
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 9.6in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.2in
 Track Width, Rear 63.2in
- Wheelbase 109.8in
- Width, Max w/o mirrors 75.8in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 23gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 56.5in
- Front Leg Room 41.7in
- Front Shoulder Room 57.8in
- Passenger Capacity 7Second Head Room 38.6in
- Second Hip Room 55.7in
- Second Leg Room 32.9in
- Second Shoulder Room 57.8in
- Third Head Room 34.3inThird Hip Room 43.3in
- Third Leg Room 29.3in
- Third Shoulder Room 57.7in

Mileage

- Cruising Range City 391.00mi
- Cruising Range Hwy 460.00mi
- EPA Fuel Economy Est City 17MPG



- EPA Fuel Economy Est Hwy 20MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.4ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.73
- Axle Ratio (:1) Rear 3.73
- Axle Type Front Independent
 Axle Type Pront Independent
- Axle Type Rear Rigid Axle
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70SR17
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/70SR17
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.72
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.52
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.22
- Second Gear Ratio (:1) 2.04

 This is a Paris (4) 1.12

 This is a
- Third Gear Ratio (:1) 1.40
 Trans Bassintian Cont. As
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Manual
- Transfer Case Power Take Off No

Weight Information



- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs

- Curb Weight N/Albs Gross Axle Weight Rating 6437.00lbs
- Gross Axle Wt Rating Front 2998lbs Gross Axle Wt Rating Rear 3439lbs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 6300.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs Payload Weight Front Olbs Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs
 Reserve Axle Capacity N/Albs
 Standard Weight Front Olbs

- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein