



Vehicle Information

Date: November 21, 2019
Vehicle: 2019 Toyota RAV4 Utility 4D LE AWD 2.5L I4
VIN: 2T3F1RFVXKW046139
Weight: 3,490



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,050	\$315	\$1,120	\$28,485
NADA New Vehicle Values				
Low	\$24,084	\$280	\$1,120	\$25,484

Optional Equipment

	Invoice	MSRP
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ROOF RACK CROSS BARS (PPO) Code: 3T-0	\$210.00	\$315.00
SUPER WHITE Code: 040	\$0.00	\$0.00
BLACK, FABRIC SEAT TRIM Code: FB20	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Entune 3.0 Audio-inc: 6 speakers, 7.0" touchscreen, AM/FM, Scout GPS link compatible w/up to 3-year trial, Siri eyes free, Apple CarPlay compatible, aux port, USB media port, hands-free phone capability, advanced voice recognition and music streaming via Bluetooth wireless technology, Toyota connected services - Safety Connect w/3-year trial, Wi-Fi Connect powered by Verizon w/up to 2GB within 6-month trial, See toyota.com/entune for details

EXTERIOR

- Aero-Composite Led Low/High Beam Daytime Running Auto High-Beam Headlamps
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Body-Color Surround
- Black Power Side Mirrors w/Manual Folding
- Black Rear Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Interval Wipers
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Galvanized Steel Panels



Licensed to J.D. Power

- Laminated Glass
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 AS
- Wheels: 17"

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Entune Safety Connect Tracker System
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 6-way adjustable driver's seat and 4-way adjustable front passenger seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Wi-Fi Connect Mobile Hotspot Internet Access

MECHANICAL

- 1120lbs. Maximum Payload
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 3.177
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.5L DOHC 4-Cylinder w/Dual VVT-i
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4610 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Off-Road Suspension
- Permanent Locking Hubs



- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 8-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Entune Safety Connect Emergency Sos
- Lane Departure Alert (LDA) Lane Departure Warning
- Lane Departure Alert (LDA) Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Toyota Safety Sense (TSS) 2.0

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 N/Aft³
- Cargo Volume to Seat 2 37.6ft³
- Cargo Volume to Seat 3 37.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0A° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.3

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Port/Direct Injection
- SAE Net Horsepower @ RPM 203 @ 6600
- SAE Net Torque @ RPM 184 @ 5000



Exterior Dimensions

- Height, Overall 67in
- Length, Overall 180.9in
- Lifter Height N/Ain
- Min Ground Clearance 8.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63in
- Track Width, Rear 63.7in
- Wheelbase 105.9in
- Width, Max w/o mirrors 73in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 54.3in
- Front Leg Room 41in
- Front Shoulder Room 57.8in
- Passenger Capacity 5
- Passenger Volume 98.9ft³
- Second Head Room 39.5in
- Second Hip Room 47.7in
- Second Leg Room 37.8in
- Second Shoulder Room 56.4in

Mileage

- Cruising Range - City 362.50mi
- Cruising Range - Hwy 478.50mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 33MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 28MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs



Licensed to J.D. Power

- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.18
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3490lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Steel
- Front Wheel Size 17 X 7in
- Rear Wheel Material Steel
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin