



Vehicle Information

Date: November 27, 2019
Vehicle: 2017 Chevrolet Traverse Utility 4D LS AWD 3.6L V6
VIN: 1GNKVFED3HJ344198
Weight: 4,956



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$33,300	N/A	\$895	\$34,195

NADA New Vehicle Values

Low	N/A	N/A	N/A	N/A
-----	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	\$0.00	\$0.00
ENGINE, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N-m]) (STD) Code: LLT	\$0.00	\$0.00
SILVER ICE METALLIC Code: 17U	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
LS PREFERRED EQUIPMENT GROUP Includes Standard Equipment Code: 1LS	\$0.00	\$0.00
AUDIO SYSTEM, COLOR TOUCH AM/FM/SIRIUSXM RADIO WITH CD PLAYER 6.5" diagonal touch-screen display (STD) Code: U2	\$0.00	\$0.00
DARK TITANIUM/LIGHT TITANIUM, PREMIUM CLOTH SEAT TRIM Code: 83C	\$0.00	\$0.00
RECLINING FRONT BUCKETS (STD) Code: AR9	\$0.00	\$0.00
SEATING, 8-PASSENGER (2-3-3 SEATING CONFIGURATION) with 2nd and 3rd row 60/40 split flat-folding bench seat (STD) Code: ABC	\$0.00	\$0.00
TIRES, P245/70R17 ALL-SEASON, BLACKWALL Code: QPR	\$0.00	\$0.00
TRANSMISSION, 6-SPEED AUTOMATIC (STD) (Included and only available with CV14526 AWD models.) Code: M7X	\$0.00	\$0.00
WHEELS, 4 - 17" X 7.5" (43.2 CM X 19.1 CM) STEEL Code: NX7	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT



- Audio system feature, auxiliary input jack
- Audio system feature, dual USB port, charge only, located rear of center console
- Audio system feature, standard speaker system
- Audio system feature, USB port
- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- OnStar 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Deleted when (UE0) OnStar delete is ordered. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Door handles, chrome
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Headlamp control, automatic on and off
- Headlamps, dual cavity, halogen
- Liftgate, rear manual
- Mirrors, outside power-adjustable, Black, manual-folding
- Moldings, Argent, body-side
- Roof rail moldings
- Spoiler, rear
- Tires, P245/70R17 all-season, blackwall
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
- Wheels, 4 - 17" x 7.5" (43.2 cm x 19.1 cm) steel
- Wiper, rear intermittent with washer
- Wipers, front intermittent with washers

INTERIOR

- Air conditioning, rear manual
- Air conditioning, single-zone manual front climate control
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Not available with (UE0) OnStar delete.)
- Cargo storage, tray under rear floor
- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Cruise control, electronic with set and resume speed
- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted front, second and third row, removable
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Insulation, acoustical package
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Mirror, inside rearview manual day/night
- Reclining front buckets
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Seat trim, Premium Cloth (Requires (83C) Dark Titanium/Light Titanium Cloth Trim.)
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, 4-way manual driver with manual lumbar control
- Seat, third row manual 60/40 split-folding bench
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Steering wheel, urethane comfort grip with mounted cruise and audio controls
- Trim, interior, painted Silver trim center stack and interior trim
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Windows, power with driver Express-Down

MECHANICAL

- All wheel drive
- Axle, 3.16 ratio
- Battery, high capacity 660 cold-cranking amps
- Brakes, 4-wheel antilock, 4-wheel disc
- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N-m])
- Exhaust, single outlet
- GVWR, 6459 lbs. (2930 kg) (CV14526 AWD models only.)
- Steering, power, constant effort
- Suspension, Ride and Handling
- Transmission, 6-speed automatic (Included and only available with CV14526 AWD models.)

SAFETY

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D. Power



Licensed to J.D. Power

- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps
- Door locks, rear child security
- Horn, dual-note
- OnStar Basic plan for 5 years includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar Guidance plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) for 3 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Fleet orders receive a 6-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)
- Rear Vision Camera display integrated into Color Touch Radio
- StabiliTrak, stability control system
- Tire Pressure Monitoring System (Does not monitor spare.)
- Traction control

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8 x 1.1 in
- Rear Brake Rotor Diam x Thickness 13.0 x 0.8 in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/A in
- Cargo Area Length @ Floor to Seat 2 N/A in
- Cargo Area Length @ Floor to Seat 3 N/A in
- Cargo Area Width @ Beltline N/A in
- Cargo Box (Area) Height N/A in
- Cargo Box Width @ Wheelhousings N/A in
- Cargo Volume to Seat 1 116.3ft³
- Cargo Volume to Seat 2 70.3ft³
- Cargo Volume to Seat 3 24.4ft³

Cooling System

- Total Cooling System Capacity 11.8qts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 660
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 10.4

Engine

- Displacement 3.6L/217
- Engine Order Code LLT
- Engine Type Gas V6
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 281 @ 6300
- SAE Net Torque @ RPM 266 @ 3400

Exterior Dimensions

- Height, Overall 69.90in
- Length, Overall 203.70in
- Liftover Height N/A in
- Min Ground Clearance 7.20in



Licensed to J.D. Power

- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.30in
- Track Width, Rear 67.10in
- Wheelbase 118.90in
- Width, Max w/o mirrors 78.50in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22.0gal

Interior Dimensions

- Front Head Room 40.40in
- Front Hip Room 58.00in
- Front Leg Room 41.30in
- Front Shoulder Room 61.50in
- Passenger Capacity 8
- Passenger Volume 150.8ft³
- Second Head Room 39.40in
- Second Hip Room 57.80in
- Second Leg Room 36.80in
- Second Shoulder Room 61.00in
- Third Head Room 37.80in
- Third Hip Room 48.30in
- Third Leg Room 33.20in
- Third Shoulder Room 57.60in

Mileage

- Cruising Range - City 330.00mi
- Cruising Range - Hwy 484.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 22MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 17MPG

Steering

- Lock to Lock Turns (Steering) 2.89
- Steering Ratio (:1), Overall 16.1
- Steering Type Pwr Rack-&Pinion
- Turning Diameter - Curb to Curb 40.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) w/Coil Springs
- Suspension Type - Front Coil-Over Strut
- Suspension Type - Rear (Cont.) w/Coil Springs
- Suspension Type - Rear Linked H-Arm

Tires

- Front Tire Order Code QPR
- Front Tire Size P245/70R17
- Rear Tire Order Code QPR
- Rear Tire Size P245/70R17
- Spare Tire Order Code QD6
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 520lbs
- Dead Weight Hitch - Max Trailer Wt. 5200lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. 520lbs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Trailer Wt. 5200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.16
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M7X
- Trans Type 6
- Transfer Case Gear Ratio (:1), High
- Transfer Case Gear Ratio (:1), Low

Vehicle

- EPA Classification 4WD Sport Utility Vehicle

Weight Information

- Base Curb Weight 4956lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Steel
- Front Wheel Size 17 x 7.5in
- Rear Wheel Material Steel
- Rear Wheel Size 17 x 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size 17 x -TBD-in