



Vehicle Information

Date: July 31, 2019
Vehicle: 2018 Kia Sorento Utility 4D LX AWD 3.3L V6
VIN: 5XYPGDA55JG371873
Weight: 4,101



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$31,400	\$715	\$990	\$33,105

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CROSS BARS (PIO) Code: CB1	\$187.00	\$225.00
MUDGUARDS: FRONT & REAR (PIO) Code: MUG	\$78.00	\$95.00
SNOW WHITE PEARL Code: SWP	\$362.00	\$395.00
SATIN BLACK, YES ESSENTIALS CLOTH SEAT TRIM Code: WK	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Internal Memory
- Radio: AM/FM/CD/MP3/SiriusXM -inc: 6-speakers, USB/Auxiliary input jacks, 2-rapid charge USB ports and Bluetooth wireless technology
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler



Licensed to J.D. Power

- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels w/Silver Accents
- Wheels: 17" x 7.0 Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench YES Essentials Premium Cloth 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats -inc: 8-way manual drivers seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert and Metal-Look Interior Accents
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- YES Essentials Cloth Seat Trim

MECHANICAL

- 18.8 Gal. Fuel Tank
- 3.041 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.3L DOHC GDI V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,622 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/Sportmatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73ft³
- Cargo Volume to Seat 2 38ft³
- Cargo Volume to Seat 3 11.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 252 @ 5300

Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in



Licensed to J.D. Power

- Track Width, Rear 64.7in
- Wheelbase 109.4in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 56.7in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 7
- Passenger Volume 154.2ft³
- Second Head Room 39.3in
- Second Hip Room 56.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58in
- Third Head Room 36.3in
- Third Hip Room 41.4in
- Third Leg Room 31.7in
- Third Shoulder Room 52.8in

Mileage

- Cruising Range - City 338.40mi
- Cruising Range - Hwy 470.00mi
- EPA Fuel Economy Est - City 18MPG
- EPA Fuel Economy Est - Hwy 25MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 21MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.3ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65HR17
- Rear Tire Order Code
- Rear Tire Size P235/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D. Power



Licensed to J.D. Power

7/31/2019

NADA New Cars/Trucks

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.04
- First Gear Ratio (:1) 4.65
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4101lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin