

Vehicle Information

Date:	August 2, 2019
Vehicle:	2018 Mazda CX9 Utility 4D Sport AWD 2.5L I4 Turbo
VIN:	JM3TCBBY7J0226290
Weight:	4,361
-	



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$33,930	Options \$1,290	Destination \$995	Adjusted Value \$36,215	
NADA New Vehicle Values	+ ,	, <u> </u>		<i></i>	
High	N/A	N/A	N/A	N/A	
Optional Equipment	Invoice	MSRP			
POWER DRIVER SEAT W/I-ACTIVSEN	\$1109.00	\$1290.00			
-inc: Mazda Radar Cruise Control, stop and go function, Heated Front Seats, 3 settings, Lane Keep Assist, Smart Brake Support, Rain Sensing Wipers, Heated Outside Mirrors, High Beam Control, Auto On/Off Headlights, Power Driver's Seat w/Power Lumbar Support, Lane Departure Warning Code: 1SP					
STANDARD PAINT	\$0.00	\$0.00			
Code: -PAINT					
JET BLACK MICA	\$0.00	\$0.00			
Code: 41W	* •••••	* •••••			
BLACK, CLOTH SEAT TRIM	\$0.00	\$0.00			
Code: TC0					

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Aha Internet Radio
- Bluetooth Wireless Phone Connectivity
- Fixed Antenna
- Infotainment System Voice Command
- Pandora Internet Radio
 Dadia President Data System Presrem Informatio
- Radio Broadcast Data System Program Information
 Dadie w (Seek Seen Cleak Seed Semiconded Volume
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM Sound System inc: HD Radio, 6 speakers, auxiliary audio input jack, Bluetooth hands free phone and audio, 7.0" full color touch screen display and 2 USB inputs
 Stitcher Internet Radio

EXTERIOR

- Auto Off Projector Beam Led Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Chrome Grille
- Chrome Side Windows Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power





- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Galvanized Steel Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/60R18
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 18" x 8"J Aluminum Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 6-Way Driver Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Seat Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- E911 Automatic Emergency Notification
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- Front And Rear Map Lights
- Front Bucket Seats inc: manual driver's seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC inc: Console Ducts
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Colored Console Insert and Chrome/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Smart Device Integration
- SMS Text Msg Audio Delivery & Reply
- Systems Monitor
- Trip Computer

MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 4.411
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L SKYACTIV-G 4-Cylinder Turbo



- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,816 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
 Towing Equipment lines Tracing Spring Spring
- Towing Equipment inc: Trailer Sway Control
 Transmission: SKVA CTIV Drive Control
- Transmission: SKYACTIV-Drive 6-Speed Automatic inc: sport and manual shift mode

PACKAGE

• MAZDA CONNECT Infotainment System

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Monitoring Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
 Electronic Stability Control (COC) and Dell Out Mitte Out (COC)
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Smart Brake Support and Rear Cross Traffic Alert

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4 Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 84.9in
- Cargo Area Length @ Floor to Seat 2 50.5in
- Cargo Area Length @ Floor to Seat 3 21.5in
- Cargo Area Width @ Beltline 58.6in
- Cargo Box (Area) Height 29.6in
- Cargo Box Width @ Wheelhousings 40.2in
- Cargo Volume to Seat 1 71.2ftÂ³
- Cargo Volume to Seat 2 38.2ftÂ³
- Cargo Volume to Seat 3 14.4ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 227 @ 5000
- SAE Net Torque @ RPM 310 @ 2000

Exterior Dimensions

- Height, Overall 69in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.3in
- Track Width, Rear 65.2in
- Wheelbase 115.3in
- Width, Max w/o mirrors 77.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 56.7in
- Front Leg Room 41in
- Front Shoulder Room 57.9in
- Passenger Capacity 7
- Passenger Volume 135.1ftÅ³
- Second Head Room 38.5in
- Second Hip Room 57.4in
 Second Leg Room 39.4in
- Second Leg Room 39.4m
 Second Shoulder Room 58.1in
- Third Head Room 35.4in
- Third Hip Room 40.1in
- Third Leg Room 29.7in
- Third Shoulder Room 53.1in

Mileage

- Cruising Range City 390.00mi
- Cruising Range Hwy 507.00mi
- EPA Fuel Economy Est City 20MPG
- EPA Fuel Economy Est Hwy 26MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
 Fuel Economy Est-Combined 23MPG
- Fuel Economy Est-Combined 23MP

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi Link

Tires

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Front Tire Order Code
- Front Tire Size P255/60HR18 •
- **Rear Tire Order Code** •
- Rear Tire Size P255/60HR18 •
- Spare Tire Order Code ٠
- . **Spare Tire Size Compact**

Trailering

- Dead Weight Hitch Max Tongue Wt. 350lbs
- Dead Weight Hitch Max Trailer Wt. 3500lbs ٠
- Maximum Trailering Capacity 3500lbs .
- Wt Distributing Hitch Max Tongue Wt. 350lbs ٠
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.41 ٠
- First Gear Ratio (:1) 3.49
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 1.99 • • Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45 .
- ٠
- Trans Description Cont. Again Trans Description Cont. Automatic w/OD •
- **Trans Order Code**
- Trans Type 6 ٠
- Transfer Case Gear Ratio (:1), High N/A .
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4361lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs ٠
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- **Rear Wheel Material Aluminum** .
- Rear Wheel Size 18 X 8in
- **Spare Wheel Material Steel** •
- Spare Wheel Size Compactin