



poquet auto

Vehicle Information

Date: May 21, 2020
Vehicle: 2017 Lexus RX Utility 4D RX350 AWD 3.5L V6
VIN: 2T2BZMCA7HC082106
Weight: 4,387

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$44,620	\$6,900	\$995	\$52,515

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
12.3" NAVIGATION SYSTEM -inc: advanced voice command casual-language voice recognition system, Bluetooth hands free phone and automatic phonebook download capabilities, remote touch navigation controller, HD Radio w/iTunes tagging, SiriusXM NavTraffic, NavWeather, Sports, Stocks and Fuel Prices (1-year trial data subscription included), Lexus Insider and Electro Multi Vision (EMV) display, Lexus Enform Destinations, Destination Assist, Lexus Enform App Suite, destination search, Yelp, iHeartRadio, Facebook Places, Movietickets.com, OpenTable, Pandora, Slacker, stocks, fuel prices and sports, Single-Disc DVD Changer Code: NW-0	\$1956.00	\$2120.00
3500 LBS TOW PREP PACKAGE -inc: Heavy Duty Radiator, Heavy Duty Alternator, Transmission Cooler Code: TO	\$244.00	\$265.00
BLIND SPOT MONITOR W/REAR CROSS TRAFFIC ALERT -inc: intuitive parking assist, intelligence clearance and back sonar, and lane change assist Code: BD	\$980.00	\$1065.00
HEATED & VENTILATED FRONT SEATS Code: HS	\$589.00	\$640.00
HEATED LEATHER STEERING WHEEL Code: WR	\$139.00	\$150.00
MATTE BAMBOO INTERIOR TRIM Code: BB	\$368.00	\$400.00
POWER TILT & SLIDE MOONROOF Code: SR	\$1012.00	\$1100.00
PREMIUM PACKAGE -inc: Rear Armrest Storage Compartment, Aluminum Roof Rails, Driver Seat/Steering/Mirror Memory - 3 Settings, driver's seat Easy Exit (auto away/return) Code: PM	\$883.00	\$960.00
TOUCH-FREE POWER REAR DOOR Code: HF	\$184.00	\$200.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SATIN CASHMERE METALLIC Code: 4U7	\$0.00	\$0.00
PARCHMENT, LEATHER SEAT TRIM	\$0.00	\$0.00



Code: LB02

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Concealed Diversity Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: AM/FM/CD Lexus Display Audio -inc: 8-inch screen, 9-speaker premium audio system, Bluetooth hands free phone and automatic phonebook download capabilities, Scout GPS link app-based turn-by-turn directions, voice recognition, Cache Radio, ability to pause live AM/FM radio and HD Radio, traffic and weather data provided via HD Radio (free to all users while in HD Radio range), basic traffic map, weather forecast, Siri Eyes Free and Electro Multi Vision (EMV) display
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Colored Grille w/Chrome Surround
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brake Lights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 M+S
- Wheels: 18" x 8" 7-Spoke Aluminum

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Backup Monitor
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access and Windows
- Front And Rear Map Lights
- Front Bucket Seats -inc: 10-way power driver's and front passenger's seat w/fore-aft slide, fore-aft recline, front vertical height, rear vertical height and power lumbar support
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter



Licensed to J.D. Power

- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Genuine Wood Door Panel Insert, Genuine Wood Console Insert and Chrome/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather/Metal-Look Gear Shifter Material
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- NuLuxe Seat Trim
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Cargo Access and Power Fuel
- Roll-Up Cargo Cover
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 19.2 Gal. Fuel Tank
- 2.277 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Hill Hold Control and Electric Parking Brake
- Automatic Full-Time All-Wheel
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L V6 DOHC 24V VVT-iW
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,864 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 8-Speed Automatic -inc: Electronically Controlled Transmission (ECT)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Lane Keep Assist Lane Departure Warning
- Lane Keep Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Pre-Collision System (PCS)
- Rear Child Safety Locks
- Safety Connect Emergency Sos
- Side Impact Beams

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

**Combined Side Barrier and Pole Ratings:**

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 17.1%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:

18V211000

Mfg's Report Date:

APR 02, 2018

Component:

SERVICE BRAKES, HYDRAULIC:POWER ASSIST:VACUUM

Potential Number Of Units Affected:

6046

Summary:

Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain 2018 Toyota Camry and Highlander vehicles, 2017 Toyota Sienna and Tacoma vehicles and 2017 Lexus RX350 vehicles. During the manufacturing process, the oil galley in the rotor for the brake booster vacuum pump assembly may have been improperly machined possibly resulting in a sudden loss of brake assist.

Consequence:

A sudden loss of braking assist can increase the risk of a crash.

Remedy:

Toyota will notify owners, and dealers will replace the brake booster vacuum pump, free of charge. The recall began on May 9, 2018. Owners may contact Toyota customer service at 1-888-270-9371, or Lexus customer service at 1-800-255-3987. Toyota's numbers for this recall are JOK/JLD.

Dates of Manufacture:

OCT 01, 2017 to OCT 17, 2017

Manufacturer Recall Number:

JOK/JLD

US NHTSA CAMPAIGN ID:

20V012000

Mfg's Report Date:

JAN 12, 2020

Component:

FUEL SYSTEM, GASOLINE:DELIVERY:FUEL PUMP

Potential Number Of Units Affected:

1830752

Summary:

Toyota Motor Engineering & Manufacturing (Toyota) recalled certain 2018-2019 4Runner, Highlander, Camry, Land Cruiser, Sequoia, Sienna, Tacoma and Tundra, and Lexus RC 300, RC 350, GS 350, GX 460, IS 300, LC 500, LS 500, LX 570, RX 350L, and 2019 Toyota Avalon and Corolla, and certain Lexus NX 300, and ES 350 vehicles on January 13, 2020. On March 4, 2020, Toyota expanded the recall to include certain 2014-2015 Toyota 4Runner and Land Cruiser, 2018 Avalon, Corolla, 2014 FJ Cruiser, 2017 Sienna and Lexus 2018 ES 350, 2018-2019 GS 300, 2013-2014 GS350, 2014-2015 GX 460, IS 350 and LX 570, 2014 IS F, 2018-2019 IS 350, LC 500H and LS 500H, 2013-2015 LS 460, 2015 NX 200T and RC350, 2017 RC 200T and RX 350. Toyota also removed the 2018-2019 Toyota 4Runner and Land Cruiser and 2018-2019 Lexus GX 460 and LX 570 and 2019 NX300 from inclusion in this recall. On March 19, 2020, Toyota expanded the recall to include 2015 Lexus GS350 vehicles. The low-pressure fuel pump inside the fuel tank may fail.

Consequence:


If the fuel pump fails, the engine can stall while driving, increasing the risk of a crash.

Remedy:

Toyota notified owners of the safety risk with an interim notification between February 17, 2020 and March 13, 2020 to the original population of potentially affected vehicles. Owners of the vehicles in the expanded population will be mailed letters by May 18, 2020. Toyota will send a second notice to owners to have the fuel pump replaced once the remedy is available. Owners may contact Toyota customer service at 1-888-270-9371 or Lexus customer service at 1-800-255-3987. Toyota's numbers for this recall are 20TB02 and 20TA02 for Toyota vehicles and 20LB01 and 20LA01 for Lexus vehicles.

Manufacturer Recall Number:

20TB02/20TA02/20LB01



WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

6 Years/70,000 Miles

Corrosion:

6 Years/Unlimited Miles

Roadside Assistance:

4 Years/Unlimited Miles

Maintenance:

1 Years/10,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 13.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 56.3ft³
- Cargo Volume to Seat 2 18.4ft³
- Cargo Volume to Seat 3 18.4ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 295 @ 6300
- SAE Net Torque @ RPM 267 @ 4700

Exterior Dimensions

- Height, Overall 67.7in
- Length, Overall 192.5in
- Lifterover Height N/Ain
- Min Ground Clearance N/Ain



Licensed to J.D. Power

- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.4in
- Track Width, Rear 64in
- Wheelbase 109.8in
- Width, Max w/o mirrors 74.6in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 56.6in
- Front Leg Room 44.1in
- Front Shoulder Room 57.8in
- Passenger Capacity 5
- Passenger Volume 121.3ft³
- Second Head Room 39.1in
- Second Hip Room 56.1in
- Second Leg Room 38in
- Second Shoulder Room 57.6in

Mileage

- Cruising Range - City 364.80mi
- Cruising Range - Hwy 499.20mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 45.2ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

Tires

- Front Tire Order Code
- Front Tire Size P235/65VR18
- Rear Tire Order Code
- Rear Tire Size P235/65VR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission



Licensed to J.D. Power

- Clutch Size N/Ain
- Drivetrain All Wheel
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 2.28
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4387lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin