



poquet auto

Vehicle Information

| | |
|--------------------------|--|
| Date: | May 19, 2020 |
| Vehicle: | 2019 Hyundai Santa Fe Utility 4D SE AWD 2.4L I4 |
| VIN: | 5NMS2CAD6KH121639 |
| Typically Equipped MSRP: | \$28,545 |
| Weight: | 3,735 |

New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|--------------------------------|----------|---------|-------------|-----------------|
| Base MSRP | \$27,450 | N/A | \$1,095 | \$28,545 |
| NADA New Vehicle Values | | | | |
| High | N/A | N/A | N/A | N/A |

Optional Equipment

| | Invoice | MSRP |
|--|---------|--------|
| OPTION GROUP 01 -inc: standard equipment Code: 01-0 | \$0.00 | \$0.00 |
| STANDARD PAINT Code: -PAINT | \$0.00 | \$0.00 |
| QUARTZ WHITE Code: WW8 | \$0.00 | \$0.00 |
| BLACK/BLACK, STAIN-RESISTANT CLOTH SEATING SURFACES Code: NN1 | \$0.00 | \$0.00 |

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 6 Speakers
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Aux Audio Input Jack
- Radio: AM/FM/MP3 Display Audio -inc: 7" screen, Android Auto, Apple CarPlay, Bluetooth hands-free w/wireless audio streaming, steering wheel audio, cruise and phone controls and dual front and rear 2.1 amp USB charge ports,

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Auto High-Beam Headlamps w/Delay-Off



Licensed to J.D. Power

- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels w/Painted Accents
- Wheels: 17" x 7.0J Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Driver Seat -inc: Manual Lumbar Support
- 4 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access
- Front Bucket Seats -inc: 6-way manual adjustable driver seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Front Seats w/Manual Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Meta-Look Door Panel Insert and Meta-Look Interior Accents
- Locking Glove Box
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Stain-Resistant Cloth Seating Surfaces
- Systems Monitor
- Trip Computer
- Urethane Gear Shifter Material

MECHANICAL

- 1137# Maximum Payload
- 140 Amp Alternator
- 18.8 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel
- Axle Ratio 4.081
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI E-CVVT 16-Valve 4-Cylinder -inc: Idle Stop & Go (IGS)
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,872 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs



- Transmission: 8-Speed Automatic w/SHIFTRONIC-inc: lock-up torque converter and manual shift mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision-Avoidance Assist (FCA)
- Lane Keep Assist (LKA) Lane Departure Warning
- Lane Keep Assist (LKA) Lane Keeping Assist
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****
Driver: ***** Passenger: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****
Driver: ***** Rear Passenger: *****

Side Pole Rating Driver Front Seat: *****

Side Pole Rating Note: During the side pole impact test, the roof buckled significantly and the windshield separated from the roof and A-pillar.

Combined Side Barrier and Pole Ratings:
Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****
Dynamic Test Result: No Tip
Risk of Rollover: 14.60

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
18V715000


Mfg's Report Date:
OCT 10, 2018

Component:
AIR BAGS:SIDE/WINDOW

Potential Number Of Units Affected:
8204

Summary:
Hyundai Motor America (Hyundai) is recalling certain 2019 Hyundai Santa Fe vehicles. The Side Curtain Air Bag (SCAB) mounting bolts may interfere with and damage the air bags during deployment.

Consequence:
In the event of a crash, if the air bags become damaged during deployment they may not inflate properly, increasing the risk of injury.

**Remedy:**

Hyundai will notify owners, and dealers will install a protective cover over the SCAB installation bolts, free of charge. The recall began December 3, 2018. Owners may contact Hyundai customer service at 1-855-371-9460. Hyundai's number for this recall is 177.

Dates of Manufacture:

MAY 23, 2018 to AUG 19, 2018

Manufacturer Recall Number:

177

WARRANTY

Basic:

5 Years/60,000 Miles

Drivetrain:

10 Years/100,000 Miles

Corrosion:

7 Years/Unlimited Miles

Roadside Assistance:

5 Years/Unlimited Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 71.3ft³
- Cargo Volume to Seat 2 35.9ft³
- Cargo Volume to Seat 3 35.9ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 140

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000



Exterior Dimensions

- Height, Overall 66.1in
- Length, Overall 187.8in
- Lifter Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 108.9in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 41.2in
- Front Hip Room 57.5in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 5
- Passenger Volume 110.7ft³
- Second Head Room 39.2in
- Second Hip Room 56.3in
- Second Leg Room 40.9in
- Second Shoulder Room 58.3in

Mileage

- Cruising Range - City 394.80mi
- Cruising Range - Hwy 507.60mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.5ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs



Licensed to J.D. Power

- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel
- Eighth Gear Ratio (:1) 0.64
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) 4.08
- First Gear Ratio (:1) 4.49
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.08
- Second Gear Ratio (:1) 2.76
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3735lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin