

Vehicle Information

Date:	May 21, 2020
Vehicle:	2018 Lexus GX Utility 4D GX460 Premium 4WD 4.6L V8
VIN:	JTJBM7FX5J5195413
Weight:	5,179

New Cars/Trucks Values

Powered by Chrome Data Base MSRP NADA New Vehicle Values	Base \$52,155	Options \$3,455	Destination \$995	Adjusted Value \$56,605
High	N/A	N/A	N/A	N/A
Detional Equipment BLIND SPOT MONITOR W/REAR CROS -inc: lane change assist, Auto-Dimming & Po Code: BD HEADLAMP WASHERS Code: HW MAHOGANY WOOD & LEATHER TRIMM Code: WU PREMIUM PACKAGE -inc: Ventilated Front Seats, Windshield Deid	Invoice \$0.00 \$92.00 \$284.00 \$2808.00	MSRP \$0.00 \$100.00 \$310.00 \$3045.00		
Rear Auto Air Conditioner, Front & Rear Heated Seats, Lexus Enform Destinations, Destination Assist and eDestination (complimentary 1-year trial subscription), Lexus Insider, Lexus Enform application suite w/destination search, Yelp, iHeartRadio, Facebook Places, MovieTickets.com, OpenTable, Pandora, Slacker, stocks, fuel prices and sports, Rain Sensing Intermittent Wipers Code: PM STANDARD PAINT \$0.00 Code: -PAINT NEBULA GRAY PEARL \$0.00 Code: 1H9 ECRU, LEATHER SEAT TRIM \$0.00 Code: LA00				

Standard Equipment

ENTERTAINMENT

- Automatic Equalizer
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and Radio Data System
- Radio: AM/FM Lexus Premium Audio inc: 8" touch screen, 9 speakers, in-dash single CD player w/Automatic Sound Levelizer (ASL), MP3/WMA capability, cache radio, integrated SiriusXM satellite radio receiver (complimentary 90-day trial subscription included), HD Radio real-time traffic and weather, 2 USB ports w/iPod connectivity, Bluetooth hands free phone w/phonebook download capabilities, music streaming and Siri Eyes Free mode w/select and play music from iTunes, call contacts, hear and compose text messages and emails, hear sports scores, stock information and weather, use maps and get directions (turn-by-turn navigation can be requested through Siri and Apple maps) map displayed on phone screen, perform POI searches, requested search information read back to driver over vehicle audio system, read notifications and read calendar information, add reminders, calendar appointments and notes
- Regular Amplifier
- Window Grid Diversity Antenna



EXTERIOR

- Body-Colored Bodyside Moldings and Chrome Bodyside Insert
- Body-Colored Front Bumper
- Body-Colored Grille w/Chrome Surround
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Conventional Rear Cargo Access
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low Beam Daytime Running Headlamps w/DelayOff
- Fully Galvanized Steel Panels
- Illuminated Running Boards
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Rear Splash Guards
- Roof Rack Rails Only
- Spare Tire Stored Underbody w/Crankdown
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 265/60R18 Mud & Snow inc: full-size alloy spare
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 18" x 7.5J Split 6-Spoke Aluminum Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Ashtray
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Front Passenger Armrests and Rear Center Armrest
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Cargo Access, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- · Front Bucket Seats inc: 10-way power front seats w/power lumbar and Lexus memory system for driver's seat
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter
- HVAC inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Intuitive Parking Assist inc: front and rear clearance and back sonar
- Leather Gear Shifter Material
- Leather Steering Wheel w/Auto Tilt-Away
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings inc: Door Mirrors and Steering Wheel
- Navigation Package inc: 8" high resolution color LCD touch screen, voice command, enhanced Bluetooth, 3D maps, customizable home screen w/speed limit, ETA calculations, traffic detour preview and predictive traffic, Lexus Enform Destinations, Destination Assist and eDestination (complimentary 1-year trial subscription), Lexus Insider, Lexus Enform application suite w/destination search, Yelp, iHeartRadio, Facebook Places, MovieTickets.com, OpenTable, Pandora, Slacker, stocks, fuel prices and sports
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm



- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature .
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start ٠
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button ٠
- **Remote Releases Inc: Power Fuel**
- Seats w/Leatherette Back Material ٠
- Tracker System .
- Trip Computer

MECHANICAL

- 1295# Maximum Payload
- 130 Amp Alternator •
- 23 Gal, Fuel Tank
- 3 Skid Plates
- 3.909 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 64-Amp/Hr Maintenance-Free Battery .
- Double Wishbone Front Suspension w/Coil Springs
- **Electronic Transfer Case**
- **Engine Oil Cooler** ٠
- Engine: 4.6L V8 DOHC 32V w/Dual VVT-i ٠
- Front And Rear Active Anti-Roll Bars ٠
- Full-Time Four-Wheel Drive . **Gas-Pressurized Shock Absorbers** •
- GVWR: 6.600 lbs .
- •
- Hydraulic Power-Assist Speed-Sensing Steering Multi-Link Rear Suspension w/Coil Springs
- •
- Permanent Locking Hubs
- Single Stainless Steel Exhaust ٠
- Towing Equipment -inc: Trailer Sway Control .
- . **Trailer Wiring Harness**
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: 6-Speed Sequential-Shift Auto w/ECT •

SAFETY

- ABS And Driveline Traction Control
- ٠ Airbag Occupancy Sensor
- **Back-Up Camera** ٠
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag ٠
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags •
- **Electronic Stability Control (ESC)** •
- First Aid Kit
- Low Tire Pressure Warning .
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners •
- Rear Child Safety Locks
- Side Impact Beams

Vehicle Information

RECALL

US NHTSA CAMPAIGN ID: 17V831000

Mfg's Report Date: DEC 19, 2017

Component: EQUIPMENT:OTHER:LABELS

Potential Number Of Units Affected: 649

Summary:

Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain 2017 2018 Toyota 4Runner and Tundra, 2018 Toyota Highlander, RAV4 and Lexus GX460 and 2017 Toyota Sienna and Tacoma vehicles. These vehicles may have incorrect load carrying capacity modification labels. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 110, "Tire Selection and Rims."

Consequence:

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power ©2020 J.D.Power



An incorrect load information label can result in the operator overloading the vehicle and increasing the risk of a crash.

Remedy:

Toyota will notify owners and provide them with corrected labels, free of charge. The recall began on January 23, 2018. Owners may contact Toyota customer service at 1-800-331-4331. Toyota's numbers for this recall are HOZ for Toyota vehicles, and HLF for Lexus vehicles.

Dates of Manufacture: AUG 08, 2017 to OCT 19, 2017

Manufacturer Recall Number: Toyota HOZ Lexus HLF US NHTSA CAMPAIGN ID: 20V012000

Mfg's Report Date: JAN 12, 2020

Component: FUEL SYSTEM, GASOLINE:DELIVERY:FUEL PUMP

Potential Number Of Units Affected: 695541

Summary:

Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain 2018-2019 4Runner, Highlander, Camry, Land Cruiser, Sequoia, Sienna, Tacoma and Tundra, and Lexus RC 300, RC 350, GS 350, GX 460, IS 300, LC 500, LS 500, LX 570, RX 350, and 2019 Toyota Avalon and Corolla, and Lexus NX 300, ES 350, and GS 200T vehicles. The low-pressure fuel pump inside the fuel tank may fail.

Consequence:

If the fuel pump fails, the engine can stall while driving, increasing the risk of a crash.

Remedy:

The remedy for this recall is still under development. The recall is expected to begin March 13, 2020. Owners may contact Toyota customer service at 1-888-270-9371 or Lexus customer service at 1-800-255-3987. Toyota's numbers for this recall are 20TB02 and 20TA02 for Toyota vehicles and 20LB01 and 20LA01 for Lexus vehicles.

Manufacturer Recall Number: 20TB02/20TA02/20LB01

WARRANTY

Basic: 4 Years/50,000 Miles

Drivetrain: 6 Years/70,000 Miles

Corrosion: 6 Years/Unlimited Miles

Roadside Assistance: 4 Years/Unlimited Miles

Maintenance: 1 Years/10,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.3in
- Rear Brake Rotor Diam x Thickness 12.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



NADA New Cars/Trucks

- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 64.7ftÂ³
- Cargo Volume to Seat 2 46.7ftÅ³
- Cargo Volume to Seat 3 11.6ftÂ³
 Ext'd Cab Cargo Volume N/AftÂ³
- Ext'd Cab Cargo Volume N/Am
 Tailgate Width N/Ain
- Taligate width N/A

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (2nd) N/A
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.1

Engine

- Displacement 4.6 L/281
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Premium Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 301 @ 5500
- SAE Net Torque @ RPM 329 @ 3500

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 74.2in
- Length, Overall 192.1in
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.1in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.4in
- Track Width, Rear 62.4in
- Wheelbase 109.8in
- Width, Max w/o mirrors 74.2in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A





- Fuel Tank Capacity, Approx 23gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 56.5in
- Front Leg Room 41.7in
- Front Shoulder Room 55.4in
- Passenger Capacity 7
- Second Head Room 40.4in
- Second Hip Room 55.2in
- Second Leg Room 34.1in
- Second Shoulder Room 57.3in
 Third Head Room 35.2in
- Third Head Room 35.2in
 Third Hip Room 43.1in
- Third Hip Room 43.11
 Third Leg Room 29.3i
- Third Leg Room 29.3in
 Third Shoulder Room 54.5in

Mileage

- Cruising Range City 345.00mi
- Cruising Range Hwy 414.00mi
- EPA Fuel Economy Est City 15MPG
- EPA Fuel Economy Est Hwy 18MPG
- Fuel Economy Est-Combined 16MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.1ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.91
- Axle Ratio (:1) Rear 3.91
- Axle Type Front Independent
- Axle Type Rear Rigid Axle
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Multi Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/60HR18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/60HR18
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. lbs
- Dead Weight Hitch Max Trailer Wt. Ibs
- Maximum Trailering Capacity lbs
- Wt Distributing Hitch Max Tongue Wt. lbs
- Wt Distributing Hitch Max Trailer Wt. lbs



Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.72 .
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.52 ٠
- ٠ Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.22 .
- Second Gear Ratio (:1) 2.04 • Sixth Gear Ratio (:1) 0.59
- Third Gear Ratio (:1) 1.40
- •
- Trans Description Cont. Again • .
- Trans Description Cont. Automatic w/OD •
- **Trans Order Code** Trans Power Take Off N/A •
- Trans Type 6 ٠
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A •
- **Transfer Case Model Electronic**
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs •
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs ٠
- .
- Curb Weight N/Albs Gross Axle Weight Rating N/Albs •
- Gross Axle Wt Rating Front N/Albs
- Gross Axle Wt Rating Rear N/Albs Gross Combined Wt Rating N/Albs •
- ٠ •
- Gross Vehicle Weight Rating 6600.00lbs •
- Maximum Payload Capacity N/Albs **Option Weight - Front 0.00lbs** ٠
- ٠
- Option Weight Rear 0.00lbs Payload Weight Front Olbs .
- Payload Weight Rear Olbs ٠
- **Reserve Axle Capacity Front N/Albs** ٠ Reserve Axle Capacity - Rear N/Albs
- •
- Reserve Axle Capacity N/Albs . •
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in •
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 18 X 7.5in ٠
- **Spare Wheel Material Aluminum** .
- Spare Wheel Size Full-Sizein •