



poquet auto

Vehicle Information

Date: May 21, 2020
Vehicle: 2019 Kia Niro Utility 4D LX 1.6L I4 Hybrid
VIN: KNDCB3LC0K5266011
Weight: 3,199

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$23,900	\$395	\$1,120	\$25,415
NADA New Vehicle Values				
High	\$23,906	\$395	\$1,120	\$25,421

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SNOW WHITE PEARL Code: SWP	\$362.00	\$395.00
CHARCOAL, CLOTH-TRIMMED SEATS Code: WK-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and 8 Gb Internal Memory
- Radio: AM/FM/MP3/SiriusXM Satellite -inc: 6 speakers, Bluetooth wireless technology w/steering-wheel-mounted controls, 7" touchscreen w/UVO eServices and support for Android Auto and Apple CarPlay, USB and auxiliary input jacks

EXTERIOR

- Black Bodyside Moldings and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Side Windows Trim
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P205/60R16 Michelin
- Variable Intermittent Wipers



- Wheels: 16" Alloy w/Full Covers

INTERIOR

- 1 Seatback Storage Pocket
- 2 12V DC Power Outlets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- 6-Way Passenger Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Cloth-Trimmed Seats
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access
- Front Bucket Seats -inc: 6-way adjustable driver and front passenger seats
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Fuel
- Trip Computer
- Urethane Gear Shifter Material

MECHANICAL

- 11.9 Gal. Fuel Tank
- 3.227 Axle Ratio
- 849# Maximum Payload
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 1.6L Atkinson Cycle DOHC 16-Valve 4-Cyl -inc: Gasoline Direct Injection (GDI), 32kW electric motor and 1.56 kWh lithium-ion-polymer hybrid battery
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 4,189 lbs
- Hybrid Electric Motor
- Multi-Link Rear Suspension w/Coil Springs
- Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed Dual-Clutch -inc: sport mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera



Licensed to J.D. Power

- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

REBATE

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$2000 or financing
plus \$500 bonus cash

Financing Incentive: 0.0%
plus \$500 bonus cash

Expiration Date: 06/01/2020

Resource: kia.com 05/08/2020

WARRANTY

Basic:
5 Years/60,000 Miles

Drivetrain:
10 Years/100,000 Miles

Corrosion:
5 Years/100,000 Miles

Hybrid/Electric Components:
10 Years/100,000 Miles

Roadside Assistance:
5 Years/60,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11in
- Rear Brake Rotor Diam x Thickness 10.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 54.5ft³
- Cargo Volume to Seat 2 19.4ft³
- Cargo Volume to Seat 3 19.4ft³

Cooling System

- Total Cooling System Capacity N/Aqts



Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 3.6

Engine

- Displacement 1.6 L/96
- Engine Order Code
- Engine Type Gas/Electric I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 139 @ 5700
- SAE Net Torque @ RPM 195 @ 2400

Exterior Dimensions

- Height, Overall 60.4in
- Length, Overall 171.5in
- Liftover Height N/Ain
- Min Ground Clearance 6.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 61.6in
- Track Width, Rear 62.2in
- Wheelbase 106.3in
- Width, Max w/o mirrors 71.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 11.9gal

Interior Dimensions

- Front Head Room 40.1in
- Front Hip Room 53.7in
- Front Leg Room 41.7in
- Front Shoulder Room 56in
- Passenger Capacity 5
- Passenger Volume 100.9ftÅ³
- Second Head Room 39.1in
- Second Hip Room 48.3in
- Second Leg Room 37.4in
- Second Shoulder Room 55.2in

Mileage

- Cruising Range - City 606.90mi
- Cruising Range - Hwy 547.40mi
- EPA Fuel Economy Est - City 51MPG
- EPA Fuel Economy Est - Hwy 46MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 49MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm



Licensed to J.D. Power

- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P205/60HR16
- Rear Tire Order Code
- Rear Tire Size P205/60HR16
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.96
- Final Drive Axle Ratio (:1) 3.23
- First Gear Ratio (:1) 3.87
- Fourth Gear Ratio (:1) 0.93
- Reverse Ratio (:1) 5.35
- Second Gear Ratio (:1) 2.22
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.37
- Trans Description Cont. Again
- Trans Description Cont. Auto-Shift Manual w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 2WD

Weight Information

- Base Curb Weight 3199lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material
- Spare Wheel Size in