

## **Vehicle Information**

Date: January 11, 2018

Vehicle: 2015 Lexus RX Utility 4D RX350 AWD

3.5L V6

VIN: 2T2BK1BA1FC322008

Typically Equipped MSRP: \$48,875

Weight: 4,343



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	Destination	Adjusted Value
Base MSRP	\$42,370	\$7,379	\$940	\$50,689
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
			Invoice	MSRP
COMFORT PACKAGE			\$1280.00	\$1390.00
-inc: Xenon High Intensity Discharge Proj lamps, Rain-Sensing Wipers, Heated & V				
DVD PREMIUM AUDIO FOR NAVIGAT			\$0.00	\$0.00
Code: EK			·	·
HEATED & VENTILATED FRONT SEATS			\$589.00	\$640.00
Code: HS				
INTUITIVE PARKING ASSIST			\$460.00	\$500.00
Code: PA				<b>.</b>
NAVIGATION PACKAGE			\$1769.00	\$1915.00
-inc: remote touch navigation controller, L language voice recognition system, Lexu notification, stolen vehicle location, emer- assistance, destination assist, eDestinat subscription included), HDD Navigation S backup monitor and casual-language voi NavTraffic/NavWeather, sports, stocks an	s Enform 2.0 w/Safety Connect gency assist button (SOS), enha ion and enform application suite System w/Advanced Voice Con ce recognition system, SiriusXN	, automatic collision anced roadside e (1-year trial nmand Generation 7, //		
PREMIUM PACKAGE W/BLIND SPOT	MONITOR SYSTEM		\$2574.00	\$2760.00
-inc: Power-Folding Htd Electrochromic C Seat/Steering/Mirror Memory - 3 Settings Roof Rails, Blind Spot Monitoring Lane C	s, One-Touch Open/Close Moor			
WOOD & LEATHER-TRIMMED STEE	RING WHEEL & SHIFT KN	IOB	\$304.00	\$330.00
Code: WU				
XENON HIGH INTENSITY DISCHARG	SE PROJECTOR HEADLAN	MPS	\$520.00	\$565.00
-inc: LED front fog lamps and driving lam	ps Code: HL			
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
ALL WEATHER FLOOR MATS W/CAF	RGO MAT		\$140.00	\$225.00



### NADA New Cars/Trucks

Licensed to J.D. Power		
	Invoice	MSRP
(PPO) Code: 2Q		
CROSS BARS	\$169.00	\$259.00
(PPO) Code: 3T		
OBSIDIAN	\$0.00	\$0.00
Code: 212		
BLACK, LEATHER SEAT TRIM	\$0.00	\$0.00
Code: LC20		

## **Standard Equipment**

#### **ENTERTAINMENT**

- 1 LCD Monitor In The Front
- Audio Theft Deterrent
- . Bluetooth Wireless Phone Connectivity
- Diversity Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Display Audio AM/FM/1CD inc: 12 speakers, HD Radio, 7-inch screen, Bluetooth hands free phone and automatic phonebook download capabilities and SDARS satellite radio, Backup Monitor

#### **EXTERIOR**

- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert and Black Bodyside Cladding
- Chrome Side Windows Trim
- Clearcoat Paint
- Colored Grille w/Chrome Surround
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 AS
- Variable Intermittent Wipers
- Wheels: 18" x 7.5" 5-Spoke Aluminum

## **INTERIOR**

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Door Trim Insert
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows



- Front And Rear Map Lights
- Front Bucket Seats -inc: 10-way power driver's and front passenger's seat w/fore-aft slide, fore-aft recline, front vertical height, rear vertical height, power lumbar support and driver's seat easy exit (auto away/return)
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim-inc: Metal-Look Instrument Panel Insert, Genuine Wood Door Panel Insert, Genuine Wood Console Insert and Chrome Interior Accents
- Leather/Chrome Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- · Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Roll-Up Cargo Cover
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

#### **MECHANICAL**

- 19.2 Gal. Fuel Tank
- 4.398 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- . Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L 6-Cylinder 24-Valve Dual VVT-i
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,650 lbs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Spd Sequential Shift Auto (ECT-i) inc: multi-mode and snow mode

#### **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency S.O.S
- Side Impact Beams

## **Technical Specifications**

### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )



- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
  Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.3ftÅ<sup>3</sup>
- Cargo Volume to Seat 2 40ftÂ3
- Cargo Volume to Seat 3 40ftÂ3

## **Cooling System**

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

#### **Emissions**

- EPA Greenhouse Gas Score 5.0
- Tons/yr of CO2 Emissions @ 15K mi/year 8.9

#### **Engine**

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 270 @ 6200
- SAE Net Torque @ RPM 248 @ 4700

#### **Exterior Dimensions**

- · Height, Overall 66.7in
- Length, Overall 187.8in
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.2in Track Width, Rear 63.8in
- Wheelbase 107.9in
- Width, Max w/o mirrors 74.2in

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

#### **Interior Dimensions**

- Front Head Room 39in
- Front Hip Room 55.5in
- Front Leg Room 43.1in
- Front Shoulder Room 57.9in
- Passenger Capacity 5
- Passenger Volume 99.7ftÅ<sup>3</sup>
- Second Head Room 37.7in
- Second Hip Room 54.5in
- Second Leg Room 36.8in
- Second Shoulder Room 57.5in

## Mileage

• Cruising Range - City 345.60mi



- Cruising Range Hwy 460.80mi
- EPA Fuel Economy Est City 18MPG
- EPA Fuel Economy Est Hwy 24MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 20MPG

### Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.8ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Double Wishbone
- Suspension Type Rear Double Wishbone

#### **Tires**

- Front Tire Order Code
- Front Tire Size P235/60VR18
- Rear Tire Order Code
- Rear Tire Size P235/60VR18
- Spare Tire Order Code
- Spare Tire Size Compact

#### **Trailering**

- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch Max Tongue Wt. 150lbs
- Wt Distributing Hitch Max Trailer Wt. 1500lbs

#### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.40
- First Gear Ratio (:1) 3.30
- Fourth Gear Ratio (:1) 1.00Reverse Ratio (:1) 4.15
- Second Gear Ratio (:1) 1.90
- Sixth Gear Ratio (:1) 0.61
- Third Gear Ratio (:1) 1.42
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

#### **Vehicle**

• EPA Classification Small Sport Utility Vehicles 4WD

### **Weight Information**

- Base Curb Weight 4343lbs
- Curb Weight Front N/Albs
  Curb Weight Rear N/Albs
- Curb Weight Kear I
- Curb Weight N/AlbsMaximum Payload Capacity N/Albs



• Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin