



Vehicle Information

Date: January 18, 2018
Vehicle: 2017 Nissan Frontier Crew Cab Pro-4X
 4WD 4.0L V6
VIN: 1N6AD0EV2HN745812
Typically Equipped MSRP: \$34,365
Weight: 4,552



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$32,340	\$725	\$975	\$34,040
NADA New Vehicle Values				
Low	\$28,837	\$646	\$975	\$30,458
Average	\$30,608	\$686	\$975	\$32,269
High	\$32,266	\$723	\$975	\$33,964

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[A95] BED EXTENDER/TRAILER HITCH PACKAGE (6MT) -inc: Bed Extender, Trailer Hitch (PIO) (PIO) Code: EX5	\$461.00	\$580.00
[L92] FLOOR MATS (PIO) Code: FLO	\$116.00	\$145.00
FORGED COPPER Build Out: 06/30/17 Code: CAU	\$0.00	\$0.00
PRO-4X, PREMIUM CLOTH SEAT TRIM Code: T-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Fixed Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Rockford Fosgate Premium Audio System -inc: 10 speakers w/subwoofer, NissanConnect w/navigation and NissanConnect Apps, 5.8" color touch screen display, radio data system, auxiliary input jack, Nissan voice recognition for navigation and audio, SiriusXM Traffic and SiriusXM Travel Link

EXTERIOR

- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and 1 Tow Hook
- Body-Colored Power Side Mirrors w/Manual Folding
- Body-Colored Rear Step Bumper
- Cargo Lamp w/High Mount Stop Light
- Clearcoat Paint w/Badging
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off




- Fully Galvanized Steel Panels
- Manual Tailgate/Rear Door Lock
- Metal-Look Grille
- Regular Box Style
- Sliding Rear Window
- Splash Guards
- Spray-In Bed Liner
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P265/75R16 All-Terrain OWL
- Variable Intermittent Wipers
- Wheels: 16" Off-Road Design Machine-Finish Alloy

INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way manual driver seat w/adjustable lumbar support
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Chrome And Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Premium Cloth Seat Trim
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry and Panic Button
- Trip Computer

MECHANICAL

- 1040# Maximum Payload
- 130 Amp Alternator
- 21.1 Gal. Fuel Tank
- 3 Skid Plates
- 3.692 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Bilstein Brand Name Shock Absorbers
- Brake Actuated Limited Slip Differential
- Double Wishbone Front Suspension w/Coil Springs
- Driver Selectable Rear Locking Differential
- Electronic Transfer Case
- Engine: 4.0L DOHC V6
- Front Anti-Roll Bar
- GVWR: 5,600 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive



- Single Stainless Steel Exhaust
- Transmission: 6-Speed Manual w/OD

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 18in
- Cargo Box Length @ Floor 59.5in
- Cargo Box Width @ Floor 61.4in
- Cargo Box Width @ Top, Rear 61.4in
- Cargo Box Width @ Wheelhousings 44.4in
- Cargo Volume 27.1ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 550
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 261 @ 5600
- SAE Net Torque @ RPM 281 @ 4000

Exterior Dimensions



Licensed to J.D. Power

- Body Length 0.00ft
- Cab to Axle 18.5in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.9in
- Ground Clearance, Rear 8.9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70.1in
- Length, Overall w/o rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 125.9in
- Width, Max w/o mirrors 72.8in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 21.1gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 40in
- Front Hip Room 55.6in
- Front Leg Room 42.4in
- Front Shoulder Room 58.3in
- Passenger Capacity 5
- Second Head Room 38.7in
- Second Hip Room 58in
- Second Leg Room 33.6in
- Second Shoulder Room 58.3in

Mileage

- Cruising Range - City 337.60mi
- Cruising Range - Hwy 443.10mi
- EPA Fuel Economy Est - City 16MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 43.3ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.69
- Axle Ratio (:1) - Rear 3.69
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain



- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/75TR16
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/75TR16
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 610lbs
- Dead Weight Hitch - Max Trailer Wt. 6100lbs
- Maximum Trailing Capacity 6100lbs
- Wt Distributing Hitch - Max Tongue Wt. 610lbs
- Wt Distributing Hitch - Max Trailer Wt. 6100lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.37
- Fourth Gear Ratio (:1) 1.28
- Reverse Ratio (:1) 3.97
- Second Gear Ratio (:1) 2.52
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.74
- Trans Description Cont. Again
- Trans Description Cont. Manual w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 11230lbs
- Gross Vehicle Weight Rating 5600.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 7in



Licensed to J.D. Power

- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein