

poquet auto

Vehicle Information

Date: July 5, 2016

Vehicle: 2014 Mercedes-Benz M Class Utility 4D ML350 4WD 3.5L

V6

VIN: 4JGDA5HB4EA306391

Weight: 4,751



New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|--|----------------------------|-------------------------|-----------------|----------------|
| Base MSRP | \$50,290 | \$6,950 | \$925 | \$58,165 |
| NADA New Vehicle Values | | , , | · | . , |
| Low | \$0 | \$0 | \$0 | \$0 |
| Average | \$0 | \$0 | \$0 | \$0 |
| | • | • | · | • |
| High | \$0 | \$0 | \$0 | \$0 |
| Optional Equipment | | | leave to a | Menn |
| | | | Invoice | MSRP |
| BRUSHED ALUMINUM RUNNING BOARDS | | | \$623.00 | \$670.00 |
| Code: 846 | | | # 000 00 | #050.00 |
| HEATED MULTIFUNCTION STEERING WHEEL | | | \$233.00 | \$250.00 |
| Code: 443 | | | ¢1202 00 | ¢1200 00 |
| LIGHTING PACKAGE | and Lamana antiva aversa i | II. mainstian Code, 210 | \$1293.00 | \$1390.00 |
| -inc: Adaptive Highbeam Assist, Bi-Xenon Head Lamps, active curve illumination Code: 319 PREMIUM 1 PACKAGE | | | \$3646.00 | \$3920.00 |
| -inc: iPod/MP3 Media Interface Cable, Rearview Camera, Power Folding Mirrors, Auto Dimming Mirrors, Driver Memory Seat, Radio: COMAND Navigation & 6-disc CD/DVD, 7.0" high resolution LCD screen w/3D map views, enhanced voice control system, 10GB music register, 6-disc DVD changer, Gracenote album information including cover art, SD card slot, SiriusXM traffic and SiriusXM weather, 115V AC Power Outlet Located in 2nd row, Power Tilt/Telescoping Steering Column, Double Sun Visors, iPod/MP3 Media Interface, SIRIUS XM Satellite Radio, SiriusXM real-time traffic and SiriusXM weather (w/6 month trial), Auto-Dimming Side & Rearview Mirrors Code: P01 | | | | |
| RADIO: COMAND NAVIGATION & 6-DISC CD/DVD | | | \$0.00 | \$0.00 |
| -inc: 7.0" high resolution LCD screen w/3D m music register, 6-disc DVD changer, Gracen card slot, SiriusXM traffic and SiriusXM weat | ote album information incl | | · | · |
| STANDARD PAINT | | | \$0.00 | \$0.00 |
| Code: -PAINT | | | | · |
| PALLADIUM SILVER METALLIC | | | \$670.00 | \$720.00 |
| Code: 792 | | | | |
| BLACK, MB-TEX LEATHERETTE SEAT TRIM | | | \$0.00 | \$0.00 |
| Code: 101-1 | | | | |
| WHEELS: 19" TWIN-5-SPOKE ALLOY | | | \$0.00 | \$0.00 |
| (STD) Code: R55 | | | | |



Standard Equipment

ENTERTAINMENT

- · Audio Theft Deterrent
- Radio w/Seek-Scan, MP3 Player, Clock, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Weatherband
- Radio: COMAND AM/FM/DVD/CD-inc: 7" color display, Bluetooth interface for hands-free calling, DVD video/audio player, in dash SD memory card reader, USB port and 8-speaker audio system w/automatic speed-sensitive volume adjustment
- Window Grid Diversity Antenna
- Wireless Streaming

EXTERIOR

- Aluminum Side Windows Trim and Black Front Windshield Trim
- · Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Flex Fuel Capability
- Front And Rear Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Fixed Interval Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 255/50R19 AS
- Wheels: 19" Twin-5-Spoke Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 5 Person Seating Capacity
- 60-40 Folding Split-Bench Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- 8-Way Driver Seat
- 8 Way Passenger Seat
- Air Filtration
- Analog Display
- Ashtray
- Cargo Área Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Pass-Thru
 Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats inc: power adjustable front seats w/driver lumbar support
- Homelink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Residual Heat Recirculation and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins



Licensed to J.D. Power

- Interior Trim -inc: Genuine Wood Instrument Panel Insert, Genuine Wood/Chrome Door Panel Insert, Aluminum/Genuine Wood Console Insert, Chrome And Aluminum Interior Accents
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual w/Tilt Rear Head Restraints
- Manual Tilt Steering Column
- MB-Tex Leatherette Seat Trim
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Cargo Access
- Roll-Up Cargo Cover
- Send2Benz Selective Service Internet Access
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1532# Maximum Payload
- 180 Amp Alternator
- 2 Skid Plates
- 24.6 Gal. Fuel Tank
- 3.90 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 70-Amp/Hr 600CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Ride Control Suspension
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Steering
- Engine Oil Cooler
- Engine: 3.5L DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Full-Time 4MATIC All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,283 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
 Taving w/Tavillas Sway Carbol
- Towing w/Trailer Sway Control
- Transmission w/Sequential Shift Control w/Steering Wheel Controls
- Transmission: 7-Speed Driver-Adaptive Automatic inc: steering wheel shift paddles

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- First Aid Kit
- mbrace2 Emergency S.O.S
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- PRE-SAFE Forward Collision
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: * * * * *

Overall Frontal Barrier Crash Rating: * * * * *



Overall Side Crash Rating: * * * * *

Side Barrier Rating: * * * * *

Combined Side Barrier and Pole Ratings: Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: * * * * *
Dynamic Test Result: No Tip
Risk of Rollover: 17.9%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

4 Years/50,000 Miles

Corrosion:

4 Years/50,000 Miles

Roadside Assistance: 4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.3ftÂ³
- Cargo Volume to Seat 2 38.2ftÂ³
- Cargo Volume to Seat 3 38.2ftÂ³

Cooling System

Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 600
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score 4.0 (Est)
- Tons/yr of CO2 Emissions @ 15K mi/year 9.6 (Est)



Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 302 @ 6500
- SAE Net Torque @ RPM 273 @ 3500

Exterior Dimensions

- Height, Overall 70.7in
- Length, Overall 189.1in
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.7in
- Track Width, Rear 65.2in
- Wheelbase 114.8in
- Width, Max w/o mirrors 75.8in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 40.4in
- Front Hip Room N/Ain
- Front Leg Room 40.3in
- Front Shoulder Room 58.5in
- Passenger Capacity 5
- Passenger Volume N/Aft³ Second Head Room 38.5in
- Second Hip Room N/Ain
- Second Leg Room 38.4in
- Second Shoulder Room 58.4in

Mileage

- Cruising Range City 418.20mi
- Cruising Range Hwy 541.20mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 22MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Double Wishbone
- Suspension Type Front Double Wishbone
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/50HR19



- Rear Tire Order Code
- Rear Tire Size P255/50HR19
- **Spare Tire Order Code**
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 720lbs
 Dead Weight Hitch Max Trailer Wt. 7200lbs
- **Maximum Trailering Capacity 7200lbs**
- Wt Distributing Hitch Max Tongue Wt. 1080lbs
- Wt Distributing Hitch Max Trailer Wt. 7200lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain All Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.90
- First Gear Ratio (:1) 4.38
- Fourth Gear Ratio (:1) 1.37
- Reverse Ratio (:1) 3.42
- Second Gear Ratio (:1) 2.86
- Seventh Gear Ratio (:1) 0.73
- Sixth Gear Ratio (:1) 0.82
- Third Gear Ratio (:1) 1.92
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4751lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 8in
- Spare Wheel Material Steel
- **Spare Wheel Size Compactin**