

Vehicle Information

Date:	January 18, 2018	
Vehicle:	2015 Mazda Mazda3 Sedan 4D i Touring	
	2.0L I4	MazDa
VIN:	3MZBM1V7XFM164366	
Typically Equipped MSRP:	\$21,465	
Weight:	2,781	0

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$20,645	N/A	\$820	\$21,465
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			Investore	MCDD
		Invoice		MSRP
STANDARD PAINT		\$0.00		\$0.00
Code: -PAINT				
METEOR GRAY MICA		\$0.00		\$0.00
Code: 42A				
BLACK, PREMIUM CLOTH SEAT TRIM		\$0.00		
Code: BV0				

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System

Radio: AM/FM/HD Audio System inc: digital clock, 6-speaker full-range door mounted type sound system, Bluetoooth handsfree phone and audio, auxiliary audio input jack and 2 USB audio input, MAZDA CONNECT Infotainment System, voice-command, E911 automatic emergency notification, 7" full-color touch-screen display, multi-function Commander control, Pandora, Aha and Stitcher internet radio integration, Radio Broadcast Data System program information and SMS text message audio delivery and reply
 Window Crid Autoena

• Window Grid Antenna

EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps
- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body Colored Front Bumper
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- Light Tinted Glass
 Lip Spoiler
- Lip SpoilerSteel Spare Wheel
- Tires: P205/60R16 AS SBR -inc: temporary spare tire

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates @2018 J.D.Power and Associates



- Trunk Rear Cargo Access
- Variable Intermittent Wipers
- Wheels: 16" x 6.5J Alloy

INTERIOR

- 1 12V DC Power Outlet
- 1 Seatback Storage Pocket
- 4-Way Passenger Seat inc: Manual Fore/Aft Movement
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat inc: Manual Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 1 12V DC Power Outlet
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Interior Trim inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert and Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Premium Cloth Seat Trim
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Reclining Front Bucket Seats inc: adjustable front and rear headrests and whiplash-reducing active front headrests
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Trip Computer
- Valet Function

MECHANICAL

- 100 Amp Alternator
- 13.2 Gal. Fuel Tank
- 3.591 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 60-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Electric Power Assist Speed Sensing Steering
- Engine: 2.0L SKYACTIV-G DOHC 16-Valve 4-Cylinder inc: variable valve timing
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed SKYACTIV-DRIVE Automatic inc: manual mode, 3.591 Axle Ratio

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Collision
- Back-Up Camera
- Blind Spot Sensor





- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
 Front Broke Deter Di
- Front Brake Rotor Diam x Thickness 11in
 Rear Brake Rotor Diam x Thickness 10.4in
- Rear Drum Diam x Width in

Cargo Area Dimensions

• Trunk Volume 12.4ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ OŰ F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.2

Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 155 @ 6000
- SAE Net Torque @ RPM 150 @ 4000

Exterior Dimensions

- Height, Overall 57.3in
- Length, Overall 180.3in
- Liftover Height N/Ain
- Min Ground Clearance 6.1in
- Track Width, Front 61.2in
- Track Width, Rear 61.4in
- Wheelbase 106.3in
- Width, Max w/o mirrors 70.7in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

Interior Dimensions

- Front Head Room 38.6in
- Front Hip Room 55.5in
- Front Leg Room 42.2in



- Front Shoulder Room 57.2in
- . Passenger Capacity 5
- Passenger Volume 96.3ftÅ³ •
- Second Head Room 37.6in •
- Second Hip Room 53.5in ٠
- Second Leg Room 35.8in .
- Second Shoulder Room 54.4in •

Mileage

- Battery Range N/Ami
- Cruising Range City 396.00mi
- Cruising Range Hwy 541.20mi ٠
- ٠ EPA Fuel Economy Est - City 30MPG
- EPA Fuel Economy Est Hwy 41MPG ٠
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A • Fuel Economy Est-Combined 34MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Rack-Pinion** .
- Turning Diameter Curb to Curb 34.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain • Stabilizer Bar Diameter - Rear N/Ain •
- Suspension Type Front (Cont.) Strut ٠
- •
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link ٠ Suspension Type - Rear Multi Link •

Tires

- Front Tire Order Code
- Front Tire Size P205/60HR16
- **Rear Tire Order Code** ٠
- Rear Tire Size P205/60HR16 .
- Spare Tire Order Code • Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs •
- Wt Distributing Hitch Max Tongue Wt. N/Albs •
- Wt Distributing Hitch Max Trailer Wt. N/Albs ٠

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.71 •
- Final Drive Axle Ratio (:1) 3.59 •
- First Gear Ratio (:1) 3.55
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.89 ٠
- Second Gear Ratio (:1) 2.02 •
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45 •
- **Trans Description Cont. Again**
- Trans Description Cont. Automatic w/OD •
- Trans Order Code ٠ • Trans Type 6

Vehicle



• EPA Classification Compact Cars

Weight Information

• Base Curb Weight 2848lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin