



<b>Measure ID</b>	<b>SCG8</b>
<b>Measure Name</b>	Pre-surgical screening for depression
<b>Measure Description</b>	Percentage of patients, regardless of age, undergoing surgical, therapeutic or diagnostic procedures under anesthesia where the patient received a formal pre-surgical screening for depression using an age appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the positive screen
<b>National Quality Domain (NQS) Domain</b>	N/A
<b>Measure Type</b>	Process
<b>Meaningful Measure Area</b>	Prevention, Treatment, and Management of Mental Health
<b>National Quality Forum (NQF) number, if it applies</b>	N/A
<b>Descriptions of the Denominator and Numerator</b>	<p><b>Denominator:</b> All patients, regardless of age on date of the service AND Patient procedure during the performance period (CPT): Listed below are anesthesia services and surgical procedures Anesthesia 00100, 00102, 00103, 00104, 00120, 00124, 00126, 00140, 00142, 00144, 00145, 00147, 00148, 00160, 00162, 00164, 00170, 00172, 00174, 00176, 00190, 00192, 00210, 00211, 00212, 00214, 00215, 00216, 00218, 00220, 00222, 00300, 00320, 00322, 00326, 00350, 00352, 00400, 00402, 00404, 00406, 00410, 00450, 00454, 00470, 00472, 00474, 00500, 00520, 00522, 00524, 00528, 00529, 00530, 00532, 00534, 00537, 00539, 00540, 00541, 00542, 00546, 00548, 00550, 00560, 00566, 00600, 00604, 00620, 00625, 00626, 00630, 00632, 00635, 00640, 00670, 00700, 00702, 00730, 00731, 00732, 00750, 00752, 00754, 00756, 00770, 00790, 00792, 00794, 00796, 00797, 00800, 00802, 00811, 00812, 00813, 00820, 00830, 00832, 00834, 00836, 00840, 00842, 00844, 00846, 00848, 00851, 00860, 00862, 00864, 00865, 00866, 00868, 00870, 00872, 00873, 00880, 00882, 00902, 00904, 00906, 00908, 00910, 00912, 00914, 00916, 00918, 00920, 00921, 00922, 00924, 00926, 00928, 00930, 00932, 00934, 00936, 00938, 00940, 00942, 00944, 00948, 00950, 00952, 01112, 01120, 01130, 01140, 01150, 01160, 01170, 01173, 01200, 01202, 01210, 01212, 01214, 01215, 01220, 01230, 01232, 01234, 01250, 01260, 01270, 01272,</p>



	<p>01274, 01320, 01340, 01360, 01380, 01382, 01390, 01392, 01400, 01402, 01404, 01420, 01430, 01432, 01440, 01442, 01444, 01462, 01464, 01470, 01472, 01474, 01480, 01482, 01484, 01486, 01490, 01500, 01502, 01520, 01522, 01610, 01620, 01622, 01630, 01634, 01636, 01638, 01650, 01652, 01654, 01656, 01670, 01680, 01710, 01712, 01714, 01716, 01730, 01732, 01740, 01742, 01744, 01756, 01758, 01760, 01770, 01772, 01780, 01782, 01810, 01820, 01829, 01830, 01832, 01840, 01842, 01844, 01850, 01852, 01860, 01922, 01924, 01925, 01926, 01930, 01931, 01932, 01933, 01935, 01936, 01951, 01952, 01958, 01960, 01961, 01962, 01963, 01965, 01966, 01992</p> <p>Neurological Surgery 22551, 22554, 22558, 22600, 22612, 22630, 22633, 61312, 61313, 61315, 61510, 61512, 61518, 61548, 61697, 61700, 62223, 62230, 63015, 63020, 63030, 63042, 63045, 63046, 63047, 63056, 63075, 63081, 63267, 63276</p> <p>Hip Reconstruction 27125, 27130, 27132, 27134, 27137, 27138</p> <p>Knee Reconstruction 27440, 27441, 27442, 27443, 27445, 27446, 27447</p> <p>Genitourinary Surgery 50020, 50220, 50225, 50230, 50234, 50236, 50240, 50543, 50545, 50546, 50547, 50548, 50715, 50722, 50725, 50727, 50728, 50760, 50770, 50780, 50782, 50783, 50785, 50800, 50810, 50815, 50820, 50947, 50948, 51550, 51555, 51565, 51570, 51575, 51580, 51585, 51590, 51595, 51596, 51597, 51800, 51820, 51900, 51920, 51925, 51960, 55810, 55812, 55815, 55821, 55831, 55840, 55842, 55845, 55866</p> <p>Gynecologic Surgery 56630, 56631, 56632, 56633, 56634, 56637, 56640, 57267, 58150, 58152, 58180, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290, 58291, 58292, 58293, 58294, 58951, 58953, 58954, 58956</p> <p>Hip Fracture Surgery 27235, 27236, 27244, 27245, 27269</p> <p>Le Fort Fractures 21346, 21347, 21348, 21422, 21423, 21432, 21433, 21435, 21436</p> <p>Mandibular Fractures 21454, 21461, 21462, 21465, 21470</p> <p>General Thoracic (Non-Cardiac) 0236T, 21627, 21632, 21740, 21750, 21825, 31760, 31766, 31770, 31775, 31786, 31805, 32096, 32097, 32098, 32100, 32110, 32120, 32124, 32140, 32141, 32150, 32215, 32220, 32225, 32310, 32320, 32440, 32442, 32445, 32480, 32482, 32484, 32486, 32488, 32491, 32505, 32506, 32507, 32800, 32810, 32815, 32900, 32905, 32906, 32940, 33020, 33025,</p>
--	--



33030, 33031, 33050, 33300, 33310, 33320, 34051, 35021, 35211, 35216, 35241, 35246, 35271, 35276, 35311, 35526, 37616, 38381, 38746, 39000, 39010, 39200, 39220, 39545, 39561, 64746

Laryngectomy

31360, 31365, 31367, 31368, 31370, 31375, 31380, 31382, 31390, 31395

Vascular

27880, 27881, 27882, 27884, 27886, 27888, 33361, 33362, 33363, 33364, 33365, 33366, 33877, 33880, 33881, 33883, 33886, 33889, 33891, 34812, 34820, 34830, 34831, 34832, 34833, 34834, 34841, 34842, 34843, 34844, 34845, 34846, 34847, 34848, 35011, 35013, 35081, 35082, 35091, 35092, 35102, 35103, 35131, 35141, 35142, 35151, 35152, 35206, 35266, 35301, 35363, 35371, 35372, 35512, 35521, 35522, 35523, 35525, 35533, 35537, 35538, 35539, 35540, 35556, 35558, 35565, 35566, 35570, 35571, 35572, 35583, 35585, 35587, 35601, 35606, 35612, 35616, 35621, 35623, 35626, 35631, 35632, 35633, 35634, 35636, 35637, 35638, 35642, 35645, 35646, 35647, 35650, 35654, 35656, 35661, 35663, 35665, 35666, 35671, 36830, 36902, 36905, 37224, 37225, 37226, 37227, 37228, 37229, 37230, 37231, 37246, 37248, 37617

Glossectomy 41130, 41135, 41140, 41145, 41150, 41153, 41155

Acoustic Neuroma

61520, 61526, 61530, 61591, 61595, 61596, 61598, 61606, 61616, 61618, 61520, 61526, 61530, 61591, 61595, 61596, 61598, 61606, 61616, 61618, 61619, 69720, 69955, 69960, 69970

General Surgery

15734, 15830, 15832, 15833, 15834, 15835, 15836, 15837, 19260, 19271, 19272, 19300, 19301, 19302, 19303, 19304, 19305, 19306, 19307, 19316, 19318, 19324, 19361, 19364, 19366, 19367, 19368, 19369, 19380, 27080, 27158, 27202, 27280, 27282, 38100, 38101, 38115, 38120, 38571, 38572, 38700, 38720, 38724, 38747, 38760, 38765, 38770, 38780, 39501, 39540, 39541, 39545, 39560, 39561, 43020, 43030, 43045, 43100, 43101, 43107, 43108, 43112, 43113, 43116, 43117, 43118, 43121, 43122, 43123, 43124, 43130, 43135, 43279, 43280, 43281, 43282, 43300, 43305, 43310, 43312, 43313, 43314, 43320, 43325, 43327, 43328, 43330, 43331, 43332, 43333, 43334, 43335, 43336, 43337, 43340, 43341, 43351, 43352, 43360, 43361, 43400, 43401, 43405, 43410, 43415, 43420, 43425, 43496, 43500, 43501, 43502, 43510, 43520, 43605, 43610, 43611, 43620, 43621, 43622, 43631,



43632, 43633, 43634, 43640, 43641, 43644, 43645, 43651, 43652, 43653, 43770, 43771, 43772, 43773, 43774, 43800, 43810, 43820, 43825, 43830, 43832, 43840, 43843, 43845, 43846, 43847, 43848, 43850, 43855, 43860, 43865, 43870, 43880, 43886, 43887, 43888, 44005, 44010, 44020, 44021, 44025, 44050, 44055, 44110, 44111, 44120, 44125, 44126, 44127, 44130, 44140, 44141, 44143, 44144, 44145, 44146, 44147, 44150, 44151, 44155, 44156, 44157, 44158, 44160, 44180, 44186, 44187, 44188, 44202, 44204, 44205, 44206, 44207, 44208, 44210, 44211, 44212, 44227, 44300, 44310, 44312, 44314, 44316, 44320, 44322, 44340, 44345, 44346, 44602, 44603, 44604, 44605, 44615, 44620, 44625, 44626, 44640, 44650, 44660, 44661, 44680, 44700, 44800, 44820, 44850, 44900, 44950, 44955, 44960, 44970, 45000, 45020, 45100, 45108, 45110, 45111, 45112, 45113, 45114, 45116, 45119, 45120, 45121, 45123, 45126, 45130, 45135, 45136, 45150, 45160, 45171, 45172, 45190, 45395, 45397, 45400, 45402, 45500, 45505, 45540, 45541, 45550, 45560, 45562, 45563, 45800, 45805, 45820, 45825, 46715, 46716, 46730, 46735, 46740, 46742, 46744, 46746, 46748, 46750, 46751, 46753, 46754, 46760, 46761, 46762, 47010, 47015, 47100, 47120, 47122, 47125, 47130, 47135, 47140, 47141, 47142, 47300, 47350, 47360, 47361, 47362, 47370, 47371, 47380, 47381, 47382, 47400, 47420, 47425, 47460, 47480, 47562, 47563, 47564, 47570, 47600, 47605, 47610, 47612, 47620, 47700, 47701, 47711, 47712, 47715, 47720, 47721, 47740, 47741, 47760, 47765, 47780, 47785, 47800, 47801, 47802, 47900, 48000, 48001, 48020, 48100, 48102, 48105, 48120, 48140, 48145, 48146, 48148, 48150, 48152, 48153, 48154, 48155, 48500, 48510, 48520, 48540, 48545, 48547, 48548, 48554, 48556, 49000, 49002, 49010, 49020, 49040, 49060, 49203, 49204, 49205, 49215, 49220, 49250, 49255, 49320, 49321, 49322, 49323, 49405, 49406, 49407, 49505, 49507, 49560, 49561, 49565, 49566, 49570, 50320, 50340, 50360, 50365, 50370, 50380, 60200, 60210, 60212, 60220, 60225, 60240, 60252, 60254, 60260, 60270, 60271, 60280, 60281, 60500, 60502, 60505, 60520, 60521, 60522, 60540, 60545, 60600, 60605, 60650

Foot & Ankle

27702, 27703, 27704, 28192, 28193, 28291, 28415, 28420, 28445, 28465, 28485, 28505, 28525, 28531, 28555, 28585, 28615, 28645, 28675, 28705, 28715, 28725, 28730, 28735, 28737

Eye 15823, 65855, 66711, 66761, 66821, 66840, 66850, 66852, 66920, 66930, 66940, 66982, 66983, 66984, 66984,



	<p>66999, 67028, 67904 Spine 22325, 22510, 22511, 22513, 22514, 22586, 22612, 22630, 22800, 22802, 22804, 63030, 63042</p> <p><b>Numerator:</b> Patients with a baseline depression assessment completed prior to the surgical procedure start time using an age appropriate standardized tool AND, if positive, a follow-up plan is documented on the date of the positive screen</p> <p><b>Definitions:</b></p> <p>Standardized Tool – An assessment tool that has been appropriately normed and validated for the population in which it is used. The name of the age appropriate standardized depression screening tool utilized must be documented in the medical record. Examples of tools for the depression assessment include, but are not limited to:</p> <p>Adolescent Screening Tools (12-17 years) Patient Health Questionnaire for Adolescents (PHQ-A), Beck Depression Inventory-Primary Care Version (BDI-PC), Mood Feeling Questionnaire (MFQ), Center for Epidemiologic Studies Depression Scale (CES-D), Patient Health Questionnaire (PHQ-9), Pediatric Symptom Checklist (PSC-17), and PRIME MD-PHQ2</p> <p>Adult Screening Tools (18 years and older) Patient Health Questionnaire (PHQ-9), Beck Depression Inventory (BDI or BDI-II), Center for Epidemiologic Studies Depression Scale (CES-D), Depression Scale (DEPS), Duke Anxiety- Depression Scale (DADS), Geriatric Depression Scale (GDS), Cornell Scale or Depression in Dementia (CSDD), PRIME MD-PHQ2, Hamilton Rating Scale for Depression (HAM-D), and Quick Inventory of Depressive Symptomatology Self-Report (QID-SR)</p> <p>Perinatal Screening Tools Edinburgh Postnatal Depression Scale, Postpartum Depression Screening Scale, Patient Health Questionnaire 9 (PHQ-9), Beck Depression Inventory, Beck Depression Inventory–II, Center for Epidemiologic Studies Depression Scale, and Zung Self-rating Depression Scale</p> <p>Follow-Up Plan – Documented follow-up for a positive depression screening must include one or more of the</p>
--	---



	<p>following:</p> <ul style="list-style-type: none"> <li>• Additional evaluation for depression</li> <li>• Suicide Risk Assessment</li> <li>• Referral to a practitioner who is qualified to diagnose and treat depression</li> <li>• Pharmacological interventions</li> <li>• Other interventions or follow-up for the diagnosis or treatment of depression</li> </ul> <p>NOTE: Pharmacologic treatment for depression is often indicated during pregnancy and/or lactation. Review and discussion of the risks of untreated versus treated depression is advised. Consideration of each patient’s prior disease and treatment history, along with the risk profiles for individual pharmacologic agents, is important when selecting pharmacologic therapy with the greatest likelihood of treatment effect.</p> <p>Numerator Instructions: All components should be completed once per visit per patient and should be documented in the medical record as having been performed during the measurement period.</p> <p>Numerator Options:</p> <p>Performance Met: Depression assessment documented as positive using a standardized tool AND a follow-up plan is documented</p> <p>OR</p> <p>Performance Met: Depression assessment using a standardized tool is documented as negative, no follow-up plan required</p> <p>OR</p> <p>Performance Not Met: No documentation of depression assessment, reason not given</p> <p>OR</p> <p>Performance Not Met: Depression assessment documented as positive using a standardized tool, follow-up plan not documented, reason not given</p>
<p><b>Descriptions of the denominator exceptions, denominator exclusions</b></p>	<p><b>Denominator Exception: None</b></p> <p><b>Denominator Exclusion:</b>                  Patients who are receiving comfort care only: G9930                  Hospice services provided to patient any time during the measurement period: G9687</p>

2019 QCDR Measure Specifications



	Documentation stating the patient has an active diagnosis of depression or has a diagnosed bipolar disorder, therefore screening or follow-up not required: G9717 ICD-10-CM: F01.51, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.89, F32.9, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.1, F34.81, F34.89, F43.21, F43.23, F53, O90.6, O99.340, O99.341, O99.342, O99.343, O99.345
<b>If the measure is risk adjusted</b>	No
<b>Number of performance rates required for measures</b>	1
<b>High priority status</b>	No
<b>Inverse measure</b>	No
<b>Proportional Measure</b>	Yes
<b>Continuous variable</b>	No
<b>Outcome</b>	No
<b>Ratio Measure</b>	No



Measure ID	SMX10
<b>Measure Name or Title</b>	Prevalence and Severity of High Blood Pressure Among Children (SoDH) - Blood Pressure screening for children 1-13 years of age and 14 - 19 years of age
<b>Measure Description</b>	Percentage of children 1 -13 years of age, and 14 - 19 years of age who were had a blood pressure reading taken and if greater than 130/80 had a follow-up plan documented
<b>National Quality Domain (NQS) Domain</b>	Effective Clinical Care
<b>Measure Type</b>	Process
<b>Meaningful Measure Area</b>	Preventive Care
<b>National Quality Forum (NQF) number, if it applies</b>	N/A
<b>Descriptions of the Denominator and Numerator</b>	<p><b>Denominator:</b> Patients ages 1 - 13 and ages 14 – 19</p> <p><b>Numerator:</b> For patients ages 1-13, had at least 1 blood pressure reading in the measurement period and if the reading was greater than 130/80 had a follow-up plan documented. For patients ages 14 - 19, had at least 1 blood pressure reading in the measurement period and if the reading was greater than 130/80 had a follow-up plan documented.</p>
<b>Descriptions of the denominator exceptions, denominator exclusions</b>	<p><b>Deno. Exception:</b> None</p> <p><b>Deno. Exclusion:</b> Patients with a history of cardiovascular disease</p>



2019 QCDR Measure Specifications



<b>If the measure is risk adjusted</b>	No
<b>Number of performance rates required for measures</b>	2
<b>Indicate an Overall Performance Rate if more than 1 performance rate is to be submitted. Specify which of the submitted rates will represent an overall performance rate for the measure or how an overall performance rate could be calculated based on the data</b>	Weighted Average
<b>High priority Measure</b>	No
<b>Proportional measure</b>	Yes
<b>Continuous variable</b>	No
<b>Outcome</b>	No
<b>Ratio Measure</b>	No



<b>Measure ID</b>	<b>SMX11</b>
<b>Measure Name</b>	Screening for Risk Factors for Adult Cardiovascular Disease in Children (SoDH) - Dyslipidemia screening for children ages 9 -11 and post-puberty ages 17-21
<b>Measure Description</b>	Screening for Risk factors for adult cardiovascular disease - Percent of patients ages 9 -11 that had a baseline HDL-C screening or ages 17 -21 that had a baseline HDL-C or LDL-C screening test and if out of range, had a follow-up plan documented.
<b>National Quality Domain (NQS) Domain</b>	Effective Clinical Care
<b>Measure Type</b>	Process
<b>Meaningful Measure Area</b>	Preventive Care
<b>National Quality Forum (NQF) number, if it applies</b>	N/A
<b>Descriptions of the Denominator and Numerator</b>	<p><b>Denominator:</b> patients, 9-11 years of age and 17 - 21 years of age</p> <p><b>Numerator:</b>            For Patients 9 -11 who had an HDL-C screening and if result is greater than 40 mg/dl then a follow-up plan is documented. For Patients 17 - 21 who either had an HDL-C screening and if result is greater than 40 mg/dl then a follow-up plan is documented, OR had an LDL-C screening and if result is less than 130 mg/dl had a follow-up plan documented.</p>



<b>Descriptions of the Denominator Exceptions, Denominator Exclusions</b>	<b>Denominator Exception:</b> Patients taking lipid lowering medications <b>Denominator Exclusion:</b> Patients with a history of cardiovascular disease
<b>If the Measure is risk adjusted</b>	No
<b>Number of Performance Rates required for Measures</b>	2
<b>Indicate an Overall Performance Rate if more than 1 performance rate is to be submitted. Specify which of the submitted rates will represent an overall performance rate for the measure or how an overall performance rate could be calculated based on the data</b>	Weighted Average
<b>High priority status</b>	No
<b>Inverse Measure</b>	No
<b>Proportional Measure</b>	Yes
<b>Continuous variable</b>	No
<b>Outcome Measure</b>	No
<b>Ratio Measure</b>	No