







#### **CREATORS OF PRECISION**

"When our new brand was launched, it naturally aroused much interest. Who was working on this project? Who were the technicians and engineers who make up Victrix Armaments? Who was managing the project? But most of all, who was really behind this ambitious venture? Indeed, who could take on such a major challenge?

These are all valid questions but, is it not possible to truly understand the importance of our brand simply by asking who and how many are working on it?

I now welcome the opportunity to answer as many of these questions as I can and also to convey the real impetuous behind our Company.

Behind Victrix Armaments are those most passionate about precision shooting.

Behind Victrix Armaments are individuals working at the highest level in the military arena, true experts in their particular field.

Behind Victrix Armaments are technicians and specialists in precision engineering and design who are prepared to explore all segments of their craft and expertise.

Why? After years acting as strategic partners to a large number of equipment manufacturers and particularly arms-producing companies and brands, we realised that it was now time for us to demonstrate our ability to manufacture a product without compromise and to honour our idea of precision firearms.


This is the core aim of Victrix Armaments – the will and determination to develop and manufacture new and safe generation of firearm systems for both sporting and military use without compromise.

Behind Victrix Armaments, are the men and women who have made all this possible. We are Victrix Armaments; we are creators of precision."

**Giuseppe Valtorta**Founder

5







### THESE ARE THE THREE MAIN VALUES OF VICTRIX ARMAMENTS

At Rottigni Officina Meccanica, a company with over 45 years of experience in high precision engineering, we have developed unique manufacturing processes, which result in extremely close tolerances unparalleled in the firearms industry.

Victrix pride and experience: Where 45 years of traditional craftsmanship dovetails with modern technology.

#### WHAT MAKES VICTRIX ARMAMENTS DIFFERENT

At Victrix Armaments, we see ourselves as unique within the firearms industry, with the exception of the match grade barrel, all of the other components of the rifle have been designed and manufactured inside our company.

The advantage to this, of course, is that we are not reliant on other manufacturers for supply, quality and functionality. In maintaining this degree of control, we have analysed specific materials for their mechanical qualities and incorporated them into the design and manufacture of our rifles.







Our team of precision engineers and craftsmen have at their fingertips the most modern and sophisticated five axis CNC machining centres, spark erosion and EDM wire cutting equipment available to them.

Our actions are worked out directly from billet on high-technological CNC machining centres, to accomplish very low geometrical and dimensional tolerances and meet extremely high-quality standards. The alloy steel used allows to achieve high mechanical specifications. Treatment processes are carefully checked as they ensure long-lasting performance standards.

All actions single shot as well as those with magazines are equipped with a three-lug bolt thus assuring the highest precision.

Every Victrix rifle is born in our in-house 3D modelling design department, where from inception to completion, each and every component is checked

**INNOVATION** 

AND DESIGN.







Attention to detail is paramount in the production of our precision rifles.

All of our components come together in our rifle building department, where each component is lovingly put together, with the emphasis on attention to detail, by our craftsmen, to produce what is known as the Victrix Precision Rifle. Victrix commands an unparalleled level of precision throughout its range.

We go straight to the heart of perfection.

REVOLUTIONISED

guarantee the accuracy of every component.

samples are performed in SIT laboratories.



14-29

44-59





30-43

60-63











Pugio



Scope, scope mount and bipod are not included in the rifle configuration.




Soft touch cheek-piece


















#### Multifunction handle:

- Tripod attach.
- Multi QD sling attach. Helisniping rod attach.
- The tripod attach. shown in the picture is for illustration purposes only









# Pugio

**Law Enforcement - Military** Destination use:

//// Caliber (Twist rate): .308 Win (1/10)

16" //// Barrel Length:



| Law Enforcement - Military   |
|--|
| .308 Win (1/10)  |
| 16"  |
| Match grade in Aisi 416R lapped  |
| Minerva short 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated |
| 5 Rounds, 8 Rounds option (Law enforcement - Military use)               |
| Selectable dual or single stage; adjustable pull weight                  |
| Upper; 2 position lever  |
| 3 Chambers Detachable; thread M18x1                                      |
| 20 Moa   |
| Arrow 03   |
| 45 mm Dim  |
| 60 mm  |
| Button left side folding Speed All scr                                   |

| Octagonal Elliptic                             |
|--|
| Keymod 🕀                                       |
| 20 Moa   |
| Standard Equipment only on Oct. Ellipt. forend |
| Standard Equipment w/ QD sling attach.         |
| Stand. Equip. w/QD sling attach.               |
| Standard Equipment                             |
| Hard Black Anodized                            |
| Suppressor with quick lock system              |
| Standard Equipment                             |
| 5800   |
| 720 / 1020                                     |

All screws are in dark-treated inox steel.


FEATURES:





**Gladius TGT** 

The picture shows the model with 22" barrel. Scope, scope mount and bipod are not included in the rifle configuration.



FEATURES:

# Gladius TGT

Destination use: Law Enforcement - Military

//// Caliber (Twist rate): .308 Win (1/11) - .260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)

//// Barrel Length: **22" - 26"** 



| Law Enforcement - Military   | Round Elliptic                         |
|--|--|
| .308 Win (1/11)260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)                   | 0 Moa                                  |
| 22"-26"  | Optional                               |
| Match grade in Aisi 416R lapped  | Standard Equipment w/ QD sling attach. |
| Minerva short 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated | Stand. Equip. w/QD sling attach.       |
| 5 Rounds, 8 Rounds option (Law enforcement - Military use)               | Hard Black Anodized                    |
| Selectable dual or single stage; adjustable pull weight                  |  |
| Upper; 2 position lever  | Suppressor with quick lock system      |
| 3 Chambers Detachable; thread M18x1                                      | Standard Equipment                     |
| 20 Moa   | 6050 (22") - 6400 (26")                |
| Arrow 03   | 900 / 1170 (22") - 1000 / 1270 (26")   |
| 45 mm  |  |
| 60 mm  |  |

All screws are in dark-treated inox steel.


00





Scorpio TGT

The picture shows the model with 26" barrel.
Scope, scope mount and bipod are not included in the rifle configuration.



# Scorpio TGT

/ Destination use: Law Enforcement - Military

//// Caliber (Twist rate): .338 Lapua Magnum (1/10) - .300 Win Mag (1/10) 300 Norma Mag. (1/10)

//// Barrel Length: **22" - 26"** 



| Law Enforcement - Military  | Round Ellip |
|---|-------------|
| .338 Lapua Magnum (1/10)300 Win Mag (1/10) - 300 Norma Mag. (1/10)      | 0 Moa       |
| 22"- 26"  | Optional    |
| Match grade in Aisi 416R lapped   | Standard E  |
| Minerva long 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated | Stand. Equi |
| 5 Rounds, 8 Rounds option (Law enforcement - Military use)              | Hard Black  |
| Selectable dual or single stage; adjustable pull weight                 |             |
| Upper; 2 position lever   | Suppressor  |
| 3 Chambers Detachable; thread M18x1                                     | Standard E  |
| 20 Moa  | 6400 (22")  |
| Arrow 03  | 940 / 1190  |
| 45 mm   |             |
| 60 mm   |             |
|   |             |

| Standard Equipment W/ QD Siling attach. |
|---|
| Stand. Equip. w/QD sling attach.        |
| Hard Black Anodized                     |
|   |
| Suppressor with quick lock system       |
| Standard Equipment                      |
| 6400 (22") - 6700 (26")                 |
| 940 / 1190 (22") - 1020 / 1290 (26")    |
|   |
|   |

All screws are in dark-treated inox steel.





## Tormentum

The picture shows the model TAN colour finished. Scope, scope mount and bipod are not included in the rifle configuration.




Soft touch cheek-piece

















- Tripod attach.
- Multi QD sling attach.
- Helisniping rod attach.
- Rear bipod rail

Quick adjustment Monopod rail w/ QD sling attach.











.375 CT / .408 CT

## Tormentum

Law Enforcement - Military - Extreme long range shooting

/// Caliber (Twist rate): .375 Cheytac (1/10) - .408 Cheytac (1/13)

Stand. Equip. w/ QD sling attach.

//// Barrel Length:



| Law Enforcement - Military - Extreme long range shooting            | Evo  |
|---|--|
| .375 Cheytac (1/10)408 Cheytac (1/13)                               | Octagonal Elliptic   |
| 30"   | 45 Moa   |
| Match grade in Aisi 416R lapped FLUTED                              | Standard Equipment full length   |
| Marte CT 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated | Standard Equipment w/ QD sling attach.   |
| 5 Rounds, 7 Rounds option (Law enforcement - Military use)          | Standard Equipment   |
| Selectable dual or single stage; adjustable pull weight             | Hard Black Anodized  |
| Upper; 2 position lever   | TAN (action, barrel, muzzle brake, cheek piece, magazine, screws and rails: BLACK) |
| 3 Chambers Detachable; thread M24x1                                 | Standard Equipment   |
| 45 Moa  | 12700  |
| Advanced  | 1230 / 1480  |
| 50 mm   |  |
| 60 mm   |  |
|   |  |

All screws are in dark-treated inox steel.











Corvus
























- Multi QD sling attach.

### Multi quick adjustmentsIntegral monopod











## Corvus

Law Enforcement - Military Destination use:

//// Caliber (Twist rate): **.50 BMG (12,7x99)** 

//// Barrel Length: 27"



| Destination Use      | Law Enforcement - Military  |
|----------------------|---|
| Caliber (Twist rate) | .50 BMG (12,7x99)   |
| Barrel Length        | 27"   |
|                      | Match Grade stainless steel lapped FLUTED   |
|                      | Corvus 3-lug bolt action in Aisi 630 w/ detach. magaz, PVD coated, black matt finishing |
|                      | 5 Rounds polymer  |
|                      | Selectable dual or single stage; adjustable pull weight                                 |
|                      | Upper, 2 position lever   |
|                      | 4 Chambers Detachable; thread M24x1   |
|                      | 45 Moa  |
|                      | Ergo with quick adj.  |
|                      | 24 mm   |
|                      | 16 mm   |

| Folding                  | Button right side folding Speed  |
|--------------------------|--|
| Forend                   | Octagonal Elliptic with M-LOK system   |
| Top Rail                 | 45 Moa   |
| Side Rails               | Standard Equipment   |
| Bipod Rail               | Standard Equipment w/ QD sling attach.   |
| Multifunction Handle     | Standard Equipment   |
| Stock Colour             | Hard Black Anodized  |
| Colours Option           | TAN (action, barrel, muzzle brake, cheek piece, monopod, magazine, screws, rails: BLACK                          |
| Option                   | Suppressor   |
| Hard Case                | For Hard Use; Standard Equipment   |
| Weight Gr.               | 13000  |
| Dimension Min. / Max. mm | 1180 / 1450  |
| Equipment included       | Cleaning and tool kit with cordura pouch; sling;<br>bipod; 2 magazines; hard case black with custom cut interior |
|                          |  |

# Pugio MilLe

Destination use:

Caliber (Twist rate):

//// Barrel Length:

Law Enforcement - Military

.308 Win (1/10)


16"







Button right side folding Speed with bolt handle locking system
Locking system in both open-closed position













| Destination Use      | Law Enforcement - Military |
|----------------------|----------------------------|
| Caliber (Twist rate) |                            |
| Barrel Length        |                            |
| Action               |                            |
| Magazine             |                            |
| Trigger              |                            |
| Safety               |                            |

| Muzzle Brake             |                                      |
|--------------------------|--------------------------------------|
| Action Rail              |                                      |
| Forend                   | Octagonal Elliptic with M-LOK system |
| Top Rail                 |                                      |
| Option                   | Suppressor with quick lock system    |
| Weight Gr.               |                                      |
| Dimension Min. / Max. mm |                                      |

# Gladius MilLe

/// Destination use:


nation use: Law Enforcement - Military

/// Caliber (Twist rate): .308 Win (1/11) - .260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)

//// Barrel Length: **22" - 26"** 



Button right side folding Speed with bolt handle locking system
 Locking system in both open-closed position



go buttstock multi adi.

Action and bolt black matt finishing



ctagonal elliptic forend w/ M-LOK



The picture shows the model with a suppressor with quick detach locking system, available as an option.



| Law Enforcement - Military   |
|--|
| .308 Win (1/11)260 Rem (1/8,5) - 6,5 Creedmoor (1/8,5)   |
| 22"- 26"   |
| Minerva short 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated, black matt finishing |
| 5 Rounds, 8 Rounds option (Law enforcement - Military use)                                     |
| Selectable dual or single stage; adjustable pull weight  |
| Upper; 2 position lever  |

| Muzzle Brake             | 3 Chambers Detachable; thread M18x1  |
|--------------------------|--------------------------------------|
| Action Rail              |                                      |
| Forend                   | Octagonal Elliptic with M-LOK system |
| Top Rail                 | 20 Moa                               |
| Option                   | Suppressor with quick lock system    |
| Weight Gr.               | 6400 (22") - 6700 (26")              |
| Dimension Min. / Max. mm | 900 / 1180 (22") - 1000 / 1280 (26") |

All screws are in dark-treated inox stee.

38

# Scorpio MilLe

Law Enforcement - Military

/// Destination use:

Caliber (Twist rate):

//// Barrel Length:



22" - 26" Button right side folding Speed with bolt handle locking system
Locking system in both open-closed position

.338 Lapua Magnum (1/10) - .300 Win Mag (1/10) - 300 Norma Mag. (1/10)

suppressor with quick detach locking system, available as an option.



| Destination Use      | Law Enforcement - Military  | Muzzle Brake             | 3 Chambers Detachable; thread M18x1  |
|----------------------|---|--------------------------|--------------------------------------|
| Caliber (Twist rate) | .338 Lapua Magnum (1/10)300 Win Mag (1/10) - 300 Norma Mag. (1/10)                            | Action Rail              | 20 Moa                               |
| Barrel Length        | 22"- 26"  | Forend                   | Octagonal Elliptic with M-LOK system |
| Action               | Minerva long 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated, black matt finishing | Top Rail                 | 20 Moa                               |
| Magazine             | 5 Rounds, 8 Rounds option (Law enforcement - Military use)                                    | Option                   | Suppressor with quick lock system    |
| Trigger              | Selectable dual or single stage; adjustable pull weight                                       | Weight Gr.               | 6700 (22") - 7050 (26")              |
| Safety               | Upper; 2 position lever   | Dimension Min. / Max. mm | 940 / 1220 (22") - 1020 / 1320 (26") |

# **Tormentum MilLe**

/// Destination use:

Caliber (Twist rate):

//// Barrel Length:

Law Enforcement - Military .375 Cheytac (1/10) - .408 Cheytac (1/13)









- Button right side folding Speed with bolt handle locking system
   Locking system in both open-closed position







| Law Enforcement - Military  |
|---|
| .375 Cheytac (1/10)408 Cheytac (1/13)   |
| 30"   |
| Marte CT 3-lug bolt action in Aisi 630 w/ detach. magaz. PVD coated, black matt finishing |
| 5 Rounds, 7 Rounds option (Law enforcement - Military use)                                |
| Selectable dual or single stage; adjustable pull weight                                   |
| Upper; 2 position lever   |

| Muzzle Brake             |                                      |
|--------------------------|--------------------------------------|
| Action Rail              |                                      |
| Forend                   | Octagonal Elliptic with M-LOK system |
| Top Rail                 |                                      |
| Weight Gr.               |                                      |
| Dimension Min. / Max. mm |                                      |










**Target Series** 



# **Target Series**


Destination use: Sporting by bipod / bag

//// Caliber

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



| D       | estination Use   | Sporting by bipod/bag  |
|---------|------------------|--|
| Cali    | ber (Twist rate) | .300 WSM (1/10 - 32")308 Win Match (1/11 - 30")308 Win Match (1/10 -32")308 Win (1/11 - 30")284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") - 6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") - 6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28") |
|         | Barrel Length    | See caliber  |
|         | Barrel           | Match grade in Aisi 416R lapped - 1" muzzle  |
|         | Action           | Victoria 3-lug bolt action single shot in Aisi 630 PVD coated (std: right port - right bolt)   |
|         | Action option    | Left version: left port-right bolt   |
|         | Trigger          | 4-lever Single Stage   |
|         | Action Rail      | 20 Moa   |
| Buttpad | horizontal adj.  | Optional   |
| Buttp   | ad vertical adj. | Optional   |
|         | Bipod Rail       | Standard Anschütz  |



16










**Absolute Series** 

The picture shows the model with a buttpad horizontal adjustment, available as an option.



## **Absolute Series**

/// Destination use: Sporting by rest
/// Caliber .300 WSM -

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



| Destination Use         | Sporting by rest   |
|-------------------------|--|
| Caliber (Twist rate)    | .300 WSM (1/10 - 32")308 Win Match (1/11 - 30") -<br>.308 Win Match (1/10 -32")308 Win (1/11 - 30") -<br>.284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") -<br>6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") -<br>6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28") |
| Barrel Length           | See caliber  |
| Barrel                  | Match grade in Aisi 416R lapped - 1" muzzle  |
| Action                  | Victoria 3-lug bolt action single shot in Aisi 630 PVD coated (std: right port - right bolt)   |
| Action option           | Left version: left port-right bolt   |
| Trigger                 | 4-lever Single Stage   |
| Action Rail             | 20 Moa   |
| Buttpad horizontal adj. | Optional   |
| Buttpad vertical adj.   | Standard equipment   |
| Bipod Rail              | Use by Rest  |

| Monoblock system | Standard Equipment                               |
|------------------|--|
| Hard Case        | Standard Equipment                               |
| Weight Gr.       | 8640 (28") - 8780 (30") - 8920 (32")             |
| Dimension mm     | 1330   |
| Stock Colour     | Blue Laminate - Grey Laminate - Red Laminate     |
| Colours Option   | All stocks of the Victoria series are swappable. |
|                  |  |









**Sport Series** 

The picture shows the target model for bipod use. "Target" buttstock and forend








FEATURES:



















# **Sport Series**

Destination use:

//// Caliber

Sporting bipod/bag - rest

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



| Destination Use       | Sporting by bipod/bag - rest   |
|-----------------------|--|
| Caliber (Twist rate)  | .300 WSM (1/10 - 32")308 Win Match (1/11 - 30") -<br>.308 Win Match (1/10 -32")308 Win (1/11 - 30") -<br>.284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") -<br>6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") -<br>6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28") |
| Barrel Length         | See caliber  |
| Barrel                | Match grade in Aisi 416R lapped - 1" muzzle  |
| Action                | Victoria 3-lug bolt action single shot in Aisi 630 PVD coated (std: right port - right bolt)   |
| Action option         | Left version: left port-right bolt   |
| Trigger               | 4-lever Single Stage   |
| Action Rail           | 20 Moa   |
| Buttstock             | Target   |
| Horizontal Adjustment | Standard Equipment   |
| Vertical Adjustment   | Standard Equipment   |


| Buttstock Option | Absolute for rest / bag use                      |
|------------------|--|
| Forend           | Target for bipod use                             |
| Forend Option    | Absolute for rest / bag use                      |
| Bipod Rail       | Standard Anschütz (only for target forend)       |
| Stock Colour     | Hard Black Anodized                              |
| Colours Option   | All stocks of the Victoria series are swappable. |
| Hard Case        | Standard Equipment                               |
| Weight Gr.       | 6610 (28") - 6750 (30") - 6890 (32")             |
| Dimension mm     | 1300   |







Carbon performance



# Carbon performance

Destination use: Sporting bipod/bag - rest

//// Caliber

.300 WSM -.308 Win Match - .308 Win -.284 Win - 7/270 WSM -6,5 Creedmoor - 6,5x47 Lapua -6 XC - 6 BR -



| Destination Use         | Sporting by bipod/bag  |
|-------------------------|--|
| Caliber (Twist rate)    | .300 WSM (1/10 - 32")308 Win Match (1/11 - 30") -<br>.308 Win Match (1/10 -32")308 Win (1/11 - 30") -<br>.284 Win (1/8,5 - 32") - 7/270 WSM (1/8,5 - 32") -<br>6,5 Creedmoor (1/8,5 - 30") - 6,5x47 Lapua (1/8,5 - 30") -<br>6 XC (1/8,5 - 28") - 6 BR (1/8,5 - 28") |
| Barrel Length           | See caliber  |
| Barrel                  | Match grade in Aisi 416R lapped - 1" muzzle  |
| Action                  | Victoria 3-lug bolt action single shot in Aisi 630 PVD coated (std: right port - right bolt)   |
| Action option           | Left version: left port-right bolt   |
| Trigger                 | 4-lever Single Stage   |
| Action Rail             | 20 Moa   |
| Buttpad horizontal adj. | Optional   |
| Buttpad vertical adj.   | Optional   |
| Bipod Rail              | Standard Anschütz  |

| Monoblock system | Standard Equipment (1)                           |  |
|------------------|--|--|
| Stock Colour     | Visible Carbon Fiber matt                        |  |
| Colours Option   | All stocks of the Victoria series are swappable. |  |
| Hard Case        | Standard Equipment                               |  |
| Weight Gr.       | 6030 (28") - 6180 (30") -6350 (32")              |  |
| Dimension mm     | 1300   |  |
|                  |  |  |













Lunae

The picture shows the model with a black finished barrel, available as an option.



## Lunae





| Destination Use      | Hunting  |
|----------------------|--|
| Caliber (Twist rate) | .300 WM (1/10 - 24" - 26") - 7 Rem Mag (1/8,5 - 24" - 26")270 WSM (1/9 - 24" - 26")308 Win (1/11 - 22") - 6 XC (1/8,5 - 22") |
| Barrel Length        | See caliber  |
| Barrel               | Match grade in Aisi 416R lapped FLUTED   |
| Action               | Lunae 3-lug bolt action in Aisi 630 w/ detachable magazine PVD coated  |
| Magazine             | Metal 3 Rounds   |
| Trigger              | Selectable dual or single stage; adjustable pull weight  |
| Safety               | Upper; 2 position lever  |
| Muzzle Brake         | Radial Detachable; thread M16x1  |
| Action Rail          | 20 Moa   |
| Bipod Rail           | Sling Attach.  |
| Monoblock system     | Standard equipment   |
| Stock Colour         | Solid Walnut premium grade oil finished  |



Hard Case Standard Equipment





victrix@beretta.com

Catalogue 2018/0
The contents indicated in this catalogue may be subject to modifications without notice.



