


OPEN FRONT LOCKER, 30"W x 24"D x 72"H (NOT INCLUDING OPTIONAL BASE)

\* 3/4" MAPLE VENEER PLYWOOD WITH 3MM WOOD EDGE BAND; COLOR MATCHED PVC EDGE BAND ON CURVED SIDE EDGES; SOLID HARDWOOD TRIM; GLUE AND DOWEL CONSTRUCTION


\* INCLUDES BUILT IN COMBINATION LOCK ON UPPER CUBBY, FOOT LOCKER LIFT LID WITH HASP LOCK, 3 DOUBLE HOOKS, VERTICAL VENT SLOTS ON LOWER FOOT LOCKER FACE (BLACK COLOR)
ALL HARDWARE IS SILVER COLOR

## LOCKER SHOWN WITHOUT OPTIONAL 4" HIGH TOE KICK BASE

	DIMENSIONS TOLERANCES FRACTIONAL ANGULAR: M ONE PLACE I TWO PLACE	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PIVOTAL HEALTH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PIVOTAL HEALTH				R IEN	Pivotal Health Solutions 3003 9th Ave SW, Watertown, SD 57201 pivotalhealthsolutions.con ph. 605-753-0110 fax. 605-882-8398				
	THREE PLACE DO NOT SC					PROHIBI			Rev: 0	1	
	SEE BOM										FINIS
	desc. STANDAI	RD LC	OCKER				11 VA				
	PART NUMBER -		Y, 30X	24X7	72 CI	JT1					
	SIZE: A SCA	LE:1:16	SAVE: 3/24	/2020	WEIGHT	: 120.413	llbs	ENG	R. ET	SHEET 1 OF	3
· C	JECTS\ Pivotal H	ealth Soli	utions\ Athle	tic Edge	e\Locker	booW/z	Lockers\WA	5100	kers\Standa	rd Lockers M	ar 202



	REVISIONS									
ECO	Rev.	Engineer	Date	Approval	Date	ALE/AAL	Date	Changes		
	01	MG	3/20/2020					NEW DOCUMENT		





DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL± 1/16" ONE PLACE DECIMAL ±.1 TWO PLACE DECIMAL ±.05 THREE PLACE DECIMAL ±.005 PERMISSION OF PIVOTAL HEALTH DO NOT SCALE DRAWING SOLUTIONS IS PROHIBITED. MATERIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE ANGULAR: MACH ± 1 BEND ±1 PROPERTY OF PIVOTAL HEALTH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN

PROPRIETARY AND CONFIDENTIAL Pivotal Health Solutions 3003 9th Ave SW, Watertown, SD 57201 pivotalhealthsolutions.com ph. 605-753-0110 fax. 605-882-8398

Rev: 01

SEE BOM

STANDARD LOCKER

LOCKER ASSY, 30X24X72 CUT1

SIZE: A SCALE: 1:16 SAVE: 3/24/2020 WEIGHT: 120.413lbs SHEET 3 OF 3 ENGR. ET