# SN()M



Higher Margins | Longer Warranty | North American-Based Support



# The Easy Decision



\$2.1 billion global company with more than 25 years in telecommunications, VTech acquired Snom in 2016



End-to-End Snom SIP-based solutions designed & manufactured in-house



Innovative, diverse & scalable SIP based portfolio

- Business Desk Phones
- DECT Mobility Solutions
- Key Line, Single Cell & Multi-Cell
- Conference Phones Wired/Wireless
- Broadcast



**3 year warranty** on Desk Phones, DECT Mobility & Conference Phones



North American based teams

Engineering

- R&D

Product

- Sales
- Marketing
- Technical Support



Extensive

authorized

network of

distributors in

North America

State-of-the-art North American distribution centers

# vtech





#### The Snom D7xx Series



vtech®







vtech®



#### Unique Features – 100% Compatible by Snom



vtech®



### **Conferencing Solutions**



vtech®



### **SIP Conference Solutions**

#### C520





SNOT

- Support for up to 3 SIP Lines
- 2 DECT Wireless Speakers/Microphones
- Bluetooth for Headset & Mobile Pairing
- Support for up to 3 C52 DECT Speakers/Microphones
- Up to 12 Hours of Talk Time per Microphone

#### **C52: SIP DECT Expansion Phone**



- Accessory speaker phone
  - Requires C520 or A230 dongle to operate
- Pair up to 3 with C520, up to 2 with C620 & up to 1 with A230
- Up to 12 hours of wireless talk time



#### Enterprise Workplace Mobility Solutions Single-Cell / Multi-Cell / Health Care













3 YEAR WARRANTY



Model	M900 (Multi-Cell)	M700 (Multi-Cell)	M325 (Single-Cell)	M5
Display	-	-	-	DECT Repeater
Max. # of Base Stations	4,000	253	1	3 per base station
Max. # of Handsets	16,000	1,000	20	
Concurrent Calls	10 for NB	8 for NB	5	Up to 5 calls
Standby/Talk Time (H)	-	-	75/7h	
Extras	Wireless Network Base up to 4,000 Seamless Roaming Location via BT beacon	Wireless Network Base up to 253 Seamless Roaming	_	Daisy Chain up to 3 M5's.

vtech®



#### **Understanding Multi-Cell**



Multiple DECT base sync over the air with seamless call handover between bases

Increased concurrent call counts over traditional DECT repeaters

Greater handset capacity in a smaller space or increase physical range on a larger campus style installation

SNOT

#### **On-Site Survey of DECT Coverage**



- Base with Local Power
- Handset in Assessment Mode
- ID DECT Range in Advance for 100% Coverage

## vtech®



Support for LAN Sync to create "multi-primary" if you have a physical gap with no air sync, while retaining handset use in any building

Overcome environmental dead spots that DECT repeater can't address

vtech®

snom

#### **Multi-Cell Campus Solutions**



- M700 Base Station
- M25 Office Handset
- M65 Professional Handset
- M85 Industrial Handset
- M5 DECT Repeater

#### **Hospital**



- 230 DECT Bases
- = 600 Phones

# vtech®



#### Single Cell & Multi-Cell DECT Handsets



model	11120	inco	11110	moo	moo	11150
Display	1.4" (128x128) Color	2" (176x220) Color	2" (240x320) Color	2" (240x320) Color	2" (240x320) Color	2" (240x320) Color
Softkeys	2	3	3	3	3	3
Standby/Talk time	75h/7h	250h/18h	200h/17h	200h/17h	200h/17h	200h/17h
Bluetooth	-	-	Yes	Yes	Yes	Yes
Ruggedized/IP65	-	-	Ruggedized (2m Fall)	IP65	IP65	IP65 (w/Antibacterial)
Extras	-	Vibration alert, belt clip, illuminated keypad	Vibration alert, belt clip, illuminated keypad, Alarm button, Man-down, BT position locate	Vibration alert, belt clip, illuminated keypad, Alarm button, Man-down, BT position locate	Vibration alert, belt clip, illuminated keypad, Alarm button, Man-down, BT position locate	Vibration alert, belt clip, illuminated keypad, Alarm button, Man-down, BT position locate

vtech®

Model



3

YEAR

#### **Snom Handset Updates**





## vtech®

<sup>©</sup> 2020 Snom Americas, a Vtech company. Snom is a registered trademark owned by Snom Technology GmbH. VTech Communications, Inc. All rights reserved. VTech<sup>©</sup> is a registered trademark of VTech Holdings limited.

# SNOM

#### Snom PA1 Public Address System





SNOM



- Create Large or Small PA System (External Amp or Internal 4W Amp)
- External Phone Ringer with Visual Indication
- Multi-Cast Relay up to 4 SIP Identities
- Listener: Listen and Broadcast to Speakers and Amplifiers on a SIP Call
- Server: Multi-Cast Relay to Listening PA1s & Snom Phones

# vtech®







Minimum Advertised Price (MAP) Enforcement Margin Protection

Achieve Mutual Business Objectives & Enhance Value of Brands **Not For Resale (NFR) Samples** Obtain Evaluation Units at 35% - 40% Discount

Partner Application, MAP Agreement, NFR Request Form https://www.snomamericas.com/partners/partner-portal/

Pam Marti - National Account Manager - pmarti@vtechphones.com Sarah Boucher - Inside Sales Manager - <u>sboucher@vtechphones.com</u> Snom Technical Support - <u>supportusa@snom.com</u>





# SN()M

3CX.

Higher Margins | Longer Warranty | North American-Based Support



# Thank You

