



1 INTERCOM ELEVATOR CONTROL WIRING DIAGRAM

NOT TO SCALE

NOTES:

1. THE FURNISH, INSTALLATION, TEST AND TURNUP OF BMX SYSTEM BY INTERCOM INSTALLER.
2. ALL NETWORK, ACCESS CONTROL AND ELEVATOR EQUIPEMTN BY OTHERS.
3. DEDICATED ELECTRIC CIRCUIT FOR BMX ENTRY PANEL AND ELEVATOR RELAY RACK REQUIRED.
4. PROVISIONING OF ELEVATOR RELAYS WITH ACCESS CONTROL BY OTHERS
5. COORDINATE THE NUMBER OF RELAYS TO BE CONNECTED TO ELEVATOR SYSTEM WITH PROPERTY OWNER. NETOWKR MODULE REQUIRED. SUPPLEMENT RELAY MODULES AS NEEDED.
6. BMX ELEVATOR RELAY HARDWARE IS RACK MOUNTABLE (UP TO 8 RELAY BOARDS).

2 GENERAL NOTES

Notes

THE FOLLOWING PLANS ARE DIAGRAMMATIC. IT'LL BE UP TO THE INSTALLATION CONTRACTOR TO COORDINATE WITH ASSOCIATED TRADES TO FORMALIZE A COMPLETE SUBMISSION FOR INSTALLATION. INTERCOM MOUNTING HEIGHT TO BE ADA COMPLIANT.