



SUGGESTED FORMULA

Enalapril Maleate 0.1mg/ 0.1mL Suspension, Veterinary

Version number: 1.0

Volume: 12.5mL

Enalapril Maleate, USP (E1205)	12.5mg
High Fructose Corn Syrup (Karo [®] Syrup)	6.25mL
Purified Water, USP (W1014)	6.25mL

SUGGESTED COMPOUNDING PROCEDURES

1. Calculate the required quantity of each ingredient for the total amount to be prepared.
2. Accurately weigh and/or measure each ingredient.
3. In a mortar add Enalapril Maleate and dry triturate well
4. Add the high fructose corn syrup and mix until a smooth paste is formed
5. Add remaining ingredients until homogeneous mixture forms
6. Package and label
7. Pour each “wash” into final container
8. Suggested Quality Assessments – follow pharmacy SOP’s:
 - a. Weight to Volume calculation
 - b. Color
 - c. Labeling

Store in air tight amber containers refrigerated.

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates by the formulator using reference books, peer-reviewed literature, and intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date is estimated to be 14 days refrigerated per USP <795>

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment. Use safety enclosures (hoods) when weighing and mixing.

5/18 JD