



SUGGESTED FORMULA

Sulfacetamide Sodium 10% / Sulfur 5% Suspension Cleanser

Version number: 1.0

Volume: 100 mL

Sulfacetamide Sodium, Monohydrate, USP	10 gm
Precipitated Sulfur	5 gm
Sodium Metabisulfite, NF	0.5 gm
Pluronic gel 20%	50 mL
Purified Water, USP	QS 100 mL

Wear appropriate personal protective equipment.

SUGGESTED COMPOUNDING PROCEDURES

1. Weigh all powders
2. Triturate powders to fine consistency, and mix by geometric dilution
3. Add enough Pluronic 20% gel to step 2 to form a paste
4. Continue to add remaining portion of Pluronic 20%, mix and transfer to calibrated container
5. Bring step 4 to final volume with purified water, and shake well
6. May blend with EMP or homogenizer
6. Quality assessments:
 - a. Uniformity
 - b. Settling
 - c. Resuspendability
 - b. Color
 - c. Label (s)- auxiliary labels (external use), storage, BUD

Store in air-tight, light-resistant container.

Store Refrigerated (2-8°C)

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates by the formulator using reference books, peer-reviewed literature, intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date.

It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date is estimated to be 30 days per USP Chapter <795>

Precautions should be taken to prevent cross-contamination and exposure of ingredients to the compounder and contamination of the preparation by the compounder. Wear appropriate protective equipment . Use safety enclosures (hoods) when weighing and mixing.

Phone: 800.370.6231 | Fax: 732.608.5420 | Internet: SpectrumRx.com | Email: sales@spectrumrx.com
© 2015 Spectrum Pharmacy Products. All rights reserved.

