



RADIANS®

WORK HARD. STAY SAFE.®



COATED PALM



COLD WEATHER



PERFORMANCE



LEATHER DRIVERS



LEATHER PALM



CUT PROTECTION



DEWALT

Hand Protection Catalog

CATEGORIES



COATED PALM

P.5



COLD WEATHER

P.7



PERFORMANCE

P.8



LEATHER

P.9



CUT PROTECTION

P.17



**DYNEEMA® DIAMOND
CUT PROTECTION**

P.21



**DEWALT HAND
PROTECTION
(ALL CATEGORIES)**

P.24

HAND PROTECTION

Radians has aggressively expanded our line of hand protection to provide gloves that keep workers' hands protected from common workplace hazards. The National Safety Council estimates that the direct cost of a laceration is \$10,000 including care and missing six days of work, which is the average time off for a hand injury.

You can look to us for performance gloves that protect your workers' hands while not compromising comfort and dexterity. We offer a variety of materials and coatings for various job applications, including nitrile, latex, polyurethane coatings, and cut resistant fibers.



- Trusted Brand
- Worldwide Marketing Support
- Premium Designs



RADIAN

- Uncompromisable Protection
- Quality Performance
- Innovative Solutions



STANDARDS & TESTING

Standardized testing of gloves ensures that the proper glove can be selected based on the hazards present. Testing includes ratings for abrasion, cut, tear, and puncture. New versions of the EN388 and ANSI/ISEA 107 standards improve cut testing to rate much higher cut levels, align cut test results between ANSI and EN cut test methods, and add ratings for vibration and impact resistance.

ANSI Cut Level Ratings

There are many kinds of cut hazards, and each one requires a different level of protection. Use the table below to help determine the cut level rating necessary for your work environment.


	Nuisance Cuts Paper cuts, automotive maintenance, parts assembly, material handling.
	Low Cut Hazards Construction, automotive assembly, packaging, some masonry applications.
 	Moderate Cut Hazards Light metal stamping, light-duty glass handling applications.
	High Cut Hazards Metal stamping & casting, sheet metal, window & tile handling, meat & poultry.

EN388

EN388



EN388 ratings are also noted on Radians hand protection. EN388 includes more specific information about the resistance to particular types of hazards you may encounter on the job. There are five numbers listed which indicate the level of resistance to puncture, tearing, blade cut and abrasion. Look at the diagram to the left to reference which number corresponds to which hazard.



Palm Coatings

To address specific work-related hand protection issues, Radians uses several different types of palm coatings: smooth nitrile, foam nitrile, sandy foam nitrile, foam latex, sandy foam latex, crinkle latex, and PU polyurethane. Palm coatings allow for better gripping capabilities and tactile sensation without losing dexterity.

DEFINITIONS/APPLICATIONS:



SMOOTH NITRILE

Smooth/Flat gloves do not have any texture on the surface of the glove. They provide excellent resistance to abrasion, snags, and perforation. Made of synthetic rubber, they are latex-free with no natural rubber proteins. Excellent puncture resistance, tactile sensitivity, and flexible grip.



FOAM NITRILE

Micro texture is the most common and lightest form of texturing for nitrile gloves. This texture is suitable for gripping small objects or tools in wet or dry applications. Breathable, flexible and porous, foam nitrile will channel oil and water away from surface quickly. Excellent resistance to abrasion, snags and perforation. Made of synthetic rubber, foam nitrile gloves are latex-free with no natural rubber proteins.



SANDY FOAM NITRILE

Roughened texture finish. The sandy-like finish on these gloves increases abrasion resistance and improves grip. They are good for wet, dry or oily applications. Made of synthetic rubber, these gloves are latex-free with no natural rubber proteins.



FOAM LATEX

Texture that offers better breathability and comfort. Excellent flexibility and resistant to tears and cuts. Good for wet or dry applications.



SANDY FOAM LATEX

Micro roughened texture for better breathability and comfort. Excellent flexibility and resistant to tears and cuts.



CRINKLE LATEX

Rough textured for better grip and abrasion. Latex gloves are natural material, made out of rubber. They offer excellent flexibility and protection from tears and cuts.



PU (POLYURETHANE)

Semi-smooth texture is extremely flexible and provides superior dexterity and sensitivity. A PU coating can be silicone free and has a low-particulate shed, which reduces risk of contamination from the dip itself. The coating "strikes through" onto the inside of the glove, which can lead to heat retention and sweating. Not as durable as nitrile or latex, PU gloves can be used for inside light duty, detailed assembly, inspection, light fabrication, and box/small parts handling.

DEWALT**GEAR****RADIANS**

MERCHANDISING

GLOVE HANG TAG PROGRAM

For Fast, Easy, and Professional Retail Display of Radians Gloves at Industrial Storefronts.

FAST Five business day turnaround.

EASY You can place an order for a case of "tagged" gloves just as you would place an order for a case of "untagged" gloves.

ECONOMICAL Our program is competitively priced. Radians provides and attaches hang tags for an additional \$1.80 per dozen.

Minimum Order Requirement is One Case

The minimum order is a case and the gloves in that case can include bulk packs of a dozen in multiple sizes. Keep in mind some of our cases include 72 gloves and some cases include 120 gloves. After a case is ordered, you may order more gloves by the dozen. Many of our competitors will only sell by the case, but Radians is more flexible allowing for dozen bulk pack purchases after the minimum case requirement has been satisfied.



DB-DPG737
Holds 54 pair DPG737



9525
Works as a Wall (48 Pairs)
or Table Top (24 Pairs)
Display, Available for
Radians or DEWALT



DB-DPG70
Holds 96 pair DPG70



DB-DPG740
Holds 48 pair DPG740



DPWG-FD20
Available for
Radians or
DEWALT



POLYURETHANE PALM COATING/NITRILE PALM COATING

COATED PALM GLOVES

RWG19 XS-2XL

- Touchscreen
- 18 Ga Black Poly Shell
- Black PU Coating



2 - Abrasion
1 - Coup Test/Cut
1 - Tear
0 - Puncture
X - ISO Cut Test

2 1 1 0 X



Individually Polybagged

RWG11 S-2XL

- 15 Ga Gray Nylon Shell
- Micro-Foam Nitrile Palm Dip
- Anti-Slip Nitrile Dotted Coating

Meets ANSI/ISEA 105:2016



ABRASION



4 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

4 1 2 1 X



RWG12 S-2XL

- 15 Ga Gray Nylon Shell
- 3/4 Micro-Foam Dipped Nitrile
- Anti-slip Nitrile Dotted Coating

Meets ANSI/ISEA 105:2016



ABRASION



4 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

4 1 2 1 X



3 1 2 1 X
3 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

Meets ANSI/ISEA 105:2016



ABRASION

RWG22 XS-2XL

- 13 Ga Hi-Viz Yellow Polyester
- Yellow PU Coating



3 1 2 1 X
3 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

Meets ANSI/ISEA 105:2016



ABRASION

RWG14 S-2XL

- 13 Ga Gray Polyester Shell
- Gray PU Coating

COATED GLOVES



NITRILE PALM COATING/LATEX PALM COATING

RWG13 S-2XL

- 15 Ga Gray Nylon Shell
- Foam Nitrile Palm Coating



Meets ANSI/ISEA 105:2016



EN388:2016



- 4 - Abrasion
1 - Coup Test/Cut
3 - Tear
1 - Puncture
X - ISO Cut Test

4 1 3 1 X

RWG13C S-2XL

- 15 Ga Gray Polyester Shell
- Foam Nitrile Palm Coating



EN388:2016



- 4 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

4 1 2 1 X

RWG15 S-2XL

- 13 Ga Black Polyester Shell
- Gray Smooth Nitrile Coating



Meets ANSI/ISEA 105:2016



EN388:2016



- 3 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

3 1 2 1 X

RWG20 S-2XL

- 15 Ga Nylon/Spandex
- Black 3/4 Micro-Foam Nitrile Coating



Meets ANSI/ISEA 105:2016



EN388:2016



- 4 - Abrasion
1 - Coup Test/Cut
2 - Tear
1 - Puncture
X - ISO Cut Test

4 1 2 1 X

RWG21 S-2XL

- 13 Ga Hi-Viz Yellow Nylon
- Black Foam Nitrile Coating
- TPR On Back



Meets ANSI/ISEA 105:2016



EN388:2016



- 4 - Abrasion
1 - Coup Test/Cut
4 - Tear
1 - Puncture
X - ISO Cut Test

4 1 4 1 X

U.S. Pat. No. 9,241,519

RWG10 S-XL

- 15 Ga Hi-Viz Nylon Shell
- Micro-Foam Latex Coating
- Elastic Cuff



Meets ANSI/ISEA 105:2016



EN388:2016



- 2 - Abrasion
1 - Coup Test/Cut
3 - Tear
1 - Puncture
X - ISO Cut Test

2 1 3 1 X

CAUTION
Product Contains Latex

RWG18 S-2XL

- 13 Ga Orange Nylon Shell
- Full Orange Waterproof Latex Coating
- Black Sandy Foam Latex Palm Dip



Meets ANSI/ISEA 105:2016



EN388:2003



- 3 - Abrasion
1 - Cut
3 - Tear
1 - Puncture

3 1 3 1

CAUTION
Product Contains Latex

RWG16 S-2XL

- 10 Ga Gray Polyester Shell
- Blue Crinkle Latex Coating



Meets ANSI/ISEA 105:2016



EN388:2016



- 2 - Abrasion
1 - Coup Test/Cut
4 - Tear
2 - Puncture
X - ISO Cut Test

2 1 4 2 X

CAUTION
Product Contains Latex



RADIANS

COLD WEATHER GLOVES

RWG17 S-2XL

- 3/4 Dipped Micro Finish Black Latex Coating
- 2 Ply Water Resistant 13 Ga Orange High Visibility
- Nylon Outer Shell
- 7 Ga Acrylic Terry Liner



EN388:2016



- 2 - Abrasion
- 2 - Coup Test/Cut
- 4 - Tear
- 1 - Puncture
- X - ISO Cut Test

2 2 4 1 X

Meets ANSI/ISEA 105:2016



CAUTION
Product Contains Latex

RWG27 S-2XL

- 7 ga Hi-Viz Yellow Acrylic Shell
- Blue Crinkle Latex Palm Coating
- Liner: 80% Acrylic 20% Polyester
- EN511-2006 Test Against Cold Contact Achieved Performance Level 1 Thermal Resistance



EN388:2016



- 2 - Abrasion
- 1 - Coup Test/Cut
- 4 - Tear
- 1 - Puncture
- X - ISO Cut Test

2 1 4 1 X



CAUTION
Product Contains Latex



RWG800 S-2XL

- REFLECTIVZ™ Waterproof Plated Thermal Lined Palm
- Synthetic Leather Nail Guards
- Reflective Knuckle Strap
- Wraparound Index Finger Seam



EN388:2003



- 4 5 4 4
- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 4 - Puncture

Meets ANSI/ISEA 105:2016



U.S. Patent No. 9,241,519

RWG604 S-2XL

- 2 Ply 13 Ga Pepper HPPE Outer Shell
- 7 Ga Terry Acrylic Inner Shell
- Black Foam Nitrile Palm Coating
- TPR Overlays on Fingers and Back



COLD WEATHER GLOVES

PERFORMANCE GLOVES

RWG28 M-2XL

- 13 Ga Gray Nylon Shell
- 10 Ga Acrylic Liner
- Full Gray Waterproof Latex Coating
- Black Sandy Foam Latex Palm Dip



EN388:2016
 2 - Abrasion
 2 - Coup Test/Cut
 3 - Tear
 2 - Puncture
 2 2 3 2 X X - ISO Cut Test

EN511
 X 2 X

Meets ANSI/ISEA 105:2016
 A2
 CUT/736g

CAUTION
 Product Contains Latex

RWG605 S-2XL

- 2 Ply 13 Ga Blue and White HPPE Outer Shell
- 7 Ga Acrylic Terry Liner
- Waterproof Blue Smooth Latex Coating
- Black Foam Latex Palm Coating



EN388:2003
 4 - Abrasion
 5 - Cut
 4 - Tear
 4 - Puncture
 4 5 4 4

Meets ANSI/ISEA 105:2016
 A4 5 5
 CUT/1888g ABRASION PUNCTURE

CAUTION
 Product Contains Latex



RWG100 M-2XL

- Padded Double Layer Synthetic Palm
- Reinforced and Reflective Fingertips
- Easy Fit Open Cuff Design
- Silver Reflective Tape
- Reflective Pull Strap



FR-RWG700 S-2XL

- Synthetic FR Work Glove
- 300GSM Kevlar Laminated Liner
- Kevlar Thread and Elastic Shirred Wrist
- FR Synthetic Leather Pull Strap



GOATSKIN LEATHER DRIVERS



LEATHER DRIVERS



RWG50 S-2XL

- White Grain Goat Skin Driver
- Aramid Lining
- TPR Overlays
- Slip-On Cuff
- Keystone Thumb

U.S. Patent No. 9,241,519



RWG4720 S-2XL

- Standard Grain Goatskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG4740 S-2XL

- Premium Grain Goatskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG52 S-2XL

- White Grain Goat Skin Driver
- Aramid Lining
- Slip-On Cuff
- Keystone Thumb



RWG51 M-2XL

- White Grain Goat Skin Driver
- TPR Overlays
- Slip-On Cuff
- Keystone Thumb

U.S. Patent No. 9,241,519



LEATHER DRIVERS



PIGSKIN/COWHIDE LEATHER DRIVERS

RWG4810 S-XL

- Economy Top Grain Pigskin Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG4821 S-XL

- Standard Top Grain Pigskin Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RWG4010 S-2XL

- Economy Gray Split Cowhide Leather Driver
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG4020 S-2XL

- Standard Split Cowhide Leather, Russet color
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG4120 S-2XL

- Economy Grain Cowhide Leather Driver
- Straight Thumb
- Shirred Wrist



COWHIDE LEATHER DRIVERS

RWG4121 S-2XL

- Economy Grain Cowhide Leather Driver
- Wing Thumb
- Shirred Wrist



RWG4220 S-3XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RWG4220H S-2XL

- Standard Grain Cowhide Leather Driver
- High-Viz Fingers
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RWG4221 S-2XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Pull Strap
- Shirred Wrist, Cloth Hem



RWG4221HV S-2XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RWG4420 S-2XL

- Premium Grain Cowhide Leather Driver
- Keystone Thumb
- Shirred Wrist, Cloth Hem



LEATHER DRIVERS



COWHIDE LEATHER DRIVERS

WINTER/LINED LEATHER DRIVERS

RWG4222 S-2XL

- Standard Grain Cowhide Leather Driver
- Grey Split Back
- Keystone Thumb
- Shirred Wrist, Cloth Hem



RWG4825 S-XL

- Standard Top Grain Pigskin Leather Driver
- Straight Thumb
- White Fleece Lined
- Shirred Wrist, Cloth Hem



RWG4025 S-2XL

- Economy Gray Split Cowhide Leather Driver
- Red Fleece Lined
- Straight Thumb
- Shirred Wrist, Cloth Hem



RWG4421 S-2XL

- Premium Grain Cowhide Leather Driver
- Grey Split Back
- Keystone Thumb
- Kevlar Sewn
- Shirred Wrist, Cloth Hem



RWG4225 S-2XL

- Standard Grain Cowhide Leather Driver
- Keystone Thumb
- Red Fleece Lined
- Shirred Wrist, Cloth Hem



RWG4425 S-2XL

- Premium Grain Cowhide Leather Driver
- Keystone Thumb
- 40 Gram Thinsulate® Lined Full Sock
- Shirred Wrist, Cloth Hem



LEATHER PALM GLOVES

RWG3700 M-XL

- Premium Grain Goatskin Leather Palm
- Gunn Cut
- Leather Knuckle Strap
- Rubberized Safety Cuff



RWG3840 M-XL

- Premium Grain Pigskin Leather Palm
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



RWG3200JP M-2XL

- Regular Shoulder Gray Split Cowhide Joint Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuck Strap
- Rubberized Safety Cuff



RWG3200DP M-XL

- Regular Shoulder Gray Split Cowhide Double Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuck Strap
- Rubberized Safety Cuff



RWG3103 S-2XL

- Economy Shoulder Gray Split Cowhide Leather palm
- Gunn cut w/wing thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3103G)

WINTER/LINED PIGSKIN PALM

RWG3825 L-XL

- Regular Grain Pigskin Leather Palm
- Gunn Cut w/Wing Thumb
- 150 Gram Micro Fleece Lined
- Leather Knuckle Strap
- 4" Knit Wrist



LEATHER PALM GLOVES



COWHIDE LEATHER PALM GLOVES

RWG3010 L

- Economy Shoulder Gray Split Cowhide Leather palm
- Clute Cut
- Knit Wrist

Available In Ladies Size Large (RWG3012)



RWG3110 L

- Economy Shoulder Leather Palm
- Patch Palm Construction
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Denim Back & Safety Cuff



RWG3111 L

- Economy Shoulder Gray Split Cowhide Leather
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Starch Safety Cuff



RWG3200 S-2XL

- Regular Shoulder Gray Split Cowhide
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3200G) Size Large



RWG3200W M-2XL

- Regular Shoulder Split Cowhide Leather
- Gunn Cut w/ Wing Thumb
- Canvas Back
- Leather Knuckle Strap
- Rubberized Safety Cuff



RWG3200HV L-XL

- Regular Shoulder Split Cowhide Leather Palm w/Hi-Vis Nylon Back
- Gunn Cut w/ Wing Thumb
- Reflective Knuckle Strap
- Rubberized Safety Cuff



LEATHER PALM GLOVES

COWHIDE LEATHER PALM GLOVES

RWG3206 L

- Full Regular Shoulder Gray Split Cowhide Leather
- Gunn cut w/Wing Thumb
- Full Leather Back
- Rubberized Safety Cuff



RWG3300 M-XL

- Select Shoulder Gray Split Cowhide Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3300G)



RWG3400W M-2XL

- Side Split Gray Cowhide Leather palm
- Gunn Cut w/Wing Thumb
- Canvas back
- Leather Knuckle Strap
- Aramid Thread
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3400WG) M-XL



RWG3400WDP M-XL

- Side Split Gray Cowhide Double Palm
- Gunn Cut w/Wing Thumb
- Canvas Back
- Leather Knuckle Strap
- Aramid Thread
- Rubberized Safety Cuff

Available w/Gauntlet Cuff (RWG3400DPG)



GRAIN LEATHER PALM

RWG3210 S-2XL

- Regular Grain Cowhide Leather Palm
- Gunn Cut w/ Wing Thumb
- Leather Knuckle Strap
- Rubberized Safety Cuff



WINTER/LINED COWHIDE PALM

RWG3105 L

- Economy Shoulder Gray Split Cowhide Leather palm
- Gunn cut w/wing thumb
- Leather Knuckle Strap
- Red Fleece Lined
- Rubberized Safety Cuff



RWG3205 M-2XL

- Regular Shoulder Gray Split Cowhide
- Gunn Cut w/Wing Thumb
- Leather Knuckle Strap
- 40 Gram Thinsulate® Liner
- Rubberized Safety Cuff



WELDING GLOVES



RWG5210 XL

- Blue Regular Shoulder, Split Leather
- Full Sock Jersey Lined
- Wing Thumb, Reinforced Palm
- 14" Fully Weltd Seams
- Aramid Sewn

RWG5310 XL

- Select Split Brown Cowhide Leather
- Full Sock Lining With Foam
- Reinforced Palm
- Wing Thumb
- 14" Fully Weltd Seams
- Aramid Sewn



RWG5100 XL

- Gray Split Economy Shoulder Cow Leather
- Fleece Cotton Drill Lining
- Wing Thumb
- 14" 1 piece Back

Also Available Left Hand Only (RWG5100LH)



RWG5410 XL

- Premium Side Split Blue Cowhide Leather
- Full Sock Lining With Foam
- Reinforced Palm
- Wing Thumb
- 14" Fully Weltd Seams
- Aramid Sewn



MIG/TIG WELDING GLOVES

RWG6210 M - 2XL

- Mig-Tig Regular Grain Cowhide
- Seamless Forefinger
- Wing Thumb
- 4" Blue Regular Split Shoulder Cuff
- Aramid Sewn



RWG6310 M - 2XL

- Mig-Tig Select Grain Cowhide
- Seamless Forefinger
- Wing Thumb
- 4" Brown Regular Split Shoulder Cuff
- Aramid Sewn



RWG6710 M - 2XL

- Mig-Tig Select Grain Goatskin
- Seamless Forefinger
- Wing Thumb
- 4" Brown Regular Split Shoulder Cuff
- Aramid Sewn





POLYURETHANE PALM COATING

CUT PROTECTION GLOVES

RWG531 S-2XL

- Materials Compliant with FDA 21 CFR 177.152
- 13 Ga Hi-Viz Yellow HPPE Shell
- Water Based PU Coating

Made with FDA accepted material for use in food processing



Individually Polybagged



EN388:2003



4 3 4 4
4 - Abrasion
3 - Cut
4 - Tear
4 - Puncture

Meets ANSI/ISEA 105:2016



RWG561 XS-2XL

- 18 Ga Gray HPPE
- Black PU Coating



EN388:2003



4 5 3 2
4 - Abrasion
5 - Cut
3 - Tear
2 - Puncture

Meets ANSI/ISEA 105:2016



RWG562 S-2XL

- 13 Ga Salt N Pepper HPPE
- Gray PU Palm Coating



EN388:2003



4 5 4 3
4 - Abrasion
5 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016



EN388:2003



4 3 4 3
4 - Abrasion
3 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016



RWG530 S-2XL

- 13 Ga Salt and Pepper HPPE Shell
- Polyurethane Coating



Individually Polybagged

Meets ANSI/ISEA 105:2016



EN388:2016



4 2 4 2 B
4 - Abrasion
2 - Coup Test/Cut
4 - Tear
2 - Puncture
B - ISO Cut Test

RWG550 XS-2XL

- 13 Ga White HPPE Shell
- Polyurethane Dip

CUT PROTECTION



POLYURETHANE PALM COATING/NITRILE PALM COATING

RWG557 S-2XL

- 13 Ga Orange High Tenacity Nylon W/ Fiberglass
- Black PU Palm Coating



4 5 4 3
4 - Abrasion
5 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016

A4	1	4
CUT/1522g	ABRASION	PUNCTURE

RWG560 XS-2XL

- 13 Ga Gray HPPE with Fiberglass
- Black PU Palm Coating



4 5 4 3
4 - Abrasion
5 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016

A4	1	4
CUT/1995g	ABRASION	PUNCTURE

RWG566 XS-2XL

- Touchscreen
- 18 Ga Gray HPPE with Stainless Steel
- Black PU Palm Coating



4 5 2 1
4 - Abrasion
5 - Cut
2 - Tear
1 - Puncture

Meets ANSI/ISEA 105:2016

A4	2	2
CUT/1910g	ABRASION	PUNCTURE

RWG558 XS-2XL

- 13 Ga Hi-Viz Green HPPE w/ Fiberglass and Stainless Steel
- Black PU Palm Coating



4 5 4 3
4 - Abrasion
5 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016

A7	1	4
CUT/4231g	ABRASION	PUNCTURE

RWG532 S-2XL

- Touchscreen
- 13 Ga Black HPPE Shell
- Foam NBR Palm Coating



4 3 4 3
4 - Abrasion
3 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016

A2	3	4
CUT/570g	ABRASION	PUNCTURE

RWG533 XS-2XL

- 18 Ga Green HPPE Shell
- Sandy Foam Nitrile Palm Coating



4 3 4 1
4 - Abrasion
3 - Cut
4 - Tear
1 - Puncture

Meets ANSI/ISEA 105:2016

A2	3	2
CUT/785g	ABRASION	PUNCTURE

Individually Polybagged

NITRILE PALM COATING

RWG537 S-2XL

- 13 Gauge Kevlar® Lycra Outer Shell
- Black Foam Nitrile Palm Coating



4 3 4 2
4 - Abrasion
3 - Cut
4 - Tear
2 - Puncture

Meets ANSI/ISEA 105:2016



Kevlar® is a registered trademark of DuPont.

RWG538 XS-2XL

- 18 Ga Green HPPE Outer Shell
- Black Foam Nitrile Palm Coating With Dots
- Reinforced Thumb Crotch



4 3 4 1
4 - Abrasion
3 - Cut
4 - Tear
1 - Puncture

Meets ANSI/ISEA 105:2016



RWG563 S-2XL

- Salt-N-Pepper HPPE
- Black Foam Nitrile Palm Coating



4 3 4 3
4 - Abrasion
3 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016



RWG564 S-2XL

- Hi-Viz Green HPPE w/Fiberglass
- Foam Nitrile Palm Coating



4 5 4 4
4 - Abrasion
5 - Cut
4 - Tear
4 - Puncture

Meets ANSI/ISEA 105:2016



RWG555 XS-2XL

- 13 Ga Salt-N-Pepper HPPE Shell With Fiberglass
- Foam Nitrile Palm Coating



4 5 4 4
4 - Abrasion
5 - Cut
4 - Tear
4 - Puncture

Meets ANSI/ISEA 105:2016



RWG567 XS-2XL

- Touchscreen
- 18 Ga Blue Spandex/HPPE/Polyester
- Black Nitrile Palm Coating



3 3 4 2 D
3 - Abrasion
3 - Coup Test/Cut
4 - Tear
2 - Puncture
D - ISO Cut Test

Meets ANSI/ISEA 105:2016



CUT PROTECTION



NITRILE PALM COATING/LATEX PALM COATING

RWG556 S-2XL

- 13 Ga HPPE With Fiberglass
- Black Sandy Nitrile Palm Coating
- Red Smooth Nitrile For Water Proofing



EN388:2003
4 5 4 3
4 - Abrasion
5 - Cut
4 - Tear
3 - Puncture

Meets ANSI/ISEA 105:2016

A4 **3** **4**
CUT/1888g ABRASION PUNCTURE

RWG603 S-2XL

- 13 Ga Pepper HPPE Shell W/ Fiberglass
- Sandy Foam Nitrile Palm Coating
- TPR Overlays



EN388:2016
4 5 4 4 E P
4 - Abrasion
5 - Coup Test/Cut
4 - Tear
4 - Puncture
E - ISO Cut Test
P - Impact Test

Meets ANSI/ISEA 105:2016

Individually Polybagged
U.S. Patent No. 9,241,519

A5 **5** **5**
CUT/2570g ABRASION PUNCTURE

RWG603R M-2XL

- 15 Ga Pepper HPPE Shell W/ Fiberglass
- Sandy Foam Nitrile Palm Coating
- Reinforced Thumb Crotch
- TPR Overlays



EN388:2016
4 5 4 4 E P
4 - Abrasion
5 - Coup Test/Cut
4 - Tear
4 - Puncture
E - ISO Cut Test
P - Impact Test

Meets ANSI/ISEA 105:2016

Individually Polybagged
U.S. Patent No. 9,241,519

A5 **5** **5**
CUT/2837g ABRASION PUNCTURE

RWG559 XS-2XL

- 13 Ga Hi-Viz Orange HPPE w/ Fiberglass and Stainless Steel
- Black Sandy Nitrile Palm Coating



EN388:2003
4 5 4 4
4 - Abrasion
5 - Cut
4 - Tear
4 - Puncture

Meets ANSI/ISEA 105:2016

A6 **6** **5**
CUT/3997g ABRASION PUNCTURE

RWG534 S-2XL

- 13 Ga Salt-N-Pepper HPPE Shell
- Micro Black Foam Nitrile Palm Coating



EN388:2016
4 2 4 3 B
4 - Abrasion
2 - Coup Test/Cut
3 - Tear
3 - Puncture
B - ISO Cut Test

Meets ANSI/ISEA 105:2016

A2 **6** **4**
CUT/645g ABRASION PUNCTURE

RWG536 M-XL

- 15 Ga Blue and White HPPE Shell
- Sandy Foam Latex Palm Coating



EN388:2003
4 3 4 2
4 - Abrasion
3 - Cut
4 - Tear
2 - Puncture

Meets ANSI/ISEA 105:2016

A2 **3** **3**
CUT/525g ABRASION PUNCTURE

CAUTION
Product Contains Latex



CUT PROTECTION GLOVES

LET'S CREATE THE WORLD'S SAFEST HANDS

WORLD'S MOST ADVANCED CUT RESISTANT FIBER

Dyneema® Diamond Technology offers maximum protection over traditional materials like aramid, leather, nylon and polyethylene with glass fiber.

It can achieve levels B, C and D based on the latest EN388 2016 standard and levels A2, A3 and A4 on the new ANSI/ISEA 105-2016 standard without the use of glass or steel fiber reinforcement, which may break during use causing skin irritation.

GREATER COMFORT & DEXTERITY

Dyneema® Diamond Technology fibers are thinner than generic HMPE fibers and 40% less dense than aramid fibers, making them more comfortable, thinner and cooler to the touch, while still providing advanced cut protection.

It also promotes skin-like dexterity, allowing users to perform delicate and precise tasks efficiently.

HIGHER DURABILITY & COST EFFICIENCY

Cut resistant gloves made with Dyneema® Diamond Technology offer greater abrasion and U.V. resistance and higher durability in comparison to gloves made with leather, aramid and polyethylene with glass fiber.

They can also be laundered and reused multiple times without losing their performance, maximizing cost efficiency.

DYNEEMA® DIAMOND TECHNOLOGY (A4)

CUT

1,700-2,000 GRAMS

ABRASION

10,000+ CYCLES

TOTAL COST OF OWNERSHIP

9 PAIRS OF GLOVES

Per employee per year*
55% Saving

*Calculation based on average use in industrial environment

KEVLAR® (A2)

THE ADDITION OF STEEL OR FIBERGLASS IS NEEDED TO ACHIEVE HIGHER CUT SCORES

500-800 GRAMS

1,000-3,000 CYCLES

26 PAIRS OF GLOVES

Per employee per year*



Dyneema® is a registered trademark of DSM. Use of this trademark is prohibited unless strictly authorized.
Kevlar® is a registered trademark of DuPont.

CUT PROTECTION



RWGD101 XS-2XL

EN388:2003



4 5 4 3

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 3 - Puncture

Meets ANSI/ISEA 105:2016



CUT/1534g ABRASION PUNCTURE

Individually Polybagged

Radiates Heat Away
To Help Keep You Cool

Durable & Washable
For Long Lasting Protection



13 Ga Light Gray

Individually Polybagged

Gray PU

RWGD108 S-2XL

EN388:2003



4 5 4 3

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 3 - Puncture

Meets ANSI/ISEA 105:2016



CUT/1788g ABRASION PUNCTURE

Excellent Abrasion Resistance



13 Ga Black

Enhanced Dirt
Masking Properties

Steel & Fiber-
glass Free

Durable & Washable
For Long Lasting Protection

Individually Polybagged

Black Sandy Nitrile

Radiates Heat Away
To Help Keep You Cool

RWGD110 S-2XL

EN388:2003



4 5 4 4

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 4 - Puncture

Meets ANSI/ISEA 105:2016



CUT/1534g ABRASION PUNCTURE

Radiates Heat Away
To Help Keep You Cool

TPR Overlays
For Added Protection

Durable & Washable
For Long Lasting Protection

Individually Polybagged



Black Foam Nitrile

13 Ga Salt-N-Pepper

U.S. Patent No. 9,241,519

RWGD100 XS-2XL

EN388:2003



4 5 4 4

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 4 - Puncture

Meets ANSI/ISEA 105:2016



CUT/1296g ABRASION PUNCTURE

Individually Polybagged

Radiates Heat Away
To Help Keep You Cool

Durable & Washable
For Long Lasting Protection

15 Ga Speckled Hi-Viz Yellow

Black PU



Dyneema® is a trademark of DSM. Use of this trademark is prohibited unless strictly authorized.



CUT PROTECTION

RWGD104 S-2XL



4 5 4 3

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 3 - Puncture



Black PU



Individually Polybagged

Radiates Heat Away
To Help Keep You Cool



Durable & Washable
For Long Lasting Protection

13 Ga Blue Speckled

RWGD106 S-2XL



4 5 4 4

- 4 - Abrasion
- 5 - Cut
- 4 - Tear
- 4 - Puncture



Individually Polybagged

Reinforced Thumb Crotch

Radiates Heat Away
To Help Keep You Cool



Black Foam Nitrile

Durable & Washable
For Long Lasting Protection

13 Ga Salt-N-Pepper

Radiates Heat Away
To Help Keep You Cool

Durable & Washable
For Long Lasting Protection



18 Ga Light Blue

Black PU

RWGD105 XS-2XL



4 4 4 2

- 4 - Abrasion
- 4 - Cut
- 4 - Tear
- 2 - Puncture



Individually Polybagged

Dyneema® is a trademark of DSM. Use of this trademark is prohibited unless strictly authorized.



CUT PROTECTION GLOVES



Black Foam Nitrile

Durable & Washable
For Long Lasting Protection



Radiates Heat Away
To Help Keep You Cool

13 Ga Gray Speckled

DPG805 M-XL

- 13 Ga TekShell™ HPPE Cut Resistant Fiber
- GripTough™ Sandy Nitrile Palm Dip



Meets ANSI/ISEA 105:2016

A4	4	5
CUT/1548g	ABRASION	PUNCTURE

EN388:2016

	4 - Abrasion
	X - Coup Test/Cut
	4 - Tear
	4 - Puncture
4 X 4 4 D	D - ISO Cut Test



TekShell™ HPPE Fiber
(High Performance Polyethylene)
for cut resistance



TekShell™

GripTough™ Palm Dip
has high resistance to oils, gas and
some chemicals. It is also extremely
abrasion, heat and tensile resistant.



GripTough™

DPGD809 L-XL

Meets ANSI/ISEA 105:2016

A3	2	4
CUT/1534g	ABRASION	PUNCTURE

EN388:2003

	4 - Abrasion
	5 - Cut
	4 - Tear
	3 - Puncture
4 5 4 3	

Individually Polybagged

COATED PALM GLOVES

DPG70 M-XL 

- Textured Rubber Palm
- Breathable Knit Back
- Ergonomic Design
- Seamless Fit

EN388:2016



2 1 4 2 X
 2 - Abrasion
 1 - Coup Test/Cut
 4 - Tear
 2 - Puncture
 X - ISO Cut Test



CAUTION
 Product Contains Latex

DPG73 L-2XL 

- Smooth Nitrile Coating
- Breathable Poly Shell
- Elastic Cuff

Tagged Pairs: DPG73TL
 Three Pack: DPG73-3PK



DPG75 L 

- Ultimate Grip Performance
- Injection Moulded Palm and Knuckle
- Phenomenal Abrasion Resistance

EN388:2003



2 1 3 1
 2 - Abrasion
 1 - Cut
 3 - Tear
 1 - Puncture



DPG76 L-XL 

- Textured Nitrile Palm
- Breathable Knit Back
- Ergonomic Design
- Seamless Fit



DPG78 L-XL 

- Impact Grip Hybrid
- TPR Impact Guards
- Foam Latex Palm Grip
- Breathable 10 Ga Shell



U.S. Patent No. 9,241,519

CAUTION
 Product Contains Latex

PERFORMANCE GLOVES



U.S. Patent No. 9,241,519

DPG780 M - XL

- Performance Mechanic Grip
- Tacky Silicone Fingertip Grips
- PVC Palm Grip Overlays
- TPR Knuckle Guards
- Leather Nail Guards

DPG212 M - XL

- Rugged Reverse Leather Overlays
- Premium Grade Cowhide Leather
- Reinforced Thumb Saddle



EN388:2003

 2 - Abrasion
 1 - Cut
 2 - Tear
 2 - Puncture
 2 1 2 2

DPG216 L - XL

- Split Cowhide Leather Palm
- Breathable Spandex Back
- Reinforced Thumb Saddle



EN388:2016

 3 - Abrasion
 1 - Coup Test/Cut
 3 - Tear
 3 - Puncture
 X - ISO Cut Test
 3 1 3 3 X

DPG20 M-XL

- ToughGrip™ Thumb Saddle
- Padded Palm & Knuckle
- Elastic Wrist Strap

**DPG222** L-XL

- Hi-Dex Nubuck Palm
- Reinforced Fingers and Thumb
- Rapidfit™ Slip-On Cuff

**DPG200** M-2XL

- Water/Oil Resistant Palm
- Durable Double Stitching
- UlnaLock™ Wrist

**DPG217** M-XL

- Foam Padded Knuckle
- Rubberized Overlays
- SecureFit™ Wrist Closure

**DPG870** M-XL

- Rubberized Grip Overlays
- High Visibility Green Back
- Silver Reflective Tape
- RapidFit™ Slip-On Cuff



PERFORMANCE GLOVES

DEWALT

GEAR

DPG218 M-XL

- Reinforced Finger & Thumb
- Lightweight & Breathable
- Short Slip-On Cuff
- Foam Padded Knuckle



EN388:2003



3 1 2 1
3 - Abrasion
1 - Cut
2 - Tear
1 - Puncture

DPG210 M-XL

- Memory Gel Padded Palm
- Water/Oil Resistant PVC
- Synthetic Fourchettes
- UlnaLock™ Wrist



EN388:2016



2 1 2 1 X

- 2 - Abrasion
- 1 - Coup Test/Cut
- 2 - Tear
- 1 - Puncture
- X - ISO Cut Test

DPG230 M-XL

- High-Dexterity Fingerless Design
- Double Palm Overlay
- Terry Cloth Brow Wipe
- ToughThread™ Double Stitching



DPG250 M-2XL

- Padded Knuckle Guard
- Premium Leather Palm with Gel Padding
- ToughTanned™ Durable Leather Palm
- Vibration Reducing



EN388:2016



2 1 2 1 X

- 2 - Abrasion
- 1 - Coup Test/Cut
- 2 - Tear
- 1 - Puncture
- X - ISO Cut Test

LEATHER GLOVES

DPG31 L-XL

- ToughThread™ Double Stitching
- Durable Goatskin Leather
- Elasticized Wrist
- Keystone Thumb



DPG32 M-XL

- Premium Grain Cow Driver
- Split Leather Palm Overlay
- Elasticized Wrist
- Keystone Thumb



DPG41 L

- Split Leather Knuckle Strap
- 2 ½" Rubberized Cuff
- Double Leather Palm

COLD WEATHER GLOVES



DPG748 L-XL

- Extreme Condition Insulated
- Water Resistant
- Palm & Finger Overlays
- Thermal Lined
- Rubber Pull Tab



DPG750 M-2XL

- Extreme Condition Insulated
- Wind & Waterproof, Quad Layer, 100g Micro Fleece Liner
- Extended Gauntlet Cuff with Hook & Loop Closure
- Reinforced, Water and Oil Resistant PVC Palm Overlay
- Durable PU Coated Polyester Shell

DPG740 M-XL

- Mild Condition Fleece
- Wind/Water Resistant Shell
- Palm & Finger Overlays
- Reinforced Thumb Saddle



DEWALT

GEAR

COLD WEATHER GLOVES

DPG755 L-XL

Thinsulate
INSULATION

- Waterproof Insulated
- Thinsulate™ / Hipora® Liner
- Dual Layer Thumb Saddle
- Durable Outer Shell
- Neoprene Pad & Wrist
- Rubberized Grip Overlays



DPG737 M-XL

- 2-in-1 CWS™ Thermal Gripper
- Wicking Nylon Outer Shell
- Acrylic Thermal Liner
- Microfoam Latex ¾ Dip & Palm

CAUTION
Product Contains Latex



DPG736 M-XL

- Thermal Gripper
- ¾ Foam Latex Dip Coverage
- Brushed Acrylic Breathable Knit Liner
- Pre-curved Ergonomic Design

EN388:2003



2 2 1 2
 2 - Abrasion
 2 - Cut
 1 - Tear
 2 - Puncture

CAUTION
Product Contains Latex





WORK HARD. STAY SAFE.®



HEADQUARTERS

5305 Distriplex Farms Drive
Memphis, Tennessee 38141
877-723-4267 • fax: 901-266-2558
www.radians.com