



03 349 7052
sales@enieng.co.nz
www.enieng.co.nz

Power



CONTENTS

DISTRIBUTION BOXES	3
--------------------	---

OEZ FUSE LINKS & SWITCH CONNECTORS	5
---------------------------------------	---

KIOSKS	9
--------	---

FRAMES	10
--------	----

CABINETS	13
----------	----


OVERHEAD FITTINGS	14
-------------------	----

ACCESSORIES	17
-------------	----




DISTRIBUTION BOXES

DB-X



DB-T



Code	Description	Capacity	Height	Width	Depth
DB-X	Distribution Box - Type X	3-Way	781mm	197mm	169mm
DB-S	Distribution Box - Type S	6-Way	1070mm	321mm	228mm
DB-T	Distribution Box - Type T	6-Way	1074mm	323mm	283mm
DB-T1	Distribution Box - Type T1	12-Way	1259mm	323mm	283mm
DB-T2	Distribution Box - Type T2	160 Switch	1258mm	323mm	283mm
DB-T3	Distribution Box - Type T3	250 Switch	1258mm	323mm	283mm

Colours Available



Grey



Black



Green

DISTRIBUTION BOXES



DC-M1

DC-M Box/Covers

Code	Description	Overall Height	Height (from ground level)	Width	Depth
DC-M1	Multi-Box (Type M1)	1679mm	1150mm	595mm	384mm

Code	Description
DC-M2-160	Multi box - Type M2 160A Fuse Switch
DC-M2-250	Multi box - Type M2 250A Fuse Switch
DC-M2-400	Multi box - Type M2 400A Fuse Switch
DC-M2-630	Multi box - Type M2 630A Fuse Switch
AP-SD	Multi Single Service Panel
45800	1-Way Multi Panel (Each 1-way is 630A)
40694	2-Way Multi Panel (Has two 630A disconnects)
40693	3-Way Multi Panel (Has three 630A disconnects)
40692	4-Way Multi Panel
LVSW-CK	Spare Way Cover Set*

*Contain: Black Plastic cover with High Voltage Label, Instruction sheet, Acetal Threaded Bolts, Large Black Plastic Washers, M12 Plastic Nuts

Slimline, Boundry Boxes

Code	Description	Overall Height	Width	Depth
40621	Boundry Box - Slimline	1168mm	243mm	160mm
40620	Boundry Box - Maxi	1184mm	333mm	182mm
9016	Old-Style Mylti-Frame Complete	1329mm 800mm from ground level	444mm	325mm

Other

Code	Description
DC-M3	Multi-box - Multiple Services (type M3) holds 18 OEZ single phase fuses
DC-M4	Multi-box - Accessories Cabinet (type M4) Piece of Formica that goes in the box

OEZ FUSE LINKS & SWITCH CONNECTORS

OEZ Fuse Links/Switch Connectors

ENI Engineering are the sole South Island agents for all Pronutec & OEZ products. We are able to provide same-day, off the shelf service for these items.

DIN Size 0

Code	Description
FC63	Fuse Carriers (63A)
L-00-160	DIN Size 00 160A Fuse Link
FL-000-032	DIN Size 00 32A Fuse Link
FL-000-063	DIN Size 00 63A Fuse Link
FL-000-100	DIN Size 00 100A Fuse Link
FL-000-125	DIN Size 00 125A Fuse Link
FL-000-160	DIN Size 00 160A Fuse Link



DIN Size 1

Code	Description
L-01-100	DIN Size 1 100A Link
L-01-125	DIN Size 1 125A Link
L-01-160	DIN Size 1 160A Link
L-01-200	DIN Size 1 200A Link
L-01-250	DIN Size 1 250A Link
L-01-063	DIN Size 1 63A Link



DIN Size 2

Code	Description
L-02-100	DIN Size 2 100A Link
L-02-160	DIN Size 2 160A Link
L-02-200	DIN Size 2 200A Link
L-02-250	DIN Size 2 250A Link
L-02-355	DIN Size 2 355A Link
L-02-400	DIN Size 2 400A Link



OEZ FUSE LINKS & SWITCH CONNECTORS

DIN Size 3

Code	Description
BUSSEC-1000-3P	DIN Size 3 1000A 3p Bus Sectionalizer
BUSSEC-2000-3P	DIN Size 3 2000A 3p Bus Sectionalizer
L-03-500	DIN Size 3 500A Link
L-03-630	DIN Size 3 630A Link



DIN Size 4

Code	Description
L-04-1000	DIN Size 4a 1000A Link
L-04-1250	DIN Size 4a 1250A Link
L-04-1600	DIN Size 4a 1600A Link
L-04-0500	DIN Size 4a 500A Link
L-04-0630	DIN Size 4a 630A Link
L-04-0800	DIN Size 4a 800A Link



OEZ FUSE LINKS & SWITCH CONNECTORS

Fuse Switch

Code	Description
FS3P - 00 - 160A	DIN Size 00 160A 3p Fuse Switch



FS3P - 00 - 160A

FS3P - 01 - 250A	DIN Size 1 250A 3P Fuse Switch
FS3P - 02 - 400A	DIN Size 2 400A 3p Fuse Switch
FS3P - 03 - 630A	DIN Size 3 630A 3p Fuse Switch
EI - 1600SW	DIN Size 4a 1600A 3p Fuse Switch 1P Break



FS3P - 01 - 250A

OEZ FH000 - 1A/T	OEZ 000 Service Fuse (Single Phase)
------------------	-------------------------------------



OEZ FH000 - 1A/T

OEZ FH000 - 3A/T	OEZ 000 Service Fuse (Three Phase)
------------------	------------------------------------



OEZ FH000 - 3A/T

OEZ FUSE LINKS & SWITCH CONNECTORS

Solid Fuse Link

Code	Description
L-SL - 02 - 400	DIN Size 2 Solid Link 400 Amp
13391	DIN Size 3 1000A Solid Link
SL - 04	DIN Size 4a 1600A Solid Link
13394	DIN Size 3 630A Solid Link

Switchgear/Disconnects

Code	Description
DSC-630	DIN Size 3 630A 3P Disconnecter
13418	Switchgear Disconnect 1000A c/w HD CU Plates
13423	Switchgear Disconnect 1260 Amp with 16mm Bolts
13415	Switchgear Disconnect 1260 Amp with M12 Bolts
13412	Switchgear Disconnect 1260A (Old Type) 12mm (110mm centres)
DSC-2000-M12	2000 Amp Disconnect c/w HD CU Plates with M12 Bolts
DSC-2000-M16	2000 Amp Disconnect c/w HD CU Plates with M16 Bolts
BTVC (NH-00/02)	Local Services Disconnect 160A (185mm BUS)
NH-00BTVC	Services Disconnect 160A (100mm BUS)



DSC-630



NH-00BTVC

Misc

Code	Description
DB-APT	DB Adaptor Frame Kit
DB-6W-GREY	Distribution Box 6-Way - Grey Aurora Cover
PCB-3	Phase Connection Block 3-Pack (no cable)
PCBK	Phase Connection Block Kit - 95/4
PCBK-185/8	Phase Connection Block Kit - 185/8
XK2	Street Lighting Connector Block

KIOSKS

Kiosks

All kiosks have been certified under both New Zealand and Australian Standards

Code	Description	Height	Width	Depth
12605	Full Kiosk	1580mm	2070mm	1880mm
12606	Half Kiosk	1300mm	2070mm	1300mm
12607	Quarter Kiosk Vented	1310mm	1140mm	820mm
106-04-1274	Xiria 4-Way Kiosk Only	1554mm	1691mm	946mm



12605



12606




12607

Kiosk Accessories

Code	Description	Height	Width	Depth
STD-EB	Earth Bar Kiosk	226mm	50mm	
13392	Earth Bar Neutral Kiosk			
13401	Earth Mounting Driven			
13342	Breather Mounting Bracket	206mm	50mm	6mm
13389	Clamp Bracket Quarter Kiosk	75mm	40mm	10mm
13417	Magnefix Bracket C7583	90mm	40mm	5mm
13416	Magnefix Cable Mounting Bracket			



STD-EB



13401




13342



13389



13417



13416

FRAMES

Frames


Code	Description
HFK-FF-1500	Full Kiosk Full Frame 1500 Amp
HFK-FF-800	Full Kiosk Full Frame 800 Amp
MS-FF-400	Mini Sub Full Frame 400 Amp
QK-FF-1500	Quarter Kiosk Full Frame 1500 Amp
QK-FF-800	Quarter Kiosk Full Frame 800 Amp
QK-MSUF	Quarter Kiosk MSU Mounting Frame
BS-FS-1500A	Building Sub Free-Standing 1500A Panel



HKF-FF-1500



MS-FF-400



QK-FF-800



QK-MSUF



BS-FS-1500A

FRAMES

Frames




Code	Description
BS-FS-800A	Building Sub Free-Standing 800A Panel
BS-WM-1500A	Building Sub Wall-Mount 1500A Panel

MSU-FSF	Building Substation MSU Free-Standing Frame
---------	---

106 - 04 - 1578	Building Substation MSU Wall - Mount Frame
-----------------	--

1600SW-LC	1600 Switch Large Case
-----------	------------------------

1600SW-STD	1600 Switch Standard Case
------------	---------------------------



FRAMES

Frame Accessories

Code	Description	Dimension 1	Dimension 2	Dimension 3
13405	Bracket Clamping - Front Kiosk	190mm	44mm	44mm
13404	Bracket Front Frame Kiosk Mount	160mm	50mm	10mm



13405



13404



MSU-CBA

MSU - EQR - SA	MSU Equipment Rack (Short Arm)
MSU - MB	MSU Mounting Bracket
MSU - CB	MSU Single Core Cable Cleating Bracket (Unistrut)
MSU - CBA	MSU Single Core Cable Cleating Bracket Adaptor
MDI - M	MDI Meter
3PIN - SO	3-Pin Socket Outlet (RCD Label Included)
54725	Numerical Plate Holder
LVP - STLK	Low Voltage Panel Street Lighting Kit
LVSU - CK	Spare Way Cover Set

*Contain: Black Plastic cover with High Voltage Label, Instruction sheet, Acetal Threaded Bolts, Large Black Plastic Washers, M12 Plastic Nuts


Misc

Code	Description
13393	Outdoor Earth Bar
14 - 02 - 1204	Outdoor Earth Bar Cover



13393

Cabinets




Code	Description
1062106	Entec RMU Plinth Base
1062122	Entec RMU Plinth Blanking Plate
1062129	Entec RMU Standard Indoor Plinth
1062124	Entec RMU Standard Outdoor Plinth
EPX-1	Events Cabinet EPX-1 Assembly (182-04-1111)
EPX-2	Events Cabinet EPX-2 Assembly (182-04-1112)
SD9.4.1	Entec 11kV RMU Cable CT & Clamp Support Brackets


OVERHEAD FITTINGS

Earth Bars

Code	Description	Dimension 1	Dimension 2	Dimension 3
30835	3-Stud Earth Bar	152mm	32mm	6mm
30836	4-Stud Earth Bar	200mm	32mm	6mm
OE 3.1	5-Stud Earth Bar	340mm	30mm	5mm
31932	Plate Thimble 4.Hole	180mm	38mm	6mm



30835



30836



OE 3.1



31932


Copper Products

Code	Description	Dimension 1	Dimension 2	Dimension 3
45743	Link Copper Street Lighting	89mm	12mm	0.9mm

Possum Coil/Guard

Code	Description	Dimension 1	Dimension 2	Dimension 3
1000681	Possum Coil 1000mm	1000mm	900mm	0.45mm
1000680	Possum Coil 1400mm	1400mm	900mm	0.45mm

Colour Lichen Green



1000681

OVERHEAD FITTINGS

Galvanised Products

Code	Description	Dimension 1	Dimension 2	Dimension 3
63242	Frame Wall Shackle (Large)	125mm	900mm	40mm
30930	Frame Wall Shackle (Small)	120mm	55mm	40mm
32426	Angle Cross Arm Brace - 1400mm (50x50x5)	1400mm	5mm	14mm Ø hole
32427	Angle Cross Arm Brace - 900mm (40x40x5)	900mm	5mm	14mm Ø hole
32427-16	Angle Cross Arm Brace - 900mm (40x40x5)	900mm	5mm	16mm Ø hole
324-27-18	Angle Cross Arm Brace - 900mm (40x40x5)	900mm	5mm	18mm Ø hole
2761004	Pole Step Universal	215mm	140mm	10mm
143-02-1046 LH	4197 66kV Heavy Angle Brace LH	684mm	70mm	5mm
143-02-1046 RH	4197 66kV Heavy Angle Brace RH	684mm	70mm	5mm
33071	Crossarm 2.4m (Item 19)	2400mm	100x100mm	3mm
33071-1	Crossarm 3m (Item 20)	3000mm	100x100mm	3mm
45701	Crucifix - 11kV			
30226	Crucifix - 33kV			
45705	Crucifix Bracket (Large)	186mm	76mm	Radius 35°
45704	Crucifix Bracket (Medium)	168mm	76mm	Radius 25°



OVERHEAD FITTINGS

Galvanised Products


Code	Description	Dimension 1	Dimension 2	Dimension 3
33108	Pole Gain Bracket - 100mm	145mm	180mm	42mm
33107	Pole Gain Bracket - 77mm	80mm	180mm	42mm
30223	Pole Gain Bracket Earth Line			
1421307	Outreach Arm			
32360	Shackle Strap	174mm	32mm	3mm
32428	Stay Bar 1150mm	1150mm	40mm	10mm
32424	Stay Bar 28"	710mm	660mm hole centres	
32420	Stay Bar 30"	765mm	715mm hole centres	
32425	Stay Bar 36"	915mm	865mm hole centres	
33145	Street Lighting - Arm Plate 18mm Ø hole	100mm	100mm	20mm
33146	Street Lighting - Arm Spacer 18mm Ø hole	100mm	100mm	4mm
KB160	Krone Bracket (160A)			
106-02-1734	Krone Bracket (400A)	310mm	158mm	146mm



33108



32360



32424



32420



33145



33146



106-02-1734

ACCESSORIES

Others

Code	Description
MDI - L	MDI Box- Large (Capacitor Box)
SF - 1P	Meter Box - Service Fuse Formica (single Phase)
SF - 3P	Meter Box - Service Fuse Formica (three phase)
M12SBW	M12 Belville Washer 304 STST



SF-3P

OCTAGONAL COLUMNS

Design

Manufactured to your specific job requirements. Heights and outreach arm lengths can vary per project.

Finish

Poles are first Hot Dip Galvanised, then can be sprayed or powder coated in a broad range of colours.

Accreditation

- AS/NZS 4600:2005
- NZS 1170.2:2001
- NZS 3404.1:2009
- NZTA M26:2012





03 349 7052
sales@enieng.co.nz
www.enieng.co.nz