



Eastern

ARCHITECTURAL SYSTEMS

**ALUMINUM AND VINYL
IMPACT WINDOWS AND DOORS**

The following are the minimum window sizes that we can build to meet the Florida Building Code Egress requirements of 5.0 sq. ft. of clear opening on the first floor and 5.7 sq. ft. of clear opening on the second floor and higher with a minimum clear opening width of 20" and minimum clear opening height of 24".

Vinyl Products

1431, 1441, 2451 & 2461 Single Hung: 3052 – Call Size 25, = 35 1/2" x 61 1/2" (box frame)
1531, 1541, 2551 & 2561 Double Hung: 3056, = 35 1/2" x 65 1/2" (box frame)
1631, 1641, 2651, 2661 & 143 Casement: 32" x 44" (box frame)
3241, 4241 & 143 Horizontal Roller: 51" x 47" (box frame)
176 Single Hung: 35" x 61.5" (box frame)
176 HR: 50.75" x 39.5" (box frame)
176 HRP 1/3 – 1/3 – 1/3 only: 76.125" x 39.5" (box frame). HRP 1/4 – 1/2 – 1/4 cannot be used as an egress window.

Aluminum Products

Single Hung (Impact and Non-Impact): 25 = 37" x 63" (tip to tip)
FWI Horizontal Roller: 58" x 50 5/8" (tip to tip)

***Note: When a customer is ordering an egress window you MUST ALWAYS state on the order that it is to be an egress window. There are hardware changes that must be made in some products in order to meet the Florida Egress Requirement.**