

36 Newburgh Rd, Hackettstown, NJ 07840 Phone: +1.908.850-5088 Web: www.AstrodyneTDI.com

# **EMI FILTER SOLUTIONS**

Globally Recognized Reliable Solutions with Unmatched Engineering Support

ASTRODYNE TDI | +1.908.850.5088 | WWW.ASTRODYNETDI.COM

## WHO WE ARE ...

ATDI manufactures dependable Power and EMI Filter solutions that enhance, protect, and save lives. As a global leader in demanding power conversion applications, where reliability is critical, we are known for delivering high-precision variable DC sources, resolving EMC & RF issues, and delivering quick-turn and integrated power distribution units. With over 60 years in the power industry and over 1000 employees worldwide, we guarantee unmatched UNMATCHED ENGINEERING SUPPORT to a variety of applications including industrial, medical, semi-fab equipment, EV chargers, military, shielded rooms, and consumer.

## ENGINEERED SOLUTIONS FOR DEMANDING APPLICATIONS.

ATDI specializes in designing and manufacturing standard and custom EMI filters. With over 60 years of experience supporting professionalgrade appliances, and military, aerospace, commercial, industrial, and medical applications, our team has the expertise to ensure compliance and help expedite product release. With ongoing investments in R&D and continuous improvements to maintain our support as a global industry leader, we are committed to providing first-class in-house and on-site services to our customers.

ATDI utilizes the combined power of our three brands—LCR Electronics, Radius Power, and Filter Concepts—to provide a full spectrum of standard products ranging from 1A to 2,500A across commercial, medical, industrial, military, and facility applications. In addition, we offer custom-designed EMI power line filters and integrated modules to meet the exact specifications and application needs.

ATDI offers no-charge pre-compliance testing and solution design support to our customers at four state-of-the-art EMI test labs in the US, Europe, and China. Our design and compliance engineering teams provide expert support to bring our customers' equipment into compliance, and to market quickly and efficiently.



**ASTRODYNE TDI** 

## PRE-COMPLIANCE TESTING & SAFETY AGENCY CERTIFICATIONS

Astrodyne TDI offers two testing capabilities to customers — EMC pre-compliance testing and UL/ IEC certification services. With EMI testing locations at Hackettstown, NJ, Santa Clara, CA, Kunshan, China, and Duisburg, Germany, facilities, Astrodyne TDI can simplify your validation process while expediting safety agency certification, saving your team time and money.

#### UL, CSA & IEC CERTIFICATION

With a level 4 satellite laboratory at Hackettstown, NJ, ATDI has all the physical resources, equipment, and qualified personnel required to conduct safety testing, equivalent to UL and Intertek laboratory testing.

The Data Acceptance Program gives us control of product certification process, allowing us to deliver seed and flexibility. Our laboratory testing scope enables us to get North American safety approvals per UL 60939 and CSA 22.2 No.8, and European /International approvals per IEC/EN 60939-3.



## STAGE 4 OF THE INTERTEK SATELLITE™ PROGRAM

## ACCURACY, LOWER COST AND QUICK TIME TO MARKET

The in-house pre-compliance testing and agency certification capabilities ensure that our customers will:

- Mitigate the risk of emissions/agency failures and avoid potential retesting and recertification expenses
- Shorten safety approval lead times
- Expedite product launch

Our experienced engineers design COTS and custom EMI solutions to provide highreliability performance in every application. When your work with Astrodyne TDI, you can be confident that your equipment is assured to comply timely and costeffectively!

MARKETS	MEDICAL Diagnostic Systems, Surgical Equipment, Imaging, Hospital Lighting, MRI Rooms	<b>CONSUMER</b> Home & Restaurant Appliances, Floor Cleaning, Exercise Equipment	INDUSTRIAL Power Converters, Processing Equipment, Alternative Energy, Factory Machinery	MILITARY Military and Tempest Equipment, Commercial Aerospace	SEMICONDUCTOR Front End and Back End Equipment, OEM Fabrication Equipment
Single-Phase EM Filter Solutions					
089(M)		0			
089H(M)		0			
091(M)	0	0	0		
092(M)	0	0	0		
095		0	0		
DSC1000		Ø			
DSC2000		0			
RP100	0	0	0		
RP105	0	0			
RP110	0	0	0	0	0
RP115	0	0			
RP120		0	0		0
RP125			0		
RP130	0	0	0		0
RP135	0		0	0	0
RP190			0		
RP210	0	Ø	Ø	0	
RP2180	0	Ø			
RP220		$\bigcirc$	0		
RP225	0	Ø	0		
RP230		Ø	0		0
RP240			0	0	0
RP500			Ø		
RPC1199	0		0		
3-Phase Delta EN Filter Solutions					
RP300	Ø		0	0	Ø

RP300	0		$\bigcirc$		$\bigcirc$
RP305	0	0	0	0	0
RP310		0	0		
RP320	0		0		
RP325			0		
RP327	0				
RP328	0		0		

MARKETS	MEDICAL Diagnostic Systems, Surgical Equipment, Imaging, Hospital Lighting, MRI Rooms	<b>CONSUMER</b> Home & Restaurant Appliances, Floor Cleaning, Exercise Equipment	INDUSTRIAL Power Converters, Processing Equipment, Alternative Energy, Factory Machinery	MILITARY Military and Tempest Equipment, Commercial Aerospace	SEMICONDUCTOR Front End and Back End Equipment, OEM Fabrication Equipment
RP330	0		0	0	0
RP350			0		0
RP357			0		
RP359			0		
RP360	0		0		0
RP370			0		
RP380	0		0		
3-Phase WYE EM Filter Solutions					
RP400	0		0		0
RP405		0	0		0
RP410		0	0		
RP410HP		0	0		
RP415			0		
RP420					0
RP425	0		0		0
RP428			0		
RP480	0		0		
RPC1195	0		0		
RP1197	0		0		
DC EMI Filter Solutions					
RP190			0		
RP600			0		
RP600C			0		
RP605			0	0	
RP610			0	0	
RP615			0	0	
RP650			0		
PR655			0		

MARKETS	MEDICAL Diagnostic Systems, Surgical Equipment, Imaging, Hospital Lighting, MRI Rooms	<b>CONSUMER</b> Home & Restaurant Appliances, Floor Cleaning, Exercise Equipment	INDUSTRIAL Power Converters, Processing Equipment, Alternative Energy, Factory Machinery	MILITARY Military and Tempest Equipment, Commercial Aerospace	SEMICONDUCTOR Front End and Back End Equipment, OEM Fabrication Equipment
RP680			0		
RP690			0		
RP692			0	0	
RP695			0		
RP695H			0		
RPC1158			0	0	
RPC1299			0	0	
080(M)	0	Ø	0		
			S		
080S(M)	0	0			
080SH(M)	0	0			
080SV(M)	ő	õ			
080SVH(M)	Ö	0			
081 (M)	õ	Ö			
082(M)	õ	Ö			
082S(M)					
083(M) 084(M)	0	0			
084(M)	õ	ŏ			
0843(M) 085(M)	õ	õ			
0855(M)	õ	ø			
RP180	õ	ø	0		
RP182CD	•	•	0		
RP182CD			õ		
RP185	ø	0	0		
			Ø		
RP186		0	0	0	
RP186 RP187	V			-	
RP186 RP187 RP188	0	0	0		

056

MARKETS MEDICAL Diagnostic Syst Surgical Equipm Imaging, Hosp Lighting, MRI Re	ent, Appliances, tal Floor Cleaning,	INDUSTRIAL Power Converters, Processing Equipment, Alternative Energy, Factory Machinery	MILITARY Military and Tempest Equipment, Commercial Aerospace	SEMICONDUCTOR Front End and Back End Equipment, OEM Fabrication Equipment
--	---	--	---	---

#### Facility, MRI/Shielded Room EMI Filter Solutions

o57	0	
058		
059	0	
F	0	0

#### Tempest EMI Filter Solutions

RPT5000	<b>O</b>	
RPT5500	Ø	
RPT5510	<b>O</b>	
RPTC	Ø	

#### MIL-COTS EMI Filter Solutions

F9100	0	
F9200	Ø	
RPM6000	0	
RPM6200	0	
RPM6400	<b>O</b>	
RPM6600	0	
RPM7000	0	
RPM7020	⊘	
RPM8000	Ø	
RPM8500	0	
RPM9000	0	
RPMC5014	Ø	



## Single-Phase EMI Filter Solutions

Astrodyne TDI provides a full selection of standard Single-Phase EMI filters ranging from 1A to 200A. Single-phase filters are available in varying leakage current versions with multiple lines of standard products to meet the general purpose, as well as medical and military requirements. Our team will modify these standard products as needed to meet your unique application needs.

Single-phase EMI Filters suppress the electromagnetic noise generated by a wide range of appliances and equipment. With the help of our experienced team and comprehensive product line, you can be assured of finding the perfect EMI filter solution for your application.

#### **Custom Solutions**

If you can't find what you're looking for in our catalog, we also offer fully custom products for many industries and applications.

Custom solutions are designed to meet your exact specifications and provide compliance with both industry standards and international EMI regulations. Contact Astrodyne TDI for more information.

### **Applications of Single-Phase**

- S Exercise Equipment
- Food Service Equipment
- PWM Circuits
- Home Appliances
- Power Supplies
- Induction Cooking Equipment
- Motor Controllers

- Industrial Lighting
- Microwave Ovens
- Gaming Machines
- Medical Equipment
- HVAC
- Oltrasonic Cleaners



## Single-Phase EMI Filter Solutions

General specifications:120/250/300VAC, ambient rating 40°C/50°C, 50/60Hz operation. Consult individual datasheet for details and specific agency approval.



+1.908.850.5088 | WWW.ASTRODYNETDI.COM

## Single-Phase EMI Filter Solutions

RP2180 Series | 1-10A

#### ✓ Ultra Compact ✓ High Performance ✓ Single Stage Line Filter ✓ Dual Stage Power Line Filters ✓ Dual Stage Power Line Filter ✓ Current Rating: 1, 3, 6, and 10 Amps ✓ Current Rating: 6, 10, 12, 16, and 20 ✓ Current Rating: 3, 4, 6, 10, 12, and 20 Amps ✓ Single-Phase Filters Amps ✓ Single-Phase Filters ✓ QD tabs ✓ Single-Phase Filters ✓ QD tab, wire leads ✓ QD tab, wire leads and stud option and stud option RP240 Series | 6-150A RP500 Series | 10A RP230 Series | 3.5-40A ✓ High Performance ✓ EMI/Harmonics ✓ High Performance ✓ Dual Stage Power Line Filters ✓ Dual Stage Power Line Filters ✓ Dual Stage Power Line Filters ✓ Current Rating: 10 Amps ✓ Current Rating: 3.5, 6.5, 20, 30, and 40 ✓ Current Rating: 6, 12, 16, 25, 36, 50, 80, ✓ Single-Phase Filters 100, and 150 Amps Amps ✓ Single-Phase Filters ✓ Single-Phase Filters ✓ QD tab and wire leads ✓ QD tab, wire leads, ✓ QD tab, wire leads, option studs, and connector studs, and connector option option 089H(M) Series | 1-16A RPC1199 Series | 20-30A 089(M) Series | 1-16A ✓ Includes ground choke ✓ High Performance DIN-Rail Design ✓ DIN-Rail Design ✓ Dual Stage Filters with MOV ✓ Single Stage Power Line Filter ✓ Dual Stage Filters with MOV ✓ Current Rating: 20 and 30 Amps ✓ Current Rating: 1, 3, 6, 10, 12, and 16 ✓ Current Rating: 1, 3, 6, 10, 12, and 16 ✓ Single-Phase Filters Amps Amps ✓ Single-Phase Filters ✓ Studs ✓ Single-Phase Filters ✓ Terminal blocks ✓ Terminal blocks

RP220 Series | 6-20A

RP225 Series | 3-20A

✓ High Performance



## **Three-Phase EMI Filter Solutions**

Three-Phase EMI Filters reduce electromagnetic emissions from higher power applications to provide compliance with international standards. Choose from a range of voltages — including 480VAC, 520VAC, and 600VAC — and cur rent ratings up to 2500A.

Agency certified product lines are available in both Delta and WYE input configurations with a wide v ariety of filtering characteristics. Astrodyne TDI offers Three Phase power line filters, in Single, Dual, and Multi-Stage designs, as well as higher cur rent ratings and voltages upon request.

#### **Custom Solutions**

If you can't find what you're looking for in our catalog, we also offer fully custom products for many industries and applications.

Custom solutions are designed to meet your exact specifications and provide compliance with both industry standards and international EMI regulations. Contact Astrodyne TDI for more information.

### **Applications of Three-Phase**

- Three-Phase Inverters
- Frequency Converters
- Industrial Machine Tools
- Industrial Power Supplies & UPS
- Large Computer Servers
- MRIs and X-Ray Equipment
- Foodservice Equipment
- Heating, Cutting, & Welding Equipment

- Elevators & Escalators
- Variable Frequency Drives
- Laser Equipment
- High Current Rectifiers
- Sev Chargers



## **Three-Phase Delta EMI Filter Solutions**

General specifications:480/520/600/690 VAC Delta configuration, ambient rating 40°C/50°C, 50/60Hz operation. Consult individual datasheet for details and specific agency approval.



- ✓ Current Rating: 250, 320, 400, 600, 800, and 1000 Amps
- ✓ Bus bar option



Current Rating: 15, 30, 50, 80, 100, 150, 200, and 300 Amps

 Wire leads, studs, and connector option

## **Three-Phase WYE EMI Filter Solutions**

General specifications:480/520/600/690 VAC WYE configuration, ambient rating 40°C/50°C, 50/60Hz operation. Consult individual datasheet for details and specific agency approval.





## **DC EMI Filter Solutions**

Astrodyne TDI DC EMI Filters are designed to attenuate noise on DC input and output power lines. Astrodyne TDI DC EMI Filters are available with ratings up to 1200VDC and 2500A and are designed specifically for both power supply and inverter applications.



## IEC Inlet EMI Filter Solutions

IEC INLET EMI Filters are easy to install and provide a space-efficient solution for a wide range of electronic applications. Astrodyne TDI also offers integrated modules that include the EMI filter as well as a fuse holder (single or dual) and/or a switch.

#### 080(M) Series | 1-20A

- ✓ Single Stage Power Entry and Outlet Filters
- ✓ Compact Design
- Current Rating: 1, 3, 6, 8, 10, 15, and 20 Amps
- ✓ Low leakage option
- ✓ OD tabs and wire lead option



#### 080SH(M) Series | 1-10A

- ✓ Snap-In Max Performance
- ✓ Single Stage IEC Inlet Filters
- ✓ Horizontal Mounting (Left & Right)
- ✓ Current Rating: 1, 3, 4.5, 6, 8, and 10 Amps
- ✓ Low leakage option
- QD tabs and wire lead option



#### 082(M) Series | 1-10A

- ✓ Single Stage Compact IEC Inlet Power Entry Module with Fuse and Switch
- ✓ Current Rating: 1, 3, 6, and 10 Amps
- ✓ Low leakage option
- ✓ Safety fuse and DPST on/off switch √ QD tabs and
- wire leads option

#### 084(M) Series | 1-10A

- ✓ Snap-In Single Stage Power Entry Modules with Dual Fuse Holder and Switch
- ✓ Current Rating: 1, 3, 6, and 10 Amps
- ✓ Low leakage option ✓ QD tabs and
- wire leads option

#### 085S(M) Series | 1-20A

- ✓ Snap-In Single Stage Power Entry Module with Switch
- ✓ Current Rating: 1, 3, 6, 10, 15, and 20 Amps
- ✓ Low leakage option
- ✓ QD tabs option



#### 080S(M) Series | 1-20A

- ✓ Snap-In Single Stage IEC Inlet Filters Current Rating: 1, 3, 6, 8, 10, 15, and
- 20 Amps ✓ Horizontal Mounting (Left & Right)
- ✓ Low leakage option
- ✓ QD tabs and wire lead option



- ✓ Snap-In Max Performance
- ✓ Single Stage IEC Inlet Filters
- ✓ Vertical Mounting (Top & Bottom)
- ✓ Current Rating: 1, 3, 4.5, 6, 8, and 10 Amps
- ✓ Low leakage option
- QD tabs and  $\checkmark$ wire lead option

#### 082S(M) Series | 1-15A

- ✓ Snap-In Single Stage Power Entry Module
- ✓ Current Rating: 1, 3, 6, 10, and 15 Amps
- ✓ Low leakage option
- ✓ DPST Switch
- ✓ OD tabs and wire leads option



#### 084S(M) Series | 1-15A

- ✓ Single Stage Compact Power Entry Modules with Dual Fuse Holder and **DPST Switch**
- ✓ Current Rating: 1, 3, 6, 10,
  - and 15 Amps
- √ QD tabs and
- wire leads option



- ✓ High Performance Design
- ✓ IEC Inlet Single Stage Power Line Filter
- ✓ Current Rating: 15 and 20 Amps
- QD tabs and wire leads option



#### 080SV(M) Series | 1-20A

- ✓ Snap-In Single Stage IEC Inlet Filters
- ✓ Current Rating: 1, 3, 6, 8, 10, 15, and
- 20 Amps
- ✓ Vertical Mounting (Top & Bottom)
- ✓ Low leakage option
- ✓ QD tabs and wire lead option



#### 081(M) Series | 1-10A

- ✓ Single Stage Compact IEC Inlet Power
- ✓ Entry Module with Fuse Holder Current Rating: 1, 3, 6, and 10 Amps
- ✓ Low leakage option QD tabs and wire lead option



#### 083(M) Series | 1-10A

- ✓ Single Stage Compact Power Entry Module with Dual Fuse Holder
- ✓ Current Rating: 1, 3, 6, and 10 Amps
- ✓ Low leakage option
- √ QD tabs and wire leads option



#### 085(M) Series | 1-10A

- ✓ Compact Single Stage Power Entry Module with SPST on/off Switch
- ✓ Current Rating: 1, 3, 6, and 10 Amps
- ✓ Low leakage option
- √ QD tabs and wire lead option



#### RP182CD Series | 3-10A

- ✓ Ultra High Performance Design
- ✓ Dual Stage IEC Inlet Filter
- ✓ Current Rating: 3, 6, and 10 Amps
- ✓ QD tabs and wire lead options







✓ Low leakage option

## **IEC Inlet EMI Filter Solutions**

#### RP182CS Series | 3-10A

- ✓ High Performance Single Stage IEC Inlet Filter
- ✓ Current Rating: 3, 6, and 10 Amps

✓ QD tabs and wire leads option



#### RP185 Series | 1-15A

- ✓ High Performance Design
- ✓ Single Stage IEC Inlet Filter
- ✓ Current Rating: 1, 3, 6, 10, and 15 Amps ✓ QD tabs and
  - wire leads option



#### RP186 Series | 1-20A

- ✓ Ultra High Performance Design
- ✓ Single Stage IEC Inlet Filter
- Current Rating: 1, 3, 6, 10, 12, 15, 16, and 20 Amps
- ✓ QD tabs and wire leads option



#### RP187 Series | 1-20A

- ✓ High Performance Design
- √ Dual Stage IEC Inlet Filter
- ✓ Current Rating: 1, 3, 6, 10, and 20 Amps
- ✓ QD tabs and wire lead option



#### RP188 Series | 3-10A

- ✓ High Performance Design
- ✓ Power Entry Module Single Stage IEC
- √ Inlet Filter with Fuse and Switch
- ✓ Current Rating: 3, 6, and
- 10 Amps
- ✓ QD tabs option

#### RP188HSN Series | 3-10A

- ✓ High Performance Design
- Power Entry Module Single Stage IEC Inlet Filter with Dual Fuse and Switch
- Current Rating: 3, 6, and 10 Amps
- ✓ QD tabs option



#### Typical Applications of IEC Inlet EMI Filters

- Computers
- Communication Equipment
- LCD TVsToys
- Exercise EquipmentMedical Devices
- Test & Measuring Equipment
- Vent Hoods

## Feed-Through EMI Filter Solutions

Feed-through EMI Filters provide high insertion loss from KHz to GHz frequencies. These filters are perfect for high-tech applications as they can provide both filtering and inputoutput isolation.

#### 056 Series | 5-300A

- ✓ Feed Through Filter & Feed Through Capacitors
- $\checkmark$  High insertion loss
- Current Rating: 5, 15, 25, 60, 100, 200, and 300 Amps
   Available with
- Available with mounting bushing and all types of terminals

#### Typical Applications for Feed-Through EMI Filters

- Mobile Shelters
- ✓ IT devices
- Shielded Enclosures
- Base Stations
- Switching Equipment
- Shielded Enclosures



## Facility, MRI/Shielded Room EMI Filter Solutions

Facility and Shielded Room EMI Filters are designed to isolate the shielded environment from external noise for both functional and security purposes. These filters comply with all the applicable requirements of MIL-PRF-15733, MIL-STD-810, and UL1283.





- ✓ Multiple design configurations including multi-line cabinet-style filter solutions and compact box-style single and dual-line filters
- √ 100dB @14KHz to 10GHz by MIL-STD-220
- ✓ Current Rating: 20A -2500A for cabinet style design, 20A 400A for single line compact design, and 20A 100A for dual line compact design
   ✓ Withstand a 40% current overload for 15 minutes without degradation

## **Inverter EMI Filter Solutions**

Inverter AC and DC EMI Filters are used for applications that have frequency inverters or inverter-based control systems. These compact filters reduce conducted emissions to help meet international EMC regulations.

#### RP240 Series | 6-150A

- ✓ High Performance
- ✓ Dual Stage Power Line Filters
- ✓ Current Rating: 6, 12, 16, 25, 36, 50, 80, 100, and 150 Amps
- ✓ Single-Phase Filters
- ✓ QD tab, wire leads, studs, and connector option



#### RP320 Series | 15-300A

- ✓ Dual Stage Power Line Filters
- Current Rating: 15, 30, 50, 80, 100, 150, 200 and 300 Amps

 Wire leads, studs, and connector option



#### RP325 Series | 15-300A

✓ Dual Stage Power Line Filters

**Filters** 

MRI Rooms

Test Labs
Secure Facilities
Data Centers

Shielded Rooms/Enclosures

Strategic Command Centers

- ✓ Current Rating: 15, 30, 50, 80, 100, 150, 200 and 300 Amps
- Wire leads, studs, and connector option



## Inverter EMI Filter Solutions



Current Rating: 50, 100, 200, 300, and 500 Amps

✓ Wire leads, studs and connector option



250, 400, 600, 800, 1000, 1500, and 2500 Amps

✓ Wire leads, studs, connector and bus bar option



- Grid-Tied
- Transformer
- OC Decoupling

## PCB Mounted EMI Filter Solutions

PCB-mounted AC and DC EMI Filters can be mounted directly to circuit boards and are designed to mitigate boardlevel noise or alleviate challenges for chassis mount filter installation. These filters are an effective and compact lowcost solution for EMC compliance.

#### **RP190 Series** | 1-10A

- ✓ Compact Design
- ✓ Single Stage Power Line Filters Current Rating: 1, 3, 6, and 10 Amps
- ✓ Pins for PCB Mounting



#### RPC1299 Series | 30A

- ✓ PCB Mount Design
- ✓ Dual Stage Line Filter
- ✓ Current Rating: 30 Amps
- ✓ Pin option



### Applications of PCB Filters

- Electronic Assemblies
- Telecom
- OC-DC Converters
- Aerospace
- Compact
- Medical Equipment

## **LOOKING FOR A COMPLEX POWER DESIGN?**

#### Astrodyne TDI Develops Custom Power System Solutions

Custom Power Distribution Units (PDUs) offer effective and efficient implementation of power distribution, safety features, remote communication, output monitoring, and control. With experience in power supplies, EMI filters, and integration, we provide develop custom PDUs to support the semiconductor capital equipment market. Current capabilities range from small PDUs delivering 100's watts to large-scale Power Systems delivering 100's kilowatts. Supported power input sources include uninterruptible power supplies (UPS), power supplies (PSU), and utility power sources (AC Main), or battery power (DC); with the ability to support additional power sources available upon request.

#### POWER CONVERSION

Astrodyne TDI's PDUs can provide power conversion elements, such as AC- DC, DC-DC, or DC-AC converters. They may also include AC-AC transformers for isolation, step-up, step-down, and/or power conditioning.

#### POWER CONDITIONING

Integrate EMI filters that are specifically tailored to suppress noise generated by connected equipment, or from input power surges, such as those specified by IEC-61000.

#### POWER CONTROL

Astrodyne TDI's PDU can provide DC bias voltage for connected system control functions and monitoring of input and delivered power. A bias voltage may be made independent of system interlock and EMO functions. It can also facilitate system maintenance and troubleshooting with some common protocols.

#### POWER PROTECTION

PDUs can function as part of a system or safety interlock process, where power delivery to connected equipment is coordinated with various distributed system controls and switches. System protection features

module with just one

inlet and exit

AC, DC, and Coolant Distribution & Management with Hot-Swap Modules





## **POWER.** Everything Depends on it.

For over 60 years Astrodyne TDI has been designing and manufacturing power supply and EMI filter solutions. Our quality-oriented engineers have developed an extensive breadth of products with the most critical safety certifications, including SEMIF47, and ISO9001 for exceptional quality. Standard power supplies range from 1W and up, while EMI filter solutions range up to 2500A.

Thanks to our extensive experience as power solution providers, our large team of engineers is able to provide rapid prototypes of mod-standard designs. Our team can even design and manufacture fully custom solutions for demanding applications where packaging, connections, voltages, leakage currents, etc., must be modified, and value-added design services are required.

Partner up with the Astrodyne TDI team to bring your design to market, in record time, with international safety and EMC compliance certifications.

Developing Power Technologies & Products that People Depend Upon, to Enhance, Protect, and Save Lives.

