



Quick Start Guide



CISCO™

SA8642 HDC/SA4642

DVR Set Top Box



Quick Start Guide



**SA8642 HDC/
SA4642**
DVR Set Top Box



FRONT



BACK

1

Use an HDMI cable to connect the box to the HDMI IN port on your TV.



2

Connect the device's cable connector to a cable outlet in your home.



3

Connect the power cord to the POWER port on the back of the box and plug the AC power adapter to a power outlet.



4

Press on/off button.

Pairing your TV's remote control to this Cisco set top box depends on the manufacturer of the TV remote control. Detailed instructions for most manufacturer brands can be found on [the UR5L 9000 series operating instructions here](#) located under **"Step 5 - Programming the Remote Control"**.

If you have any problems pairing your remote, contact our technical support team **24/7 at 888.659.6009**.

Do not expose the device to water or moisture. The device is a high-performance communications device designed for home and office environments. Do not use the device outdoors. Keep the device in an environment between 0°C - 40°C (32°F - 104°F). To avoid overheating, do NOT place any object on top of the device.

TV Everywhere

**Enjoy Your Favorite Shows on Any Screen — Anytime!
Laptop. PC. Tablet. Smartphone.**

Now you can stream your favorite shows and movies on your devices no matter where you are — all you need is an internet connection. Visit rittercommunications.com/TVEverywhere to see all the online content and popular channels you can now enjoy from anywhere! *

* Must be a Ritter TV customer to access TV Everywhere.
Available channels are based on customer's current TV package.
See User Guide located on
rittercommunications.com/TVEverywhere
for instructions on how to sign up.



Right by You™

888.336.4466
rittercommunications.com

