COLLECTION

COMPONENTS

SD69110C/1.0/17032014

OVERALL TOLERANCE ALLOWABLE: ± 2mm

Pool Grate - Tile

NTS

69110C PGT-400H25

Weight	10 kg
Size	400W x 400L x 25mm(t)
Application	**Strictly for Pedestrian only**

Note:

All odd ends and irregular joints can be filled with POOL GRATE-TILE which can be cut to exact measurement on site by installer after installation of Pool Grate .

© Jonite®. All rights reserved.

COLLECTION

COMPONENTS

SD69110C/1.0/17032014

OVERALL TOLERANCE ALLOWABLE: ± 2mm

69110C PGT-400H25

Weight	10 kg
Size	400W x 400L x 25mm(t)
Application	**Strictly for Pedestrian only**

Note:

- All odd ends and irregular joints can be filled with POOL GRATE-TILE which can be cut to exact measurement on site by installer after installation of Pool Grate.
- It can be permanently fixed with Epoxy Mortar to prevent unnecessary removing of the small cut size of Grate-Tiles.

Pool Grate - Tile

© Jonite®. All rights reserved.

SD69110C/1.0/17032014

OVERALL TOLERANCE ALLOWABLE: ± 2mm

69110C PGT-400H25

Weight	10 kg
Size	400W x 400L x 25mm(t)
Application	**Strictly for Pedestrian only**

Note:

- All odd ends can be filled with Standard POOL GRATE-TILE which can be cut to exact measurement on site by installer after installation of Pool Grate.
- It can be permanently fixed with Epoxy Mortar to prevent unnecessary removing of the small cut size of Grate-Tiles.

Pool Grate - Tile

© Jonite®. All rights reserved.