



Machines that *Create Value*




► MCV SERIES VERTICAL MACHINING CENTER




MODEL	MCV-720	MCV-860
Table Working area	950 x 560 mm	950 x 550 mm
Max. Table Load	500 Kgw	800 Kgw
Axis Travels (X.Y.Z)	720 x 460 X 510 mm	860 x 550 X 550 mm
ATC Type	BT 40 X 16T	BT 40 X 24T
Spindle RPM	8000 rpm	8000 rpm
Rapid Feed Rate	24 / 24 / 18 m/min	40 / 40 / 30 m/min
Floor Space	3118 x 2640 mm	2260 x 2900 mm


► MCV SERIES VERTICAL MACHINING CENTER



MODEL	MCV-1020A	MCV-1250	MCV-1500
Table Working area	1250 x 660 mm	1400 x 820 mm	1700 x 820 mm
Max. Table Load	1000 Kgw	1500 Kgw	1500 Kgw
Axis Travels (X.Y.Z)	1020 x 550 x 560 mm	1250 x 650 x 700 mm	1500 x 630 x 700 mm
ATC Type	BT 50 x 20T	BT 50 x 24T	BT 50 x 24T
Spindle RPM	5,000 rpm	6000 rpm	6000 rpm
Rapid Feed Rate	20 / 20 / 18 m/min	20 / 20 / 12 m/min	12 / 12 / 10 m/min
Floor Space	3575 x 4000 mm	3800 x 4118 mm	4628 x 3270 mm



MCV-1060	MCV-1020BA	MCV-1200
1200 x 580 mm	1250 x 660 mm	1300 x 640 mm
1000 Kgw	1000 Kgw	1000 Kgw
1060 x 560 X 550 mm	1020 x 550 X 560 mm	1200 x 600 X 500 mm
BT 40 X 24T	BT 40 X 16T	BT 40 X 24T
8000 rpm	8000 rpm	10000 rpm
40 / 40 / 30 m/min	30 / 30 / 20 m/min	30 / 30 / 20 m/min
2900 x 3895 mm	3575 x 4000 mm	3150 x 4060 mm




MCV-1450	MCV-1680	MCV-1700	MCV-2100	MCV-2600
1600 x 800 mm	1800 x 850 mm	1900 x 1010 mm	2300 x 970 mm	2800 x 970 mm
2000 Kgw	2500 Kgw	2000 Kgw	3000 Kgw	3000 Kgw
1450 x 750 x 750 mm	1680 x 850 x 800 mm	1700 x 800 x 750 mm	2100 x 870 x 760 mm	2600 x 870 x 760 mm
BT 50 x 32T	BT 40 x 24T	BT 50 x 32T	BT 50 x 32T	BT 50 x 32T
6000 rpm	12000 rpm	6000 rpm	6000 rpm	6000 rpm
20 / 20 / 12 m/min	36 / 36 / 20 m/min	15 / 15 / 8 m/min	10 / 10 / 8 m/min	10 / 10 / 8 m/min
5330 x 4150 mm	4493 x 4857 mm	6310 x 4610 mm	7700 x 4694 mm	8600 x 4694 mm

► DCM SERIES DOUBLE COLUMN MACHINING CENTER




MODEL	DCM-2213	DCM-2216
Table Working area	2500 x 1350 mm	2220 x 1500 mm
Max.Table Load	4000 Kgw	4000 Kgw
Axis Travels (X.Y.Z)	2200 x 1300 x 760 mm	2200 x 1600 x 800 mm
ATC Type	BT 50 x 40T	BT 50 x 40T
Spindle RPM	6000 rpm	10000 rpm
Rapid Feed Rate	12 / 15 / 15 m/min	12 / 15 / 15 m/min
Floor Space	4235 x 8500 mm	4000 x 6500 mm

► MCH / DMH / HC SERIES HORIZONTAL MACHINING CENTER



MODEL	MCH-500	MCH-630
Table Working area	500 x 500 mm	630 x 630 mm
Max.Table Load	800 Kgw	1000 Kgw
Axis Travels (X.Y.Z)	750 x 680 x 600 mm	1000 x 800 x 800 mm
ATC Type	BT 50 x 60T	BT 50 x 60T
Spindle RPM	6000 rpm	6000 rpm
Rapid Feed Rate	15 / 15 / 15 m/min	24 / 24 / 24 m/min
Floor Space	2170 x 4290 mm	4500 x 6230 mm



DCM-3213

3500 x 1350 mm
5000 Kgw
3200 x 1300 x 760 mm
BT 50 x 40T
6000 rpm
10 / 15 / 15 m/min
4235 x 11000 mm

DCM-3216

3200 x 1550 mm
5000 Kgw
3200 x 1600 x 800 mm
BT 50 x 40T
10000 rpm
10 / 15 / 15 m/min
4000 x 8500 mm

DCM-4225

4000 x 2200 mm
12000 Kgw
4200 x 2500 x 800 mm
BT 50 x 40T
6000 rpm
10 / 10 / 10 m/min
5650 x 11120 mm




MCH-800

800 x 800 mm
2000 Kgw
1350 x 1000 x 1000 mm
BT 50 x 60T
6000 rpm
10 / 10 / 10 m/min
4410 x 6495 mm

DMH-500


500 x 500 mm
600 Kgw
750 x 680 x 650 mm
BT 40 x 40T
12000 rpm
40 / 40 / 40 m/min
2650 x 5000 mm



HC-2000


2300 x 970 mm
7000 Kgw
2000 x 1000 x 1000 mm
BT 50 x 60T
6000 rpm
10 / 10 / 10 m/min
5750 x 5605 mm

▶ PT SERIES PORTAL TYPE MACHINING CENTER



MODEL	PT-128A
Table Working area	1350 x 900 mm
Max. Table Load	1600 kgw
Axis Travels (X.Y.Z)	1200 x 900 x 560 mm
ATC Type	BT40 x 24T
Spindle RPM	12000 rpm
Rapid Feed Rate	30 / 30 / 30 m/min
Floor Space	3900 x 4860 mm

▶ DMV SERIES TRAVELING COLUMN VERTICAL MACHINING CENTER



MODEL	DMV-800	DMV-2000
Table Working area	800 x 560 mm	2100 x 700 mm
Max. Table Load	600 Kgw	3000 Kgw
Axis Travels (X.Y.Z)	800 x 560 x 560 mm	2000 x 700 x 650 mm
ATC Type	BT40 x 20T	BT40 x 32T
Spindle RPM	8000 rpm	8000 rpm
Rapid Feed Rate	30 / 30 / 24 m/min	40 / 40 / 30 m/min
Floor Space	2700 x 4300 mm	5000 x 4440 mm

► **DMT SERIES HORIZONTAL MULTI-TASK MACHINING CENTER**





MODEL	DMT-500	DMT-630
Table Working area	Ø500	Ø630
Max.Table Load	800 Kgw	1500 Kgw
X/Y/Z Travel	1000 x 800 x 950 mm	1050 x 950 x 1950 mm
B Axis (Milling Head) Tilting Angle	150° (-30°~+120°)	150° (-120°~+30°)
C Axis (Table Rotation)	360° (Continuous)	360° (Continuous)
ATC Type	KM 63 x 40 pcs	KM 63 x 60 pcs
Spindle RPM	12,000 rpm	12,000 rpm
Rapid Feed Rate	X/Y/Z 30 m/min	X/Y/Z 36 m/min
Floor Space	3040 x 4640 mm	5865 x 4210 mm

Our Commitment

Based on our outstanding resources, we are committed to offering the best possible machines to serve worldwide customers.

Quality and Efficiency, the Perfect Solution from DAHLIH



KADIGO

Welcome to your machine

KADIGO Werkzeugmaschinen & Zubehör Handels GmbH
Walramstraße 27, DE 65510 Idstein
Telefon: +49 (0)6126 50936-0, Telefax: +49 (0)6126 50936-90
E-Mail: info@kadigo.de – www.kadigo.de



Dah Lih

A Leading Machining Center Manufacturer in Taiwan

Dah Lih Machinery Industry Co., Ltd. was founded in 1960 by the former president, Mr. Chung Ching-Chang, who started his venture with lathes for parts machining and machine repair services. With over 30 years of hard work, Dah Lih has become a world-famous machining center manufacturer under the diligent leadership of the founder and upper management. Dah Lih continues to keep moving toward its strategic targets. Through years of effort, Dah Lih is a leading machining center manufacturer in Taiwan with products sold around the world. However, we are never satisfied with our current achievements; we will keep growing continuously and provide even better service for our customers for years to come.



DAH LIH MACHINERY INDUSTRY CO., LTD.

No. 3, Kung-Yeh Lane, Fengcheng Road, Nanshih Village,
Wufeng District, Taichung City, 41357, Taiwan.

TEL:886-4-23334567 FAX:886-4-23307567

E-mail:export.sale@dahliah.com.tw [Http://www.dahliah.com.tw](http://www.dahliah.com.tw)



022-D2-01-002