15 DAYS TO SLOW THE SPREAD

Listen to and follow the directions of your STATE AND LOCAL AUTHORITIES.

IF YOU FEEL SICK, stay home. Do not go to work. Contact your medical provider.

IF YOUR CHILDREN ARE SICK, keep them at home. Do not send them to school. Contact your medical provider.

IF SOMEONE IN YOUR HOUSEHOLD HAS TESTED POSITIVE for the coronavirus, keep the entire household at home. Do not go to work. Do not go to school. Contact your medical provider.

IF YOU ARE AN OLDER PERSON, stay home and away from other people.

IF YOU ARE A PERSON WITH A SERIOUS UNDERLYING HEALTH CONDITION that can put you at increased risk (for example, a condition that impairs your lung or heart function or weakens your immune system), stay home and away from other people.



For more information, please visit **CORONAVIRUS.GOV**

THE PRESIDENT'S CORONAVIRUS GUIDELINES FOR AMERICA

DO YOUR PART TO SLOW THE SPREAD OF THE CORONAVIRUS

Even if you are young, or otherwise healthy, you are at risk and your activities can increase the risk for others. It is critical that you do your part to slow the spread of the coronavirus.

Work or engage in schooling **FROM HOME** whenever possible.

IF YOU WORK IN A CRITICAL INFRASTRUCTURE INDUSTRY, as defined by the Department of Homeland Security, such as healthcare services and pharmaceutical and food supply, you have a special responsibility to maintain your normal work schedule. You and your employers should follow CDC guidance to protect your health at work.

AVOID SOCIAL GATHERINGS in groups of more than 10 people.

Avoid eating or drinking at bars, restaurants, and food courts — **USE DRIVE-THRU, PICKUP, OR DELIVERY OPTIONS.**

AVOID DISCRETIONARY TRAVEL, shopping trips, and social visits.

DO NOT VISIT nursing homes or retirement or long-term care facilities unless to provide critical assistance.

PRACTICE GOOD HYGIENE:

- Wash your hands, especially after touching any frequently used item or surface.
- Avoid touching your face.
- Sneeze or cough into a tissue, or the inside of your elbow.
- Disinfect frequently used items and surfaces as much as possible.

CORONAVIRUS.GOV

School operations can accelerate the spread of the coronavirus. Governors of states with evidence of community transmission should close schools in affected and surrounding areas. Governors should close schools in communities that are near areas of community transmission, even if those areas are in neighboring states. In addition, state and local officials should close schools where coronavirus has been identified in the population associated with the school. States and localities that close schools need to address childcare needs of critical responders, as well as the nutritional needs of children.

Older people are particularly at risk from the coronavirus. All states should follow Federal guidance and halt social visits to nursing homes and retirement and long-term care facilities.

In states with evidence of community transmission, bars, restaurants, food courts, gyms, and other indoor and outdoor venues where groups of people congregate should be closed.



CERC in an Infectious Disease Outbreak

- Be First: Quickly sharing information about a disease outbreak can help stop the spread of disease, and prevent and reduce illness and even death. People often remember the first information they hear in an emergency, so the first information they receive should come from health experts.
 - Even if the cause of the outbreak or specific disease is unknown, share facts that are available. This can help you stay ahead of possible rumors.
 - Share information about the signs and symptoms of disease, who is at risk, treatment and care options, and when to seek medical care.
- 2. **Be Right:** Accuracy establishes credibility. Information should include what is known, what is not known, and what is being done to fill in the information gaps.
 - Public health messages and medical guidance must complement each other. For example, public health officials should not widely encourage people to go to the doctors if doctors are turning people away and running out of medicine for critically ill people.
 - Always fact check with subject-matter experts. One incorrect message can cause harmful behaviors and may result in people losing trust in future messages.
- 3. **Be Credible:** Honesty, timeliness, and scientific evidence encourage the public to trust your information and guidance. Acknowledge when you do not have enough information to answer a question and then work with the appropriate experts to get an answer.
 - Do not make promises about anything that is not yet certain, such as distribution of vaccines or medications without confirmed availability.
 - Clinicians should be present at press or community events to answer medical questions.

- 4. **Express Empathy:** Disease outbreaks can cause fear and disrupt daily lives. Lesser-known or emerging diseases cause more uncertainty and anxiety. Acknowledging what people are feeling and their challenges shows that you are considering their perspectives when you give recommendations.
 - For example, during a telebriefing for the coronavirus disease 2019 response: "Being quarantined can be disruptive, frustrating, and feel scary. Especially when the reason for quarantine is exposure to a new disease for which there may be limited information."
- 5. **Promote Action:** In an infectious disease outbreak, public understanding of and action on disease prevention is key to stopping the spread.
 - Keep action messages simple, short, and easy to remember, like "cover your cough."
 - Promote action messages in different ways to make sure they reach those with disabilities, limited English proficiency, and varying access to information.
- 6. **Show Respect:** Respectful communication is particularly important when people feel vulnerable. Respectful communication promotes cooperation and rapport. Actively listen to the issues and solutions brought up by local communities and local leadership.
 - Acknowledge different cultural beliefs and practices about diseases, and work with communities to adapt behaviors and promote understanding.
 - Do not dismiss fears or concerns. Give people a chance to talk and ask questions.



Centers for Disease Control and Prevention Office of Public Health Preparedness and Response

10 ways to manage respiratory symptoms at home

If you have fever, cough, or shortness of breath, call your healthcare provider. They may tell you to manage your care from home. Follow these tips:

 Stay home from work, school, and away from other public places. If you must go out, avoid using any kind of public transportation, ridesharing, or taxis.



2. Monitor your symptoms carefully. If your symptoms get worse, call your healthcare provider immediately.



3. Get rest and stay hydrated.



4. If you have a medical appointment, call the healthcare provider ahead of time and tell them that you have or may have COVID-19.



5. For medical emergencies, call 911 and **notify the dispatch personnel** that you have or may have COVID-19.



6. Cover your cough and sneezes.



7. Wash your hands often with soap and water for at least 20 seconds or clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



8. As much as possible, stay in a specific room and away from other people in your home. Also, you should use a separate bathroom, if available. If you need to be around other people in or outside of the home, wear a facemask.



9. Avoid sharing personal items with other people in your household, like dishes, towels, and bedding.



10. Clean all surfaces that are touched often, like counters, tabletops, and doorknobs. Use household cleaning sprays or wipes according to the label instructions.





Steps to help prevent the spread of COVID-19 if you are sick

FOLLOW THE STEPS BELOW: If you are sick with COVID-19 or think you might have it, follow the steps below to help protect other people in your home and community.

Stay home except to get medical care

• **Stay home:** People who are mildly ill with COVID-19 are able to recover at home. Do not leave, except to get medical care. Do not visit public areas.



- **Stay in touch with your doctor.** Call before you get medical care. Be sure to get care if you feel worse or you think it is an emergency.
- **Avoid public transportation:** Avoid using public transportation, ride-sharing, or taxis.

Separate yourself from other people in your home, this is known as home isolation



- **Stay away from others:** As much as possible, you should stay in a specific "sick room" and away from other people in your home. Use a separate bathroom, if available.
- Limit contact with pets & animals: You should restrict contact with pets and other animals, just like you would around other people.
 - Although there have not been reports of pets or other animals becoming sick with COVID-19, it is still recommended that people with the virus limit contact with animals until more information is known.
 - When possible, have another member of your household care for your animals while you are sick with COVID-19. If you must care for your pet or be around animals while you are sick, wash your hands before and after you interact with them. See COVID-19 and Animals for more information.

Call ahead before visiting your doctor

• **Call ahead:** If you have a medical appointment, call your doctor's office or emergency department, and tell them you have or may have COVID-19. This will help the office protect themselves and other patients.



Wear a facemask if you are sick

• **If you are sick:** You should wear a facemask when you are around other people and before you enter a healthcare provider's office.



• If you are caring for others: If the person who is sick is not able to wear a facemask (for example, because it causes trouble breathing), then people who live in the home should stay in a different room. When caregivers enter the room of the sick person, they should wear a facemask. Visitors, other than caregivers, are not recommended.

Cover your coughs and sneezes

• **Cover:** Cover your mouth and nose with a tissue when you cough or sneeze.



- Dispose: Throw used tissues in a lined trash can.
- Wash hands: Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.

Clean your hands often

• Wash hands: Wash your hands often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.



- **Hand sanitizer:** If soap and water are not available, use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water:** Soap and water are the best option, especially if hands are visibly dirty.
- **Avoid touching:** Avoid touching your eyes, nose, and mouth with unwashed hands.

Avoid sharing personal household items

• **Do not share:** Do not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.







• Wash thoroughly after use: After using these items, wash them thoroughly with soap and water or put in the dishwasher.

Clean all "high-touch" surfaces everyday

Clean high-touch surfaces in your isolation area ("sick room" and bathroom) every day; let a caregiver clean and disinfect high-touch surfaces in other areas of the home.



- **Clean and disinfect:** Routinely clean high-touch surfaces in your "sick room" and bathroom. Let someone else clean and disinfect surfaces in common areas, but not your bedroom and bathroom.
 - If a caregiver or other person needs to clean and disinfect a sick person's bedroom or bathroom, they should do so on an as-needed basis. The caregiver/other person should wear a mask and wait as long as possible after the sick person has used the bathroom.
- High-touch surfaces include phones, remote controls, counters, tabletops, doorknobs, bathroom fixtures, toilets, keyboards, tablets, and bedside tables.
- Clean and disinfect areas that may have blood, stool, or body fluids on them.
- Household cleaners and disinfectants: Clean the area or item with soap and water or another detergent if it is dirty. Then, use a household disinfectant.
 - Be sure to follow the instructions on the label to ensure safe and effective use of the product. Many products recommend keeping the surface wet for several minutes to ensure germs are killed. Many also recommend precautions such as wearing gloves and making sure you have good ventilation during use of the product.
 - Most EPA-registered household disinfectants should be effective. A full list of disinfectants can be found hereexternal icon.

Monitor your symptoms

• Seek medical attention, but call first: Seek medical care right away if your illness is worsening (for example, if you have difficulty breathing).



- **Call your doctor before going in:** Before going to the doctor's office or emergency room, call ahead and tell them your symptoms. They will tell you what to do.
- Wear a facemask: If possible, put on a facemask before you enter the building. If you can't put on a facemask, try to keep a safe distance from other people (at least 6 feet away). This will help protect the people in the office or waiting room.
- Follow care instructions from your healthcare provider and local health department: Your local health authorities will give instructions on checking your symptoms and reporting information.

If you develop **emergency warning signs** for COVID-19 get **medical attention immediately.**

Emergency warning signs include*:

- Difficulty breathing or shortness of breath
- Persistent pain or pressure in the chest
- New confusion or inability to arouse
- Bluish lips or face

*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.

Call 911 if you have a medical emergency: If you have a medical emergency and need to call 911, notify the operator that you have or think you might have, COVID-19. If possible, put on a facemask before medical help arrives.

How to discontinue home isolation

• People with COVID-19 who have stayed home (home isolated) can stop home isolation under the following conditions:



- *If you will not have a test* to determine if you are still contagious, you can leave home after these three things have happened:
 - You have had no fever for at least 72 hours (that is three full days of no fever without the use medicine that reduces fevers) AND
 - other symptoms have improved (for example, when your cough or shortness of breath have improved) AND
 - at least 7 days have passed since your symptoms first appeared
- *If you will be tested* to determine if you are still contagious, you can leave home after these three things have happened:
 - You no longer have a fever (without the use medicine that reduces fevers) AND
 - other symptoms have improved (for example, when your cough or shortness of breath have improved) AND
 - you received two negative tests in a row, 24 hours apart. Your doctor will follow CDC guidelines.

In all cases, follow the guidance of your healthcare provider and local health department. The decision to stop home isolation should be made in consultation with your healthcare provider and state and local health departments. Local decisions depend on local circumstances.

More information is available <u>here.</u>

Additional information for healthcare providers: <u>Interim</u> <u>Healthcare Infection Prevention and Control Recommendations</u> <u>for Persons Under Investigation for 2019 Novel Coronavirus.</u>

What you need to know about coronavirus disease 2019 (COVID-19)

What is coronavirus disease 2019 (COVID-19)?

Coronavirus disease 2019 (COVID-19) is a respiratory illness that can spread from person to person. The virus that causes COVID-19 is a novel coronavirus that was first identified during an investigation into an outbreak in Wuhan, China.

Can people in the U.S. get COVID-19?

Yes. COVID-19 is spreading from person to person in parts of the United States. Risk of infection with COVID-19 is higher for people who are close contacts of someone known to have COVID-19, for example healthcare workers, or household members. Other people at higher risk for infection are those who live in or have recently been in an area with ongoing spread of COVID-19. Learn more about places with ongoing spread at https://www.cdc.gov/coronavirus/2019-ncov/about/ transmission.html#geographic.

Have there been cases of COVID-19 in the U.S.?

Yes. The first case of COVID-19 in the United States was reported on January 21, 2020. The current count of cases of COVID-19 in the United States is available on CDC's webpage at <u>https://www.cdc.gov/coronavirus/2019-ncov/cases-in-us.html</u>.

How does COVID-19 spread?

The virus that causes COVID-19 probably emerged from an animal source, but is now spreading from person to person. The virus is thought to spread mainly between people who are in close contact with one another (within about 6 feet) through respiratory droplets produced when an infected person coughs or sneezes. It also may be possible that a person can get COVID-19 by touching a surface or object that has the virus on it and then touching their own mouth, nose, or possibly their eyes, but this is not thought to be the main way the virus spreads. Learn what is known about the spread of newly emerged coronaviruses at https://www.cdc.gov/coronavirus/2019-ncov/about/transmission.html.

What are the symptoms of COVID-19?

Patients with COVID-19 have had mild to severe respiratory illness with symptoms of

- fever
- cough
- shortness of breath

What are severe complications from this virus?

Some patients have pneumonia in both lungs, multi-organ failure and in some cases death.

How can I help protect myself?

People can help protect themselves from respiratory illness with everyday preventive actions.

- Avoid close contact with people who are sick.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Wash your hands often with soap and water for at least 20 seconds. Use an alcohol-based hand sanitizer that contains at least 60% alcohol if soap and water are not available.

If you are sick, to keep from spreading respiratory illness to others, you should

- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.
- Clean and disinfect frequently touched objects and surfaces.

What should I do if I recently traveled from an area with ongoing spread of COVID-19?

If you have traveled from an affected area, there may be restrictions on your movements for up to 2 weeks. If you develop symptoms during that period (fever, cough, trouble breathing), seek medical advice. Call the office of your health care provider before you go, and tell them about your travel and your symptoms. They will give you instructions on how to get care without exposing other people to your illness. While sick, avoid contact with people, don't go out and delay any travel to reduce the possibility of spreading illness to others.

Is there a vaccine?

There is currently no vaccine to protect against COVID-19. The best way to prevent infection is to take everyday preventive actions, like avoiding close contact with people who are sick and washing your hands often.

Is there a treatment?

There is no specific antiviral treatment for COVID-19. People with COVID-19 can seek medical care to help relieve symptoms.



cdc.gov/COVID19

CS 314937-A 03/20/2020

SHARE FACTS ABOUT COVID-19

Know the facts about coronavirus disease 2019 (COVID-19) and help stop the spread of rumors.



Diseases can make anyone sick regardless of their race or ethnicity.

Fear and anxiety about COVID-19 can cause people to avoid or reject others even though they are not at risk for spreading the virus.

FACT

For most people, the immediate risk of becoming seriously ill from the virus that causes COVID-19 is thought to be low.

Older adults and people of any age who have serious underlying medical conditions may be at higher risk for more serious complications from COVID-19.

FACT 3

Someone who has completed quarantine or has been released from isolation does not pose a risk of infection to other people.

For up-to-date information, visit CDC's coronavirus disease 2019 web page.



FACT

There are simple things you can do to help keep yourself and others healthy.

- Wash your hands often with soap and water for at least 20 seconds, especially after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- Avoid touching your eyes, nose, and mouth with unwashed hands.
- Stay home when you are sick.
- Cover your cough or sneeze with a tissue, then throw the tissue in the trash.

ғаст **5**

You can help stop COVID-19 by knowing the signs and symptoms:

- Fever
- Cough
- Shortness of breath

Seek medical advice if you

Develop symptoms

AND

 Have been in close contact with a person known to have COVID-19 or if you live in or have recently been in an area with ongoing spread of COVID-19.

cdc.gov/COVID-19

CDC PROTECTS AND PREPARES COMMUNITIES

CDC is aggressively responding to the global outbreak of COVID-19 and community spread in the U.S.





Feeling Sick?

Stay home when you are sick!

If you feel unwell or have the following symptoms **please leave the building and contact your health care provider.** Then follow-up with your supervisor.

<u>DO NOT ENTER</u> if you have:



FEVER



COUGH



SHORTNESS OF BREATH

cdc.gov/CORONAVIRUS

CS 316129-A March 22, 2020 5:13 PM

STOP THE SPREAD OF GERMS

Help prevent the spread of respiratory diseases like COVID-19.





in the trash.

then throw the tissue

Cover your cough or sneeze with a tissue,

Clean and disinfect frequently touched objects and surfaces.

Avoid touching your eyes, nose, and mouth.



Wash your hands often with soap and water for at least 20 seconds.



SYMPTOMS OF CORONAVIRUS DISEASE 2019

Patients with COVID-19 have experienced mild to severe respiratory illness.





cdc.gov/COVID19-symptoms

CS 315252-A March 20, 2020, 12:51PM