

BROMINE START UP INSTRUCTIONS



DAY 1

- 1) FILL SPA THROUGH FILTER CHAMBER.
- 2) TURN TUB ON AT GFCI (INSTALLED BY ELECTRICIAN)
- 3) ALLOW TUB TO HEAT TO 90°+
- 4) ADD WHOLE PACKET OF SODIUM BROMIDE TO WATER
- 5) TEST WATER USING 4 WAY TEST STRIP (SEE USING 4 WAY TEST STRIP FOR QUESTIONS)
- 6) ADJUST ALK / PH / TH TO DESIRED RANGE (SEE ADJUSTING WATER CHEMISTRY)
- 7) ADD 3 BROMINE TABLETS INTO BOTTOM CAVITY OF BLUE BROMINE FLOATER
- 8) OPEN SHAFT ON BLUE BROMINE FLOATER TO A LEVEL OF 3
- 9) ADD 2 X CAPS RENEW TO WATER WITH JETS ON AND RUNNING WAIT 1 HR. WITH COVER OPEN UNTIL USING TUB



DAY 2

- 1) CLEAN FILTERS (TURN OFF TUB OR USE HOLD SETTING BEFORE DOING)
- 2) CHECK & RECORD WATER CHEMISTRY WITH 4-WAY TESTERS. (SEE BACK SIDE)



DAY 3

- 1) CHECK & RECORD WATER CHEMISTRY WITH 4-WAY TESTERS. (SEE BACK SIDE)
- 2) ADJUST THE NUMBER OF BROM TABS AND/OR THE OPENING IN BLUE BROMINE FLOATER DEPENDING ON BROMINE LEVEL
 - ✓ IF BROMINE IS TOO HIGH: SLIGHTLY CLOSE UP SHAFT ON FLOATER FROM 3 TO 2
 - ✓ IF BROMINE IS TOO LOW: SLIGHTLY OPEN SHAFT ON FLOATER FROM 3 TO 4 / CAN ALSO TRY ADDING 1 MORE BROM TAB

****NEVER ALLOW BROMINE TO STAY HIGHER THAN 6 PPM****

WEEKLY

- 1) CLEAN FILTER (TURN OFF TUB OR USE HOLD SETTING BEFORE DOING)
- 2) CHECK & RECORD WATER CHEMISTRY WITH 4-WAY TESTERS. (SEE BACK SIDE)
- 3) ADD 2 CAPFULS OF RENEW
- 4) CHECK BROM TABS IN BLUE BROMINE FLOATER. ADD IF NEEDED
- 5) ADD 2 CAPS OF HOT TUB SERUM TOTAL MAINTENANCE

****** ONLY AFTER WATER CHEMISTRY IS PERFECT (ALK / PH / TH)***

QUARTERLY

- 1) DRAIN TUB / FLUSH OUT PLUMBING LINES / REFILL / START PROCESS OVER

ANNUALLY

- 1) DEEP CLEAN TUB / START PROCESS OVER
- 2) REPLACE FILTER

TESTING YOUR HOT TUB WATER



FIRST WEEK (DAILY)

	DAY	1	2	3	4	5	6	7
	DATE							
	IDEAL RANGE							
BROMINE	3 – 5 PPM							
ALKALINITY	80 – 120 PPM							
pH	7.2 – 7.6							
CALCIUM (TH)	150 – 400 PPM							

WEEKLY

	WEEK #	2	3	4	5	6	7	8
	DATE							
	IDEAL RANGE							
BROMINE	3 – 5 PPM							
ALKALINITY	80 – 120 PPM							
pH	7.2 – 7.6							
CALCIUM (TH)	150 – 400 PPM							

WEEKLY

	WEEK #	9	10	11	12	13	14	15
	DATE							
	IDEAL RANGE							
BROMINE	3 – 5 PPM							
ALKALINITY	80 – 120 PPM							
pH	7.2 – 7.6							
CALCIUM (TH)	150 – 400 PPM							

EVERY FOUR (4) MONTHS (MORE FREQUENTLY WITH HEAVIER USE OF HOT TUB)

- DRAIN & REFILL YOUR HOT TUB

IF YOU FIND THAT YOU HAVE ADDITIONAL QUESTIONS OR WOULD LIKE TO LEARN MORE ABOUT WATER CHEMISTRY, GIVE US A CALL TO FIND OUT WHEN OUR NEXT SPA ORIENTATION CLASS WILL BE HELD IN A SHOWROOM NEAR YOU.