



**X-BABY**

TWINS 2x70 W LED - 2M



**TRIME**

Lighting Tower Specialist



# X-BABY

TWINS 2X70 W LED - 2M

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-BABY has been created beginning from these characteristics. It is the best solution to your needs and guarantees 1500 sqm of illuminated area. 54 units can be loaded on a standard truck. To all of this, we added the battery technology that allows to work with zero emission.



2m



105Kg



1500 sqm



Battery

- Multi-directionally adjustable and tiltable floodlights
- 1 section galvanized telescopic vertical mast
- Maximum mast height 2 m
- Manual lifting system
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 54 units per truck
- Central lifting eye for effective handling
- Hand trolley
- Light weight for improved manoeuvrability
- Simple, rugged machine design and layout
- Electrical cable inside the mast
- protected electrical cable to avoid damage during tower operation
- Circuit breaker for electrical protection against short circuit
- On/Off switches
- Easy access for maintenance
- 4 extendable & height adjustable galvanized stabilizers
- battery pack in AGM
- built-in battery recharger

## APPLICATIONS



Special events



Rural & hard to reach areas



Emergency response




Construction & work sites



Gas, oil & mining operations



Military applications



Illuminated area  
**1500 sqm**



**54**  
Units Per Truck



**You can place 54 units on a single vehicle thanks to one of the compactest footprints on the market.**

## KEY BENEFITS

✓ **Led technology**

✓ **Compact dimensions**

✓ **Easy maintenance**



HIGH EFFICIENCY  
LED TECHNOLOGY

QUICK RELEASE  
VERTICAL MAST

GALVANIZED BODY  
DIMABLE ANTI-CORROSION  
PROTECTION

FULL AGM BATTERY

WORKING TIME 8H

# technical data

Dimensions & weight	
Dimensions (LxWxH) (mm)	1408x648x1650
Total weight	105 Kg


Floodlights	
Type	LED
Floodlights number per pair	4
Power (each)	70W

Features	
Lifting method	Manual
Maximum Height	2m
Battery charger	230V 1Ph Built-in
Running time	8 h
Charging time with floodlights off	± 10 h

Battery	
Type	AGM
Batteries number	1
Batteries pack	12V DC 105 AH
Expected battery cycle	500

## Standard load delivery


**54 units**



Units Per Truck

## Illuminated area

**1500 sqm**



**TRIME**  
Lighting Tower Specialist

**TRIME s.p.a.**

Strada per Robecco, snc  
20081 Cassinetta di Lugagnano (MI) - Italy  
Tel. +39 02 942 1724  
www.trime.it - info@trime.it