


light on your work



**X-ECO**  
BATTERY-M  
4X100W LED- 9M - 36-72H



**TRIME**  
Lighting Tower Specialist



# X-ECO

## BATTERY-M

4x100W LED- 9M - 36H

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-ECO BATTERY has been created beginning from these characteristics. It is the best solution to your needs and guarantees 2000 sqm of illuminated area. 14 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.



9 m



936Kg



340°



2000 sqm



battery

- Multi-directionally adjustable and tiltable floodlights
- 7 sections manual vertical tower 9m, 340° rotatable
- Standard timer for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 14 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Certified wind stability up to 110 km/h
- 4 height adjustable stabilizers
- On board levels for guidance during stabilization
- Running time 36 - 72h
- 24 volt DC Battery
- Floodlights 4x100W
- Recharging in 11 hours
- 230V 1PH Battery charger built-in



### APPLICATIONS



Special events



Rural & hard to reach areas



Emergency response




Construction & work sites



Gas, oil & mining operations



Military applications



14  
Units Per Truck



You can place 14 units on a single vehicle thanks to one of the compactest footprint on the market.

**LED**  
TECHNOLOGY  
2000 sqm

**100%**  
made in ITALY

**leader**  
in sustainability

**easy**  
to Handle



SAFETY MANUAL VERTICAL MAST

GALVANIZED BODY  
DURABLE ANTI-CORROSION  
PROTECTION

AGM BATTERY

WORKING TIME 36/72 H


own construction site  
building maintenance  
danger project **WARNING**  
tower structure repairing  
progress structure property  
forbidden  
caution tower  
industry repairing site  
downtown tall  
building site  
progress  
city town  
ess

technical data

Dimensions & weight		Battery	
Dimensions min. (mm)	2320x1380x2420	Model	Trime
Dimensions max. (mm)	2320x1550x9000	Type	AGM ZL 06 130
Total weight	936 Kg	Volt	24
Features		Expected battery cycle	500
Rotation	340°	Expected battery life time	18000h
Floodlights	4x100W	Running time	36 - 72 h
Lamps	LED	Charging time with floodlights off	8 h
Timer	Built- in		
IP level	65		
Maximum Wind Speed	110 Km/h		
Battery charger	230V 1Ph Built-in		

Standard load delivery



**14 sets**



Units Per Truck

Illuminated area

**2000 sqm**



**Trime (UK) Ltd**

B3 Spitfire Close, Ermine Business Park,  
 Huntingdon PE29 6XY,  
 Tel. 01480 220500 - fax 01480 220501  
 email: sales@trimeuk.com - web: trimeuk.com

