











Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-LIGHT has been created beginning from these characteristics. It is the best solution to your needs and guarantees 4200 sqm of illuminated area. 22 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.



- Multi-directionally adjustable and tiltable floodlights
- 7 sections hydraulic vertical tower, 340° rotatable
- Standard light sensor for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 22 units per truck
- Central lifting eye forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Circuit breaker for electrical protection against overload
- Certified wind stability up tp 110 km/h
- 4 extendable & height adjustable stabilizers
- On board levels for guidance during stabilization

## APPLICATIONS



Special events

- - Rural & hard to reach areas
  - Emergency response
- Construction & work sites



Military applications




Ease of transport and handling



22 Units Per Truck



You can place 22 units on a single vehicle thanks to one of the compactest footprints on the market.



#### technical data

Dimensions & weight	
Dimensions min. (mm)	1160x1130x2100
Dimensions max. (mm)	2500x2500x8500
Total weight	680 Kg
Features	
Rotation	340°
Floodlights	4x1000W
Lamps	Metal halide
Options	Timer

Input & output	
Inlet plug	32A - 380V
Outlet socket	-

#### Tower lifting method


Hydraulic

# Standard load delivery 22 sets

Units Per Truck

Illuminated area (5 lux min.)







Lighting Tower Specialist

### TRIME s.p.a.

Strada per Robecco, snc 20081 Cassinetta di Lugagnano (MI) Tel. +39 02 942 1724 www.trime.it - info@trime.it